

Wellness and Swimming Pools



RAK
CERAMICS

RAK
CERAMICS



Floor: Swimming Pool Light Blue, Lava Concrete Light Grey, Lava Concrete Light Grey Step and Riser

Wellness And Swimming Pools

Swimming pool and Spa surfaces requires careful attention in terms of application and design selection.

RAK Ceramics innovative solutions for Swimming pool and Wellness are up to date with the latest trends in tile design as well as in technical excellence and quality standards. Outdoor or indoor projects, we have the products and expertise to provide the perfect solution in terms of comfort and safety, leaving to the architects and interior designers the limitless possibility to express their imagination. RAK Ceramics' tiles are designed to ensure perfect integration of your pool projects to its surrounding landscape and interior design style, eliminating aesthetic boundaries. The comprehensive product range comes in various sizes, materials, designs, accessories and even steps and edges making it a complete pool solution.


Enjoy your leisure time in a stylish environment that fully reflects your personality.



Floor : Swimming Pool Light Blue and Dark Blue,
Creative Concrete P Grey and creative concrete p special piece



Floor : Swimming Pool Light Blue, French Vanilla Grey and French Vanilla Grey Special Piece



Floor : Swimming Pool Blue Mix-2 Mosaic, Coral Stone Light Grey, Coral Stone Light Grey L Shape



Floor : Swimming Pool Light Blue, Swimming Pool Beige Channel Hole and Siena Stone Deep Sand




Floor: Swimming Pool Light Blue C, Swimming Pool Light Blue Step, Swimming Pool Light Blue, Swimming Pool Dark Blue, Fashion Stone Grey, Fashion Stone Grey Special Pieces



Floor: Swimming Pool Light Blue, Lava Concrete beige



Floor: Swimming Pool Light Blue, Coral Stone Ivory



Floor: Swimming Pool Light Blue C, Bryce White Step, Core Stone Beige




Floor: Swimming Pool Light Blue C, Bryce White Step, Core Stone Beige



Wall: Design Concrete Grey
Floor: Design Concrete Grey, Design Concrete Grey Mosaic



Floor: Surface 2.0 Outdoor Copper ,
Surface 2.0 Outdoor Copper Special Pieces




Floor: Revive Concrete Graphite Grey



Floor: Coral Stone Beige, Coral Stone Beige Special Pieces, Swimming Pool Beige Mosaic



Floor: Surface 2.0 Outdoor Copper,
Surface 2.0 Outdoor Copper Special Pieces



Floor: Revive Concrete Concrete Grey



Floor: Shine Stone Beige



Floor: Swimming Pool Light Blue Mosaic, Revive Concrete
Graphite Grey, Revive Concrete Grey Special Pieces



Wall: Swimming Pool Beige, White and Dark Blue
Floor: Swimming Pool Light Blue and Dark



Wall: Hydo Mosaic Beige 5x5, Hydo Mosaic White 5x5
Floor: Hydo Mosaic Beige 5x5



Wall: Hydo Mosaic White 5x5
Floor: Hydo Mosaic White 5x5

Swimming pool




GRESS WHITE BODY TILES

Matt / Glossy • Straight • Smooth / Light Structure



















SIZES


11.7x24.5 cm
4.60"x9.64"











Swimming pool



Decor

 sky blue step matt / glossy	 navy blue step matt / glossy	 white step matt / glossy	 grey step matt / glossy	 beige step matt / glossy
 navy blue / sky blue step matt	 sp-sky a 11.7x24.5 cm / 4.60"x9.64"	 sp-sky b 11.7x24.5 cm / 4.60"x9.64"	 sp-wave 11.7x24.5 cm / 4.60"x9.64"	 chequered cut sky blue* 11.7x11.7 cm / 4.60"x4.60"
 angle bead external * 2.7x24.5 cm / 1.06"x9.64"	 angle bead internal * 2.7x24.5 cm / 1.06"x9.64"	 corner external * 2.7x2.7 cm / 1.06" x1.06"	 corner internal * 2.7x2.7 cm / 1.06" x1.06"	 Elephant Foot external * 2.7x2.7 cm / 1.06" x1.06"
		 Elephant Foot internal * 2.7x2.7 cm / 1.06" x1.06"		

 *Available colours matt


Mosaic

 beige mix-2 mosaic 5x5	 beige mix-3 mosaic 5x5	 blue mix-2 mosaic 5x5	 blue mix-3 mosaic 5x5	mosaic 5x5 31x31 cm 12.2"x12.2" matt / glossy
 beige mix-2 mosaic 2.5x2.5	 beige mix-3 mosaic 2.5x2.5	 blue mix-2 mosaic 2.5x2.5	 blue mix-3 mosaic 2.5x2.5	mosaic 2.5x2.5 29.7x29.7 cm 11.69"x11.69" matt / glossy



Swimming pool

Channel Plain




11.7X24.5 cm
4.60"x9.64"



Available colours
matt

Channel Hole




11.7X24.5 cm
4.60"x9.64"



Available colours
matt

Channel Edge



11.7X24.5 cm
4.60"x9.64"



Available colours
matt


Name	Code matt	Size(CM)	Name	Code glossy	Size(CM)
sky blue	A21SHYDO-SKB.MoXoU	11.7x24.5	sky blue	A21SHYDO-SKB.GoXoU	11.7x24.5
navy blue	A21SHYDO-NAY.MoXoU	11.7x24.5	navy blue	A21SHYDO-NAY.GoXoU	11.7x24.5
beige	A21SHYDO-BEE.MoXoU	11.7x24.5	beige	A21SHYDO-BEE.GoXoU	11.7x24.5
white	A21SHYDO-WHE.MoXoU	11.7x24.5	white	A21SHYDO-WHE.GoXoU	11.7x24.5
grey	A21SHYDO-GRY.MoXoU	11.7x24.5	grey	A21SHYDO-GRY.GoXoU	11.7x24.5
sky blue step	AGTZZHYDOSKB063849	11.7x24.5	sky blue step	AGTZZHYDOSKB063850	11.7x24.5
navy blue step	AGTZZHYDONAY063851	11.7x24.5	navy blue step	AGTZZHYDONAY063852	11.7x24.5
beige step	AGTZZHYDOBEE063853	11.7x24.5	beige step	AGTZZHYDOBEE063854	11.7x24.5
white step	AGTZZHYDOWHE063855	11.7x24.5	white step	AGTZZHYDOWHE063856	11.7x24.5
grey step	AGTZZHYDOGRY063857	11.7x24.5	grey step	AGTZZHYDOGRY063858	11.7x24.5
Name matt	Code	Size(CM)	Name	Code	Size(CM)
sky blue dotted	A21SHYDO-SKB.MTXoU	11.7x24.5	sky blue / navy blue step	AGTZZHYDOSKB064339	11.7x24.5
navy blue dotted	A21SHYDO-NAY.MTXoU	11.7x24.5			
beige dotted	A21SHYDO-BEE.MTXoU	11.7x24.5			
white dotted	A21SHYDO-WHE.MTXoU	11.7x24.5			
grey dotted	A21SHYDO-GRY.MTXoU	11.7x24.5			
angle bead external sky blue	AWNZZHYDOSKB063619	2.7x24.5	angle bead internal sky blue	AWNZZHYDOSKB063655	2.7x24.5
angle bead external navy blue	AWNZZHYDONAY063620	2.7x24.5	angle bead internal navy blue	AWNZZHYDONAY063652	2.7x24.5
angle bead external beige	AWNZZHYDOBEE063621	2.7x24.5	angle bead internal beige	AWNZZHYDOBEE063653	2.7x24.5
angle bead external white	AWNZZHYDOWHE063622	2.7x24.5	angle bead internal white	AWNZZHYDOWHE063654	2.7x24.5
angle bead external grey	AWNZZHYDOGRY063623	2.7x24.5	angle bead internal grey	AWNZZHYDOGRY063651	2.7x24.5
conner external sky blue	AWOZZHYDOSKB063703	2.7x2.7	conner internal sky blue	AWOZZHYDOSKB063679	2.7x2.7
conner external navy blue	AWOZZHYDONAY064439	2.7x2.7	conner internal navy blue	AWOZZHYDONAY063680	2.7x2.7
conner external beige	AWOZZHYDOBEE063705	2.7x2.7	conner internal beige	AWOZZHYDOBEE063681	2.7x2.7
conner external white	AWOZZHYDOWHE063706	2.7x2.7	conner internal white	AWOZZHYDOWHE063682	2.7x2.7
conner external grey	AWOZZHYDOGRY063707	2.7x2.7	conner internal grey	AWOZZHYDOGRY063683	2.7x2.7
elephant foot external sky blue	AWOZZHYDOSKB063898	2.7x2.7	elephant foot internal sky blue	AWOZZHYDOSKB063731	2.7x2.7
elephant foot external navy blue	AWOZZHYDONAY063899	2.7x2.7	elephant foot internal navy blue	AWOZZHYDONAY063732	2.7x2.7
elephant foot external beige	AWOZZHYDOBEE063900	2.7x2.7	elephant foot internal beige	AWOZZHYDOBEE063733	2.7x2.7
elephant foot external white	AWOZZHYDOWHE063901	2.7x2.7	elephant foot internal white	AWOZZHYDOWHE063734	2.7x2.7
elephant foot external grey	AWOZZHYDOGRY063902	2.7x2.7	elephant foot internal grey	AWOZZHYDOGRY063735	2.7x2.7
Name	Code matt	Size(CM)	Name	Code glossy	Size(CM)
blue mix-2 mosaic 2.5x2.5	ASMZZHYDOMS2025466	29.7x29.7	blue mix-2 mosaic 2.5x2.5	ASMZZHYDOMS2066735	29.7x29.7
blue mix-3 mosaic 2.5x2.5	ASMZZHYDOMS3025467	29.7x29.7	blue mix-3 mosaic 2.5x2.5	ASMZZHYDOMS3066808	29.7x29.7
beige mix-2 mosaic 2.5x2.5	ASMZZHYDOMS2025454	29.7x29.7	beige mix-2 mosaic 2.5x2.5	ASMZZHYDOMS2066809	29.7x29.7
beige mix-3 mosaic 2.5x2.5	ASMZZHYDOMS3025468	29.7x29.7	beige mix-3 mosaic 2.5x2.5	ASMZZHYDOMS3066734	29.7x29.7
blue mix-2 mosaic 5x5	ASMZZHYDOMS2025456	31x31	blue mix-2 mosaic 5x5	ASMZZHYDOMS2066760	31x31
blue mix-3 mosaic 5x5	ASMZZHYDOMS3025469	31x31	blue mix-3 mosaic 5x5	ASMZZHYDOMS3066781	31x31
beige mix-2 mosaic 5x5	ASMZZHYDOMS2025455	31x31	beige mix-2 mosaic 5x5	ASMZZHYDOMS2066796	31x31
beige mix-3 mosaic 5x5	ASMZZHYDOMS3025470	31x31	beige mix-3 mosaic 5x5	ASMZZHYDOMS3066807	31x31




Name	Code	Size(CM)	Name	Code	Size(CM)
chequered cut sky blue	AGWZZHYDOSKB064563	11.7X11.7	sp-wave	AST-21WAVE	11.7x24.5
chequered cut navy blue	AGWZZHYDONAY064564	11.7X11.7	sp-sky a	AST-21SKY-A	11.7x24.5
chequered cut beige	AGWZZHYDOBEE064565	11.7X11.7	sp-sky b	AST-21SKY-B	11.7x24.5
chequered cut white	AGWZZHYDOWHE064566	11.7X11.7			
chequered cut grey	AGWZZHYDOGRY064567	11.7X11.7			
channel sky blue	AWZZZHYDOSKB072667	11.7x24.5	channel hole sky blue	AWZZZHYDOSKB072669	11.7x24.5
channel navy blue	AWZZZHYDONAY072661	11.7x24.5	channel hole navy blue	AWZZZHYDONAY072663	11.7x24.5
channel beige	AWZZZHYDOBEE072664	11.7x24.5	channel hole beige	AWZZZHYDOBEE072666	11.7x24.5
channel white	AWZZZHYDOWHE025410	11.7x24.5	channel hole white	AWZZZHYDOWHE025412	11.7x24.5
channel grey	AWZZZHYDOGRY072670	11.7x24.5	channel hole grey	AWZZZHYDOGRY072672	11.7x24.5
channel edge sky blue	AWZZZHYDOSKB072668	11.7x24.5			
channel edge navy blue	AWZZZHYDONAY072662	11.7x24.5			
channel edge beige	AWZZZHYDOBEE072665	11.7x24.5			
channel edge white	AWZZZHYDOWHE025411	11.7x24.5			
channel edge grey	AWZZZHYDOGRY072671	11.7x24.5			

Hydo Mosaic


GRESS WHITE BODY TILES
Matt / Glossy • Straight • Smooth




hydo mosaic blue 5x5



hydo mosaic dark blue 5x5




hydo mosaic sky blue 5x5




hydo mosaic medium blue 5x5



hydo mosaic navy blue 5x5



hydo mosaic black 5x5



hydo mosaic dark beige 5x5



hydo mosaic beige 5x5




hydo mosaic dark grey 5x5




hydo mosaic grey 5x5




hydo mosaic white 5x5



hydo mosaic blue 2.5x2.5




hydo mosaic dark blue 2.5x2.5




hydo mosaic sky blue 2.5x2.5




hydo mosaic medium blue 2.5x2.5




hydo mosaic navy blue 2.5x2.5




hydo mosaic black 2.5x2.5




hydo mosaic dark beige 2.5x2.5




hydo mosaic beige 2.5x2.5



hydo mosaic dark grey 2.5x2.5



hydo mosaic grey 2.5x2.5




hydo mosaic white 2.5x2.5

SIZES


mosaic 5x5
31x31 cm
12.2"x12.2"




mosaic 2.5x2.5
29.7x29.7 cm
11.69"x11.69"



FINISHES



matt




glossy

Name	Code matt	Code glossy	Size(CM)
hydo mosaic beige 5x5	AM2SHYDO-BEE.MoXoU	AM2SHYDO-BEE.HoXoU	31x31
hydo mosaic black 5x5	AM2SHYDO-BLK.MoXoU	AM2SHYDO-BLK.HoXoU	31x31
hydo mosaic blue 5x5	AM2SHYDO-BLE.MoXoU	AM2SHYDO-BLE.HoXoU	31x31
hydo mosaic dark beige 5x5	AM2SHYDO-DBE.MoXoU	AM2SHYDO-DBE.HoXoU	31x31
hydo dark blue 5x5	AM2SHYDO-DAB.MoXoU	AM2SHYDO-DAB.HoXoU	31x31
hydo mosaic dark grey 5x5	AM2SHYDO-DKG.MoXoU	AM2SHYDO-DKG.HoXoU	31x31
hydo mosaic grey 5x5	AM2SHYDO-GRY.MoXoU	AM2SHYDO-GRY.HoXoU	31x31
hydo mosaic medium blue 5x5	AM2SHYDO-MEB.MoXoU	AM2SHYDO-MEB.HoXoU	31x31
hydo mosaic navy blue 5x5	AM2SHYDO-NAY.MoXoU	AM2SHYDO-NAY.HoXoU	31x31
hydo mosaic sky blue 5x5	AM2SHYDO-SKB.MoXoU	AM2SHYDO-SKB.HoXoU	31x31
hydo mosaic white 5x5	AM2SHYDO-WHE.MoXoU	AM2SHYDO-WHE.HoXoU	31x31
hydo mosaic beige 2.5x2.5	AM1SHYDO-BEE.MoXoU	AM1SHYDO-BEE.HoXoU	29.7x29.7
hydo mosaic black 2.5x2.5	AM1SHYDO-BLK.MoXoU	AM1SHYDO-BLK.HoXoU	29.7x29.7
hydo mosaic blue 2.5x2.5	AM1SHYDO-BLE.MoXoU	AM1SHYDO-BLE.HoXoU	29.7x29.7
hydo mosaic dark beige 2.5x2.5	AM1SHYDO-DBE.MoXoU	AM1SHYDO-DBE.HoXoU	29.7x29.7
hydo mosaic dark blue 2.5x2.5	AM1SHYDO-DAB.MoXoU	AM1SHYDO-DAB.HoXoU	29.7x29.7
hydo mosaic dark grey 2.5x2.5	AM1SHYDO-DKG.MoXoU	AM1SHYDO-DKG.HoXoU	29.7x29.7
hydo mosaic grey 2.5x2.5	AM1SHYDO-GRY.MoXoU	AM1SHYDO-GRY.HoXoU	29.7x29.7
hydo mosaic medium blue 2.5x2.5	AM1SHYDO-MEB.MoXoU	AM1SHYDO-MEB.HoXoU	29.7x29.7
hydo mosaic navy blue 2.5x2.5	AM1SHYDO-NAY.MoXoU	AM1SHYDO-NAY.HoXoU	29.7x29.7
hydo mosaic sky blue 2.5x2.5	AM1SHYDO-SKB.MoXoU	AM1SHYDO-SKB.HoXoU	29.7x29.7
hydo mosaic white 2.5x2.5	AM1SHYDO-WHE.MoXoU	AM1SHYDO-WHE.HoXoU	29.7x29.7

Swimming pool applications

Special Pieces

Channel Plain




11.7x24.5 cm
4.60"x9.64"



Available colours
matt

Channel Hole




11.7x24.5 cm
4.60"x9.64"



Available colours
matt

Channel Edge



11.7x24.5 cm
4.60"x9.64"



Available colours
matt

GP Grills



24.5x24.5 cm
9.64"x9.64"

L angle




30x60x8 cm
11.81"x23.62"x3.14"

Step and Riser



30x120x15 cm
11.81"x47.24"x5.90"







Wellness and swimming pools

Porcelain tiles product range


20MM THICKNESS



HIGH PERFORMANCE TECHNICAL PRODUCTS BAREFOOT + ANTISLIP (A+B+C)



PRODUCTS WITH R11 AND STANDARD THICKNESS



20mm thickness

Bryce

PORCELAIN TILES

Matt • Rectified • Light Structure



bryce white



bryce anthracite



bryce gold

Special Pieces



bryce special piece *



bryce special piece left and right cut *




bryce L shape *

SIZES



* Available in all colours

60x60 cm
23.62"x23.62"



special pieces
24.5x24.5 cm
9.64"x9.64"



L shape
30x60x8 cm
11.81"x23.62"x3.14"



Name	Code	Size(CM)	Name	Code	Size(CM)	Name	Code	Size(CM)
bryce white	Ao6GZBYC-WHo.M2T5R	60x60	bryce white special pieces	AGWZZZBYCWHE005140	24.5x24.5	bryce white L shape	AGTZZZBYCWHE023521	30x60x8
bryce anthracite	Ao6GZBYC-ANo.M2T5R	60x60	bryce anthracite special pieces	AGWZZZBYCANT005138	24.5x24.5	bryce anthracite L shape	AGTZZZBYCANT023519	30x60x8
bryce gold	Ao6GZBYC-GLD.M2T5R	60x60	bryce gold special pieces	AGWZZZBYCGOD005139	24.5x24.5	bryce gold L shape	AGTZZZBYCGLD023520	30x60x8

Name	Code	Size(CM)	Name	Code	Size(CM)
bryce white special pieces left cut	AGWZZZBYCWHE005182	24.5x24.5	bryce white special pieces right cut	AGWZZZBYCWHE005264	24.5x24.5
bryce anthracite special pieces left cut	AGWZZZBYCANT005180	24.5x24.5	bryce anthracite special pieces right cut	AGWZZZBYCANT005262	24.5x24.5
bryce gold left special pieces cut	AGWZZZBYCGOD005181	24.5x24.5	bryce gold special pieces right cut	AGWZZZBYCGOD005263	24.5x24.5

Carmo Stone

PORCELAIN TILES


Matt • Rectified • Light Structure




carmo stone ivory



carmo stone grey




carmo stone anthracite



carmo stone black

Special Pieces



carmo stone special piece *



carmo stone special piece left and right cut *




carmo stone L shape *

SIZES



* Available in all colours


60x120 cm
23.62"x47.24"



special pieces
24.5x24.5 cm
9.64"x9.64"



L shape
30x120x8 cm
11.81"x47.24"x3.14"



Name	Code	Size(CM)	Name	Code	Size(CM)	Name	Code	Size(CM)
carmo stone anthracite	A12GCMSo-ANT.Y6X7R	60x60	carmo stone anthracite special pieces	AGWZZCMSoANT064198	24.5x24.5	carmo stone anthracite L shape	AGTZZCMSoANT064367	30x120x8
carmo stone black	A12GCMSo-BLK.Y6X7R	60x60	carmo stone black special pieces	AGWZZCMSoBLK064199	24.5x24.5	carmo stone black L shape	AGTZZCMSoBLK064368	30x120x8
carmo stone grey	A12GCMSo-GRY.Y6X7R	60x60	carmo stone grey special pieces	AGWZZCMSoGRY064200	24.5x24.5	carmo stone grey L shape	AGTZZCMSoGRY064369	30x120x8
carmo stone ivory	A12GCMSo-IVO.Y6X7R	60x60	carmo stone ivory special pieces	AGWZZCMSoIVO064201	24.5x24.5	carmo stone ivory L shape	AGTZZCMSoIVO064370	30x120x8


Name	Code	Size(CM)	Name	Code	Size(CM)
carmo stone anthracite special pieces left cut	AGWZZCMSoANT064216	24.5x24.5	carmo stone anthracite pieces right cut	AGWZZCMSoANT063973	24.5x24.5
carmo stone black special pieces left cut	AGWZZCMSoBLK064217	24.5x24.5	carmo stone black special pieces right cut	AGWZZCMSoBLK063974	24.5x24.5
carmo stone grey left special pieces cut	AGWZZCMSoGRY064218	24.5x24.5	carmo stone grey special pieces right cut	AGWZZCMSoGRY063975	24.5x24.5
carmo stone ivory left special pieces cut	AGWZZCMSoIVO064219	24.5x24.5	carmo stone ivory special pieces right cut	AGWZZCMSoIVO063976	24.5x24.5

20mm thickness

Coral Stone

PORCELAIN TILES

Matt • Rectified • Light Structure




coral stone light grey

coral stone grey

coral stone ivory

coral stone beige

Special Pieces



coral stone special piece *

coral stone special piece left and right cut *


coral stone L shape *

SIZES



* Available in all colours


60x60 cm
23.62"x23.62"



special pieces
24.5x24.5 cm
9.64"x9.64"



L shape
30x60x8 cm
11.81"x23.62"x3.14"




Name	Code	Size(CM)	Name	Code	Size(CM)	Name	Code	Size(CM)
coral stone light grey	A06GCLNA-LGY.A6X7R	60x60	coral stone light grey special pieces	AGWZZCLNALIGo24559	24.5x24.5	coral stone light grey L shape	AGWZZCLNALIGo24961	30x60x8
coral stone grey	A06GCLNA-GRY.A6X7R	60x60	coral stone grey special pieces	AGWZZCLNAGRYo24553	24.5x24.5	coral stone grey L shape	AGWZZCLNAGRYo24955	30x60x8
coral stone ivory	A06GCLNA-IVO.A6X7R	60x60	coral stone ivory special pieces	AGWZZCLNAIVOo24556	24.5x24.5	coral stone ivory L shape	AGWZZCLNAIVOo24958	30x60x8
coral stone beige	A06GCLNA-BEE.A6X7R	60x60	coral stone beige special pieces	AGWZZCLNABEEo24550	24.5x24.5	coral stone beige L shape	AGWZZCLNABEEo24952	30x60x8

Name	Code	Size(CM)	Name	Code	Size(CM)
coral stone light grey special pieces left cut	AGWZZCLNALIGo24929	24.5x24.5	coral stone light grey special pieces right cut	AGWZZCLNALIGo24901	24.5x24.5
coral stone grey special pieces left cut	AGWZZCLNAGRYo24923	24.5x24.5	coral stone grey special pieces right cut	AGWZZCLNAGRYo24895	24.5x24.5
coral stone ivory special pieces left cut	AGWZZCLNAIVOo24926	24.5x24.5	coral stone ivory special pieces right cut	AGWZZCLNAIVOo24898	24.5x24.5
coral stone beige special pieces left cut	AGWZZCLNABEEo24920	24.5x24.5	coral stone beige special pieces right cut	AGWZZCLNABEEo24892	24.5x24.5

Core Stone

PORCELAIN TILES

Matt • Rectified • Light Structure




core stone grey

core stone anthracite

core stone beige

Special Pieces



core stone special piece *

core stone special piece left and right cut *


core stone L shape *

SIZES



* Available in all colours

60x60 cm
23.62"x23.62"



special pieces
24.5x24.5 cm
9.64"x9.64"



L shape
30x60x8 cm
11.81"x23.62"x3.14"



Name	Code	Size(CM)	Name	Code	Size(CM)	Name	Code	Size(CM)
core stone grey	A06GZCES-GYo.MoT5R	60x60	core stone grey special pieces	AGWZZZCESGRY005145	24.5x24.5	core stone grey L shape	AGTZZZCESGRY023522	30x60x8
core stone anthracite	A06GZCES-ANo.MoT5R	60x60	core stone anthracite special pieces	AGWZZZCESANT005146	24.5x24.5	core stone anthracite L shape	AGTZZZCESANT023523	30x60x8
core stone beige	A06GZCES-BEo.MoT5R	60x60	core stone beige special pieces	AGWZZZCESBEE005147	24.5x24.5	core stone beige L shape	AGTZZZCESBEE023524	30x60x8

Name	Code	Size(CM)	Name	Code	Size(CM)
core stone grey special pieces left cut	AGWZZZCESGRY005186	24.5x24.5	core stone grey special pieces right cut	AGWZZZCESGRY005268	24.5x24.5
core stone anthracite special pieces left cut	AGWZZZCESANT005187	24.5x24.5	core stone anthracite special pieces right cut	AGWZZZCESANT005269	24.5x24.5
core stone beige special pieces left cut	AGWZZZCESBEE005188	24.5x24.5	core stone beige special pieces right cut	AGWZZZCESBEE005270	24.5x24.5

20mm thickness

Creative Concrete P

PORCELAIN TILES

Matt • Rectified • Light Structure




creative concrete p dark grey creative concrete p grey creative concrete p white

SIZES



60x120 cm
23.62"x47.24"

* Available in all colours



Name	Code	Size(CM)
creative concrete p dark grey	A12GCTVP-DKG.YDX7R	60x120
creative concrete p grey	A12GCTVP-GRY.YDX7R	60x60
creative concrete p white	A12GCTVP-WHE.YDX7R	60x60

Name	Code	Size(CM)	Name	Code	Size(CM)
design concrete light grey special pieces	AGWZZZDCCLIG005151	24.5x24.5	design concrete light grey L shape	AGTZZZDCCCLGY023509	30x60x8
design concrete dark grey special pieces	AGWZZZDCCDKG005149	24.5x24.5	design concrete dark grey L shape	AGTZZZDCCDGY023507	30x60x8
design concrete ivory special pieces	AGWZZZDCCIVO005150	24.5x24.5	design concrete ivory L shape	AGTZZZDCCIVO023508	30x60x8
design concrete light grey special pieces left cut	AGWZZZDCCCLIG005192	24.5x24.5	design concrete light grey special pieces right cut	AGWZZZDCCCLIG005256	24.5x24.5
design concrete dark grey special pieces left cut	AGWZZZDCCDKG005190	24.5x24.5	design concrete dark grey special pieces right cut	AGWZZZDCCDKG005254	24.5x24.5
design concrete ivory special pieces left cut	AGWZZZDCCIVO005191	24.5x24.5	design concrete ivory special pieces right cut	AGWZZZDCCIVO005255	24.5x24.5

Design Concrete


PORCELAIN TILES

Matt • Rectified • Heavy Structure




design concrete light grey design concrete dark grey design concrete ivory

Mosaic



design concrete mosaic 2.5x2.5* design concrete mosaic 2.5x10* design concrete brick mosaic*

Special Pieces




design concrete special piece * design concrete special piece left and right cut * design concret L shape *

SIZES



60x60 cm
23.62"x23.62"

* Available in all colours



Name	Code	Size(CM)	Name	Code	Size(CM)
design concrete light grey	Ao6GZDCC-LGY.M2T5R	60x60	design concrete light grey brick mosaic	AM-GZDCC-LG.2R/BRK	30x30
design concrete dark grey	Ao6GZDCC-DGY.M2T5R	60x60	design concrete dark grey brick mosaic	AM-GZDCC-DG.2R/BRK	30x30
design concrete ivory	Ao6GZDCC-IVo.M2T5R	60x60	design concrete ivory brick mosaic	AM-GZDCC-IV.2R/BRK	30x30
design concrete light grey mosaic 2.5x2.5	AM-GZDCC-LGY.2R/2H	30x30	design concrete light grey mosaic 2.5x10	AM-GZDCC-LG.2R2/10	30x30
design concrete dark grey mosaic 2.5x2.5	AM-GZDCC-DG.2R/2H	30x30	design concrete dark grey mosaic 2.5x10	AM-GZDCC-DG.2R2/10	30x30
design concrete ivory mosaic 2.5x2.5	AM-GZDCC-IV.2R/2H	30x30	design concrete ivory mosaic 2.5x10	AM-GZDCC-IV.2R2/10	30x30

20mm thickness

French Vanilla

PORCELAIN TILES

Matt • Rectified • Smooth



french vanilla beige



french vanilla grey



french vanilla anthracite

Special Pieces



french vanilla special piece *



french vanilla special piece left and right cut *




french vanilla L shape *

SIZES



* Available in all colours

60x60 cm
23.62"x23.62"



special pieces
24.5x24.5 cm
9.64"x9.64"



L shape
30x60x8 cm
11.81"x23.62"x3.14"



Name	Code	Size(CM)	Name	Code	Size(CM)	Name	Code	Size(CM)
french vanilla anthracite	Ao6GFRE-ANo.MoT5R	60x60	french vanilla anthracite special pieces	AGWZZZFREANTo63960	24.5x24.5	french vanilla anthracite L shape	AGTZZZFREANTo63929	30x60x8
french vanilla beige	Ao6GFRE-BEo.MoT5R	60x60	french vanilla beige special pieces	AGWZZZFREBEEo63961	24.5x24.5	french vanilla beige L shape	AGTZZZFREBEEo63930	30x60x8
french vanilla grey	Ao6GFRE-GYo.MoT5R	60x60	french vanilla grey special pieces	AGWZZZFREGRYo63962	24.5x24.5	french vanilla grey white L shape	AGTZZZFREGRYo63931	30x60x8

Name	Code	Size(CM)	Name	Code	Size(CM)
french vanilla anthracite special pieces left cut	AGWZZZFREANTo63998	24.5x24.5	french vanilla anthracite pieces right cut	AGWZZZFREANTo64008	24.5x24.5
french vanilla beige special pieces left cut	AGWZZZFREBEEo63999	24.5x24.5	french vanilla beige special pieces right cut	AGWZZZFREBEEo64009	24.5x24.5
french vanilla grey special pieces cut	AGWZZZFREGRYo64000	24.5x24.5	french vanilla grey special pieces right cut	AGWZZZFREGRYo64010	24.5x24.5

Fashion Stone

PORCELAIN TILES


Matt • Rectified • Light Structure



fashion stone ivory



fashion stone light grey



fashion stone grey



fashion stone black




fashion stone beige




fashion stone clay

Special Pieces



fashion stone special piece *



fashion stone special piece left and right cut *




fashion stone L shape *

SIZES



* Available in all colours

60x60 cm
23.62"x23.62"



special pieces
24.5x24.5 cm
9.64"x9.64"



L shape
30x60x8 cm
11.81"x23.62"x3.14"



Name	Code	Size(CM)	Name	Code	Size(CM)	Name	Code	Size(CM)
fashion stone light grey	Ao6GFNSE-LIG.MYX7R	60x60	fashion stone light grey special pieces	AGWZZFNSELIGo23346	24.5x24.5	fashion stone light grey L shape	AGTZZFNSELIGo23505	30x60x8
fashion stone grey	Ao6GFNSE-GRY.MYX7R	60x60	fashion stone grey special pieces	AGWZZFNSEGRY023343	24.5x24.5	fashion stone grey L shape	AGTZZFNSEGRY023502	30x60x8
fashion stone black	Ao6GFNSE-BLK.MYX7R	60x60	fashion stone black special pieces	AGWZZFNSEBLKo23345	24.5x24.5	fashion stone black L shape	AGTZZFNSEBLKo23504	30x60x8
fashion stone ivory	Ao6GFNSE-IVO.MYX7R	60x60	fashion stone ivory special pieces	AGWZZFNSEIVO023344	24.5x24.5	fashion stone ivory L shape	AGTZZFNSEIVO023503	30x60x8
fashion stone beige	Ao6GFNSE-BEE.MYX7R	60x60	fashion stone beige special pieces	AGWZZFNSEBEEo23341	24.5x24.5	fashion stone beige L shape	AGTZZFNSEBEEo23500	30x60x8
fashion stone clay	Ao6GFNSE-CLA.MYX7R	60x60	fashion stone clay special pieces	AGWZZFNSECLAo23342	24.5x24.5	fashion stone clay L shape	AGTZZFNSECLAo23501	30x60x8

Name	Code	Size(CM)	Name	Code	Size(CM)
fashion stone light grey special pieces left cut	AGWZZFNSELIGo23332	24.5x24.5	fashion stone light grey special pieces right cut	AGWZZFNSELIGo23338	24.5x24.5
fashion stone grey special pieces left cut	AGWZZFNSEGRY023349	24.5x24.5	fashion stone grey special pieces right cut	AGWZZFNSEGRY023335	24.5x24.5
fashion stone black special pieces left cut	AGWZZFNSEBLKo23331	24.5x24.5	fashion stone black special pieces right cut	AGWZZFNSEBLKo23336	24.5x24.5
fashion stone ivory special pieces left cut	AGWZZFNSEIVO023350	24.5x24.5	fashion stone ivory special pieces right cut	AGWZZFNSEIVO023337	24.5x24.5
fashion stone beige special pieces left cut	AGWZZFNSEBEEo23347	24.5x24.5	fashion stone beige special pieces right cut	AGWZZFNSEBEEo23333	24.5x24.5
fashion stone clay special pieces left cut	AGWZZFNSECLAo23348	24.5x24.5	fashion stone clay special pieces right cut	AGWZZFNSECLAo23334	24.5x24.5

20mm thickness

Revive Concrete

PORCELAIN TILES
Matt • Rectified • Light Structure




revive concrete active white revive concrete concrete grey revive concrete cloud grey revive concrete summer sand

Mosaic



revive concrete mosaic 5x5 * revive concrete mix 1 revive concrete mix 2

Special Pieces



revive concrete special piece * revive concrete special piece left and right cut * revive concrete L shape *

SIZES

60x60 cm
23.62"x23.62"

mosaic
30x30 cm
11.81"x11.81"


special pieces
24.5x24.5 cm
9.64"x9.64"

L shape
30x60x8 cm
11.81"x23.62"x3.14"

* Available in all colours

Surface 2.0 Outdoor

PORCELAIN TILES
Matt • Rectified • Smooth




surface 2.0 outdoor cool grey surface 2.0 outdoor mid grey surface 2.0 outdoor ash surface 2.0 outdoor night




surface 2.0 outdoor sand surface 2.0 outdoor copper surface 2.0 outdoor off white

Mosaic



surface 2.0 mosaic 2.3x2.3 * surface 2.0 mosaic 2.7x5.8 * surface 2.0 brick mosaic *

Special Pieces



surface 2.0 special piece * surface 2.0 special piece left and right cut * surface 2.0 L shape *

SIZES

60x60 cm
23.62"x23.62"

mosaic
30x30 cm
11.81"x11.81"

special pieces
24.5x24.5 cm
9.64"x9.64"

L shape
30x60x8 cm
11.81"x23.62"x3.14"

* Available in all colours

20mm thickness

Name	Code	Size(CM)	Name	Code	Size(CM)
revive concrete active white	AGBo6REVCACWZMLT5R	60X60	revive concrete active white special pieces	AGWZZREVCACW005123	24.5x24.5
revive concrete concrete grey	AGBo6REVCCRGZMLT5R	60X60	revive concrete concrete grey special pieces	AGWZZREVCCRG005127	24.5x24.5
revive concrete cloud grey	AGBo6REVCCGYZMLT5R	60X60	revive concrete cloud grey special pieces	AGWZZREVCCLG005126	24.5x24.5
revive concrete summer sand	AGBo6REVCSMSZMLT5R	60X60	revive concrete summer sand special pieces	AGWZZREVCSMS005128	24.5x24.5
revive concrete active white special pieces left cut	AGWZZREVCACW005160	24.5x24.5	revive concrete active white special pieces right cut	AGWZZREVCACW005273	24.5x24.5
revive concrete concrete grey special pieces left cut	AGWZZREVCCRG005164	24.5x24.5	revive concrete concrete grey special pieces right cut	AGWZZREVCCRG005277	24.5x24.5
revive concrete cloud grey special pieces left cut	AGWZZREVCCLG005163	24.5x24.5	revive concrete cloud grey special pieces right cut	AGWZZREVCCLG005276	24.5x24.5
revive concrete summer sand special pieces left cut	AGWZZREVCSMS005165	24.5x24.5	revive concrete summer sand special pieces right cut	AGWZZREVCSMS005278	24.5x24.5
revive concrete active white mosaic 5x5	AGM84REVCACWZMSNLR	30X30	revive concrete active white L shape	AGWZZREVCACW005123	30x60x8
revive concrete concrete grey mosaic 5x5	AGM84REVCCRGZMSNLR	30X30	revive concrete concrete grey L shape	AGWZZREVCCRG005127	30x60x8
revive concrete cloud grey mosaic 5x5	AGM84REVCCGYZMSNLR	30X30	revive concrete cloud grey L shape	ACTZREVCCRG023531	30x60x8
revive concrete summer sand mosaic 5x5	AGM84REVCSMSZMSNLR	30X30	revive concrete summer sand L shape	AGWZZREVCSMS005128	30x60x8
revive concrete mix 1 mosaic 3x6	AGM85REVCMX1ZMSNLR	30X30			
revive concrete mix 2 mosaic 3x6	AGM85REVCMX2ZMSNLR	30X30			

Name	Code	Size(CM)	Name	Code	Size(CM)
surface 2.0 outdoor cool grey	Ao6GZSUR-CGY.MoT5R	60x60	surface 2.0 outdoor cool grey brick mosaic	AM-GZSUR-CG.RT/BRK	30x30
surface 2.0 outdoor mid grey	Ao6GZSUR-MGY.MoT5R	60x60	surface 2.0 outdoor mid grey brick mosaic	AM-GZSUR-MG.RT/BRK	30x30
surface 2.0 outdoor ash	Ao6GZSUR-ASo.MoT5R	60x60	surface 2.0 outdoor ash brick mosaic	AM-GZSUR-AS.RT/BRK	30x30
surface 2.0 outdoor night	Ao6GZSUR-NTo.MoT5R	60x60	surface 2.0 outdoor night brick mosaic	AM-GZSUR-NT.RT/BRK	30x30
surface 2.0 outdoor sand	Ao6GZSUR-SNo.MoT5R	60x60	surface 2.0 outdoor sand brick mosaic	AM-GZSUR-SN.RT/BRK	30x30
surface 2.0 outdoor copper	Ao6GZSUR-CPo.MoT5R	60x60	surface 2.0 outdoor copper brick mosaic	AM-GZSUR-CP.RT/BRK	30x30
surface 2.0 outdoor off-white	Ao6GZSUR-OWH.MoT5R	60x60	surface 2.0 outdoor off-white brick mosaic	AM-GZSUR-OW.RT/BRK	30x30

surface 2.0 outdoor cool grey mosaic 2.3x2.3	AM-GZSUR-CG.RT/2H	30x30	surface 2.0 outdoor cool grey mosaic 2.7x5.8	AM-GZSUR-CG.RT3/6	30x30
surface 2.0 outdoor mid grey mosaic 2.3x2.3	AM-GZSUR-MG.RT/2H	30x30	surface 2.0 outdoor mid grey mosaic 2.7x5.8	AM-GZSUR-MG.RT3/6	30x30
surface 2.0 outdoor ash mosaic 2.3x2.3	AM-GZSUR-AS.RT/2H	30x30	surface 2.0 outdoor ash mosaic 2.7x5.8	AM-GZSUR-AS.RT3/6	30x30
surface 2.0 outdoor night mosaic 2.3x2.3	AM-GZSUR-NT.RT/2H	30x30	surface 2.0 outdoor night mosaic 2.7x5.8	AM-GZSUR-NT.RT3/6	30x30
surface 2.0 outdoor sand mosaic 2.3x2.3	AM-GZSUR-SN.RT/2H	30x30	surface 2.0 outdoor sand mosaic 2.7x5.8	AM-GZSUR-SN.RT3/6	30x30
surface 2.0 outdoor copper mosaic 2.3x2.3	AM-GZSUR-CP.RT/2H	30x30	surface 2.0 outdoor copper mosaic 2.7x5.8	AM-GZSUR-CP.RT3/6	30x30
surface 2.0 outdoor off-white mosaic 2.3x2.3	AM-GZSUR-OW.RT/2H	30x30	surface 2.0 outdoor off-white mosaic 2.7x5.8	AM-GZSUR-OW.RT3/6	30x30

surface 2.0 outdoor cool grey special pieces	AGWZZSURCGY005132	24.5x24.5	surface 2.0 outdoor cool grey L shape	AGTZZSURCGY023535	30x60x8
surface 2.0 outdoor mid grey special pieces	AGWZZSURMGY005134	24.5x24.5	surface 2.0 outdoor mid grey L shape	AGTZZSURMGY023536	30x60x8
surface 2.0 outdoor ash special pieces	AGWZZSURASH005129	24.5x24.5	surface 2.0 outdoor ash L shape	AGTZZSURASH023533	30x60x8
surface 2.0 outdoor night special pieces	AGWZZSURNIT005130	24.5x24.5	surface 2.0 outdoor night L shape	AGWZZSURNIT024028	30x60x8
surface 2.0 outdoor sand special pieces	AGWZZSURSND005135	24.5x24.5	surface 2.0 outdoor sand L shape	AGTZZSURSND023537	30x60x8
surface 2.0 outdoor copper special pieces	AGWZZSURCOP005133	24.5x24.5	surface 2.0 outdoor copper L shape	AGWZZSURCOP024027	30x60x8
surface 2.0 outdoor off-white special pieces	AGWZZSUROWH064438	24.5x24.5	surface 2.0 outdoor off-white L shape	AGTZZSUROWH064049	30x60x8

surface 2.0 outdoor cool grey special pieces left cut	AGWZZSURCGY005174	24.5x24.5	surface 2.0 outdoor cool grey special pieces right cut	AGWZZSURCGY005292	24.5x24.5
surface 2.0 outdoor mid grey special pieces left cut	AGWZZSURMGY005176	24.5x24.5	surface 2.0 outdoor mid grey special pieces right cut	AGWZZSURMGY005294	24.5x24.5
surface 2.0 outdoor ash special pieces left cut	AGWZZSURASH005171	24.5x24.5	surface 2.0 outdoor ash special pieces right cut	AGWZZSURASH005279	24.5x24.5
surface 2.0 outdoor night special pieces left cut	AGWZZSURNIT064044	24.5x24.5	surface 2.0 outdoor night special pieces right cut	AGWZZSURNIT064034	24.5x24.5
surface 2.0 outdoor sand special pieces left cut	AGWZZSURSND005177	24.5x24.5	surface 2.0 outdoor sand special pieces right cut	AGWZZSURSND005295	24.5x24.5
surface 2.0 outdoor copper special pieces left cut	AGWZZSURCOP064043	24.5x24.5	surface 2.0 outdoor copper special pieces right cut	AGWZZSURCOP064033	24.5x24.5
surface 2.0 outdoor off-white special pieces left cut	AGWZZSUROWH064045	24.5x24.5	surface 2.0 outdoor off-white special pieces right cut	AGWZZSUROWH064035	24.5x24.5



20mm thickness

60x120 Outdoor

60x120 Outdoor

PORCELAIN TILES
Matt • Rectified • Smooth / Light Structure

harbor stone



harbor stone ivory light structure



harbor stone beige light structure



harbor stone grey light structure

rapalano marble



rapalano marble light beige smooth



rapalano marble beige smooth

calacatta gold



calacatta gold white smooth



calacatta grey white smooth

maremma



maremma sand light structure



maremma copper light structure



maremma grey light structure

rak stone 2.0



rak stone 2.0 gold light structure



rak stone 2.0 natural light structure



rak stone 2.0 grey light structure

stone lagoon



stone lagoon light grey light structure



stone lagoon sand light structure



stone lagoon grey light structure

tiberius



tiberius ivory light structure



tiberius beige light structure





tiberius light brown light structure

KLIMA is not applicable for Maremma and Paleo

SIZES

60x120 cm
23.62"x47.24"



Name	Code	Name	Code	Name	Code	Size(CM)
harbor stone beige	A12GHBSN-BEE.Y6X7R	calacatta gold white	A12GGDCL-WHE.YoX7R	paleo beige	A12GPAEO-BEE.YoX7R	60x120
harbor stone grey	A12GHBSN-GRY.Y6X7R	calacatta grey white	A12GGRCL-WHE.YoX7R	paleo clay	A12GPAEO-CLA.YoX7R	60x120
harbor stone ivory	A12GHBSN-IVO.Y6X7R	rapalano marble beige	A12GRLMB-BEE.YoX7R	paleo grey	A12GPAEO-GRY.YoX7R	60x120
maremma copper	A12GMRMA-COP.Y6X7R	rapalano marble light beige	A12GRLMB-LBE.YoX7R	paleo warm grey	A12GPAEO-WGY.YoX7R	60x120
maremma grey	A12GMRMA-GRY.Y6X7R	sienna stone beige	A12GSNNE-BEE.Y6X7R	paleo white	A12GPAEO-WHE.YoX7R	60x120
maremma sand	A12GMRMA-SND.Y6X7R	sienna stone deep sand	A12GSNNE-DES.Y6X7R	stone lagoon grey	A12GSNOG-GRY.Y6X7R	60x120
rak stone 2.0 gold	A12GRTOE-GOD.Y6X7R	tiberius beige	A12GTEBR-BEE.YoX7R	stone lagoon light grey	A12GSNOG-LIG.Y6X7R	60x120
rak stone 2.0 grey	A12GRTOE-GRY.Y6X7R	tiberius ivory	A12GTEBR-IVO.YoX7R	stone lagoon sand	A12GSNOG-SND.Y6X7R	60x120
rak stone 2.0 natural	A12GRTOE-NUR.Y6X7R	tiberius light brown	A12GTEBR-LBR.YoX7R	sten stone ivory	A12GSNSE-IVO.YoX7R	60x120
				sten stone white	A12GSNSE-WHE.YoX7R	60x120

20mm thickness

60x120 Outdoor

60x120 Outdoor

PORCELAIN TILES
Matt • Rectified • Smooth / Light Structure

paleo




paleo white smooth




paleo warm grey smooth



paleo grey smooth



paleo clay smooth



paleo beige smooth

siena stone




siena stone deep sand light structure



siena stone beige light structure

sten stone





sten stone white light structure



sten stone ivory light structure

SIZES

60x120 cm
23.62"x47.24"





HIGH PERFORMANCE TECHNICAL PRODUCTS BAREFOOT + ANTISLIP (A+B+C)

The Antislip Barefoot + technology gives porcelain tiles excellent non-slip performance and pleasant feel, with a special roughness imperceptible to the touch. All products equipped with the Antislip Barefoot + technology become anti-slip in wet conditions, that makes these tiles a must have for indoor areas subject to moisture and outdoor applications.



Breccia Adige Stone

FULL BODY PORCELAIN TILES
Matt • Rectified • Light Structure



breccia adige stone white



breccia adige stone beige



breccia adige stone taupe



breccia adige stone brown

Mosaic



breccia adige stone mosaic 30x30 *



breccia adige stone mosaic 30x40 *



breccia adige stone mosaic 30x45 *




breccia adige stone mosaic 30x60 *




step & riser *

SIZES


80x80 cm
31.49"x31.49"



60x120 cm
23.62"x47.24"



60x60 cm
23.62"x23.62"



Step
29.8x60 cm
11.73"x23.62"



Step
30x120 cm
11.81"x47.24"



* Available in all colours



mosaic
30x30 cm
11.81"x11.81"



mosaic
30x40 cm
11.81"x15.74"



mosaic
30x45 cm
11.81"x17.71"



mosaic
30x60 cm
11.81"x23.62"



skirting
60x8 cm
23.62"x3.14"



Riser
15x120 cm
5.90"x47.24"



Name	Code	Size(CM)	Code	Size(CM)	Code	Size(CM)	Code	Size(CM)
breccia adige stone beige	A12GBDGS-BEE.A6X5R	60x120	A05GBDGS-BEE.A6X0R	80x80	A06GBDGS-BEE.A6X0R	60x60	A05GBDGS-BEE.A6X0R	30x60
breccia adige stone brown	A12GBDGS-BRN.A6X5R	60x120	A05GBDGS-BRN.A6X0R	80x80	A06GBDGS-BRN.A6X0R	60x60	A05GBDGS-BRN.A6X0R	30x60
breccia adige stone taupe	A12GBDGS-TPE.A6X5R	60x120	A05GBDGS-TPE.A6X0R	80x80	A06GBDGS-TPE.A6X0R	60x60	A05GBDGS-TPE.A6X0R	30x60
breccia adige stone white	A12GBDGS-WHE.A6X5R	60x120	A05GBDGS-WHE.A6X0R	80x80	A06GBDGS-WHE.A6X0R	60x60	A05GBDGS-WHE.A6X0R	30x60

Name	Code	Size(CM)	Name	Code	Size(CM)
breccia adige beige mosaic 30x30 (2.5x2.5)	A2MZZBDGSBEE047482	30x30	breccia adige brown mosaic 30x30 (2.5x2.5)	A2MZZBDGSBRN047483	30x30
breccia adige beige mosaic 30x30 (4.7x4.7)	A2MZZBDGSBEE047486	30x30	breccia adige brown mosaic 30x30 (4.7x4.7)	A2MZZBDGSBRN047487	30x30
breccia adige beige mosaic 30x30	A2MZZBDGSBEE047124	30x30	breccia adige brown mosaic 30x30	A2MZZBDGSBRN047125	30x30
breccia adige beige mosaic 30x40	A2MZZBDGSBEE047128	30x40	breccia adige brown mosaic 30x40	A2MZZBDGSBRN047129	30x40
breccia adige beige mosaic 30x45	A2MZZBDGSBEE047290	30x45	breccia adige brown mosaic 30x45	A2MZZBDGSBRN047291	30x45
breccia adige beige mosaic 30x60	A2MZZBDGSBEE047294	30x60	breccia adige brown mosaic 30x60	A2MZZBDGSBRN047295	30x60
breccia adige beige skirting	A2SZZBDGSBEE049921	9.6x120	breccia adige brown skirting	A2SZZBDGSBRN049922	9.6x120
breccia adige beige skirting	A2SZZBDGSBEE049917	9.6x80	breccia adige brown skirting	A2SZZBDGSBRN049918	9.6x80
breccia adige beige skirting	A2SZZBDGSBEE050253	8x60	breccia adige brown skirting	A2SZZBDGSBRN050254	8x60
breccia adige beige step	AGTZZBDGSBEE049181	29.8x60	breccia adige brown step	AGTZZBDGSBRN049182	29.8x60
breccia adige beige step	AGTZZBDGSBEE046622	30x120	breccia adige brown step	AGTZZBDGSBRN046623	30x120
breccia adige beige riser	AGRZZBDGSBEE046626	15x120	breccia adige brown riser	AGRZZBDGSBRN046627	15x120

breccia adige taupe mosaic 30x30 (2.5x2.5)	A2MZZBDGSTPE047484	30x30	breccia adige white mosaic 30x30 (2.5x2.5)	A2MZZBDGSWHE047485	30x30
breccia adige taupe mosaic 30x30 (4.7x4.7)	A2MZZBDGSTPE047488	30x30	breccia adige white mosaic 30x30 (4.7x4.7)	A2MZZBDGSWHE047489	30x30
breccia adige taupe mosaic 30x30	A2MZZBDGSTPE047126	30x30	breccia adige white mosaic 30x30	A2MZZBDGSWHE047127	30x30
breccia adige taupe mosaic 30x40	A2MZZBDGSTPE047130	30x40	breccia adige white mosaic 30x40	A2MZZBDGSWHE047131	30x40
breccia adige taupe mosaic 30x45	A2MZZBDGSTPE047292	30x45	breccia adige white mosaic 30x45	A2MZZBDGSWHE047293	30x45
breccia adige taupe mosaic 30x60	A2MZZBDGSTPE047296	30x60	breccia adige white mosaic 30x60	A2MZZBDGSWHE047297	30x60
breccia adige taupe skirting	A2SZZBDGSTPE049923	9.6x120	breccia adige white skirting	A2SZZBDGSWHE049924	9.6x120
breccia adige taupe skirting	A2SZZBDGSTPE049919	9.6x80	breccia adige white skirting	A2SZZBDGSWHE049920	9.6x80
breccia adige taupe skirting	A2SZZBDGSTPE050255	8x60	breccia adige white skirting	A2SZZBDGSWHE050256	8x60
breccia adige taupe step	AGTZZBDGSTPE049183	29.8x60	breccia adige white step	AGTZZBDGSWHE049184	29.8x60
breccia adige taupe step	AGTZZBDGSTPE046624	30x120	breccia adige white step	AGTZZBDGSWHE046625	30x120
breccia adige taupe riser	AGRZZBDGSTPE046628	15x120	breccia adige white riser	AGRZZBDGSWHE046629	15x120

Burano

FULL BODY PORCELAIN TILES
Matt • Rectified • Smooth



burano white




burano grey




burano dark grey


Mosaic




burano mosaic 30x30 *




burano 3D mosaic 28.8x28.8 *




burano mosaic 25.5x29.5 *



burano mosaic 30x40 *



burano mosaic 30x45 *



burano mosaic 30x60 *



step & riser *




SIZES




* Available in all colours


60x120 cm
23.62"x47.24"



60x60 cm
23.62"x23.62"



Step
29.8x60 cm
11.73"x23.62"



Step
30x120 cm
11.81"x47.24"



Riser
15x120 cm
5.90"x47.24"

skirting
60x8 cm
23.62"x3.14"



mosaic
30x30 cm
11.81"x11.81"



mosaic 3d
28.8x28.8 cm
11.33"x11.33"



mosaic
25.5x29.5 cm
10.03"x11.61"



mosaic
30x40 cm
11.81"x15.74"



mosaic
30x45 cm
11.81"x17.71"



mosaic
30x60 cm
11.81"x23.62"



Name	Code	Size(CM)	Code	Size(CM)
burano white	A12GBRUO-WHE.MoX5R	60x120	Ao6GBRUO-WHE.MoXoR	60x60
burano grey	A12GBRUO-GRY.MoX5R	60x120	Ao6GBRUO-GRY.MoXoR	60x60
burano dark grey	A12GBRUO-DKG.MoX5R	60x120	Ao6GBRUO-DKG.MoXoR	60x60

Name	Code	Size(CM)	Name	Code	Size(CM)
burano white mosaic 30x30	AGMZZBRUOWHE029257	30x30	burano white mosaic 2.5x2.5	AGMZZBRUOWHE029239	30x30
burano grey mosaic 30x30	AGMZZBRUOGRY029251	30x30	burano grey mosaic 2.5x2.5	AGMZZBRUOGRY029237	30x30
burano dark grey mosaic 30x30	AGMZZBRUODKG029245	30x30	burano dark grey mosaic 2.5x2.5	AGMZZBRUODKG029235	30x30

burano white mosaic 4.7x4.7	AGMZZBRUOWHE029214	30x30	burano white mosaic 30x40	AGMZZBRUOWHE031028	30x40
burano grey mosaic 4.7x4.7	AGMZZBRUOGRY029212	30x30	burano grey mosaic 30x40	AGMZZBRUOGRY031026	30x40
burano dark grey mosaic 4.7x4.7	AGMZZBRUODKG029210	30x30	burano dark grey mosaic 30x40	AGMZZBRUODKG031024	30x40

burano white mosaic 30x45	AGMZZBRUOWHE029286	30x45	burano white mosaic 30x60	AGMZZBRUOWHE029310	30x60
burano grey mosaic 30x45	AGMZZBRUOGRY029284	30x45	burano grey mosaic 30x60	AGMZZBRUOGRY029308	30x60
desert mosaic 30x45	AGMZZBRUODKG029282	30x45	burano dark grey mosaic 30x60	AGMZZBRUODKG029306	30x60

burano white step	AGTZZBRUOWHE029125	30x120	burano white riser	AGRZZBRUOWHE029108	15x120
burano grey step	AGTZZBRUOGRY029123	30x120	burano grey riser	AGRZZBRUOGRY029106	15x120
burano dark grey step	AGTZZBRUODKG029121	30x120	burano dark grey riser	AGRZZBRUODKG029104	15x120

Lava Concrete

FULL BODY PORCELAIN TILES
Matt • Rectified • Light Structure



lava concrete white



lava concrete beige



lava concrete light grey

Mosaic



lava concrete mosaic 30x30 *



lava concrete 3D mosaic 28.8x28.8 *



lava concrete mosaic 25.5x29.5 *



lava concrete mosaic 30x40 *



lava concrete mosaic 30x45 *



lava concrete mosaic 30x60 *




step & riser *

SIZES




* Available in all colours


60x120 cm
23.62"x47.24"



60x60 cm
23.62"x23.62"



Step
29.8x60 cm
11.73"x23.62"




Step
30x120 cm
11.81"x47.24"



Riser
15x120 cm
5.90"x47.24"

skirting
60x8 cm
23.62"x3.14"



mosaic
30x30 cm
11.81"x11.81"



mosaic 3d
28.8x28.8 cm
11.33"x11.33"



mosaic
25.5x29.5 cm
10.03"x11.61"



mosaic
30x40 cm
11.81"x15.74"



mosaic
30x45 cm
11.81"x17.71"



mosaic
30x60 cm
11.81"x23.62"



Name	Code	Size(CM)	Code	Size(CM)	
lava concrete white	A2B12LVCRWHEMML5R	60x120	A2B06LVCRWHEMMLNLR	60x60	
lava concrete light grey	A2B12LVCRLIGMML5R	60x120	A2B06LVCRLIGMMLNLR	60x60	
lava concrete beige	A2B12LVCRBEEML5R	60x120	A2B06LVCRBEEMLNLR	60x60	
Name	Code	Size(CM)	Name	Code	Size(CM)
lava concrete white mosaic 30x30	ACMZZLVCRWHE005563	30x30	lava concrete white mosaic 30x40	ACMZZLVCRWHE005536	30x40
lava concrete light grey mosaic 30x30	ACMZZLVCRLIG005562	30x30	lava concrete light grey mosaic 30x40	ACMZZLVCRLIG005535	30x40
lava concrete beige mosaic 30x30	ACMZZLVCRBEE005561	30x30	lava concrete beige mosaic 30x40	ACMZZLVCRBEE005534	30x40
lava concrete white mosaic 25.5x29.5	AGWZZLVCRWHE005505	25.5x29.5	lava concrete white mosaic 30x45	ACMZZLVCRWHE005568	30x45
lava concrete light grey mosaic 25.5x29.5	AGWZZLVCRLIG005504	25.5x29.5	lava concrete light grey mosaic 30x45	ACMZZLVCRLIG005567	30x45
lava concrete beige mosaic 25.5x29.5	AGWZZLVCRBEE005503	25.5x29.5	lava concrete beige mosaic 30x45	ACMZZLVCRBEE005566	30x45
lava concrete white mosaic 30x60	ACMZZLVCRWHE005573	30x60	lava concrete white 3D mosaic 28.8x28.8	ACMZZLVCRWHE005859	28.8x28.8
lava concrete light grey mosaic 30x60	ACMZZLVCRLIG005572	30x60	lava concrete light grey 3D mosaic 28.8x28.8	ACMZZLVCRLIG005857	28.8x28.8
lava concrete beige mosaic 30x60	ACMZZLVCRBEE005571	30x60	lava concrete beige 3D mosaic 28.8x28.8	ACMZZLVCRBEE005858	28.8x28.8
lava concrete white step	ACTZZLVCRWHE006628	29.8x60	lava concrete white skirting	ACSZZLVCRWHE005522	60x8
lava concrete light grey step	ACTZZLVCRLIG006626	29.8x60	lava concrete light grey skirting	ACSZZLVCRLIG005518	60x8
lava concrete beige step	ACTZZLVCRBEE006624	29.8x60	lava concrete beige skirting	ACSZZLVCRBEE005521	60x8
lava concrete white step	ACTZZLVCRWHE005958	30x120	lava concrete white riser	ACRZZLVCRWHE005963	15x120
lava concrete light grey step	ACTZZLVCRLIG005955	30x120	lava concrete light grey riser	ACRZZLVCRLIG005961	15x120
lava concrete beige step	ACTZZLVCRBEE005953	30x120	lava concrete beige riser	ACRZZLVCRBEE005959	15x120

Lapideus

FULL BODY PORCELAIN TILES
Matt • Rectified • Light Structure



lapideus white



lapideus slate grey




lapideus original



lapideus beige

Mosaic



lapideus mosaic 30x30 *



lapideus mosaic 30x40 *



lapideus mosaic 30x45 *




lapideus slate grey mosaic 30x60 *




step & riser *

SIZES

60x120 cm
23.62"x47.24"




60x60 cm
23.62"x23.62"



Step
29.8x60 cm
11.73"x23.62"



Step
30x120 cm
11.81"x47.24"



Riser
15x120 cm
5.90"x47.24"

skirting
60x8 cm
23.62"x3.14"

* Available in all colours



mosaic
30x30 cm
11.81"x11.81"



mosaic
30x40 cm
11.81"x15.74"



mosaic
30x45 cm
11.81"x17.71"



mosaic
30x60 cm
11.81"x23.62"



Name	Code	Size(CM)	Code	Size(CM)	
lapideus white	A12GLPSE-WHE.M6X5R	60x120	A06GLPSE-WHE.M6X0R	60x60	
lapideus slate grey	A12GLPSE-SLA.M6X5R	60x120	A06GLPSE-SLA.M6X0R	60x60	
lapideus beige	A12GLPSE-BEE.M6X5R	60x120	A06GLPSE-BEE.M6X0R	60x60	
lapideus original	A12GLPSE-OGL.M6X5R	60x120	A06GLPSE-OGL.M6X0R	60x60	
Name	Code	Size(CM)	Name	Code	Size(CM)
lapideus white mosaic 30x30	A2MZZLPSEWHE007697	30x30	lapideus white mosaic 30x40	A2MZZLPSEWHE007789	30x40
lapideus slate grey mosaic 30x30	A2MZZLPSESLA007696	30x30	lapideus slate grey mosaic 30x40	A2MZZLPSESLA007788	30x40
lapideus beige mosaic 30x30	A2MZZLPSEBEE007693	30x30	lapideus beige mosaic 30x40	A2MZZLPSEBEE007784	30x40
lapideus original mosaic 30x30	A2MZZLPSEOGL007695	30x30	lapideus original mosaic 30x40	A2MZZLPSEOGL007786	30x40
lapideus white mosaic 30x45	A2MZZLPSEWHE007666	30x45	lapideus white mosaic 30x60	A2MZZLPSEWHE007731	30x60
lapideus slate grey mosaic 30x45	A2MZZLPSESLA007665	30x45	lapideus slate grey mosaic 30x60	A2MZZLPSESLA007730	30x60
lapideus beige mosaic 30x45	A2MZZLPSEBEE007661	30x45	lapideus beige mosaic 30x60	A2MZZLPSEBEE007726	30x60
lapideus original mosaic 30x45	A2MZZLPSEOGL007663	30x45	lapideus original mosaic 30x60	A2MZZLPSEOGL007728	30x60
lapideus white step	A2TZLPSEWHE017617	30x60	lapideus white skirting	AGSZLPSEWHE007713	60x8
lapideus slate grey step	A2TZLPSESLA017616	30x60	lapideus slate grey skirting	AGSZLPSESLA007712	60x8
lapideus original step	A2TZLPSEOGL017614	30x60	lapideus beige skirting	AGSZLPSEBEE007708	60x8
lapideus pece step	A2TZLPSEPEC017615	30x60	lapideus original skirting	AGSZLPSEOGL007710	60x8
lapideus white riser	A2RZZLPSEWHE008308	15x120	lapideus white riser	A2RZZLPSEWHE008308	15x120
lapideus slate grey riser	A2RZZLPSESLA008307	15x120	lapideus slate grey riser	A2RZZLPSESLA008307	15x120
lapideus beige riser	A2RZZLPSEBEE008303	15x120	lapideus beige riser	A2RZZLPSEBEE008303	15x120
lapideus original riser	A2RZZLPSEOGL008305	15x120	lapideus original riser	A2RZZLPSEOGL008305	15x120



PRODUCTS WITH R11 AND STANDARD THICKNESS

PRODUCTS WITH R11 AND STANDARD THICKNESS

Curton

FULL BODY PORCELAIN TILES
Matt • Rectified • Heavy Structure



curton white decor




curton grey decor




curton beige decor

SIZES


60x120 cm
23.62"x47.24"



60x60 cm
23.62"x23.62"



Step
29.8x60 cm
11.73"x23.62"



mosaic
30x30 cm
11.81"x11.81"



mosaic 3d
28.8x28.8 cm
11.33"x11.33"



mosaic
25.5x29.5 cm
10.03"x11.61"



mosaic
30x40 cm
11.81"x15.74"



mosaic
30x45 cm
11.81"x17.71"



mosaic
30x60 cm
11.81"x23.62"




Name	Code	Size(CM)	Code	Size(CM)
curton white decor	A2D12PDCNWHMML5R	60x120	A2D06PDCNWHMMLN1R	60x60
curton grey decor	A2D12PDCNGRYMMML5R	60x120	A2D06PDCNGRYMMMLN1R	60x60
curton beige decor	A2D12PDCNBEEML5R	60x120	A2D06PDCNBEEMLN1R	60x60

Name	Code	Size(CM)	Name	Code	Size(CM)
curton white mosaic 30x30	ACMZZPDCNWE006687	30x30	curton white mosaic 30x40	ACMZZPDCNWE006688	30x40
curton grey mosaic 30x30	ACMZZPDCNGRY005661	30x30	curton grey mosaic 30x40	ACMZZPDCNGRY005658	30x40
curton beige mosaic 30x30	ACMZZPDCNBEE005660	30x30	curton beige mosaic 30x40	ACMZZPDCNBEE005657	30x40
curton white mosaic 30x60	ACMZZPDCNWE006689	30x60	curton white mosaic 30x45	ACMZZPDCNWE006690	30x45
curton grey mosaic 30x60	ACMZZPDCNGRY005733	30x60	curton grey mosaic 30x45	ACMZZPDCNGRY005730	30x45
curton beige mosaic 30x60	ACMZZPDCNBEE005732	30x60	curton beige mosaic 30x45	ACMZZPDCNBEE005729	30x45
curton white mosaic 30x60	AGWZZPDCNBEE005479	25.5x29.5	curton white	ACMZZPDCNBEE005860	28.8x28.8
curton grey mosaic 30x60	AGWZZPDCNGRY005480	25.5x29.5	curton grey	ACMZZPDCNGRY005871	28.8x28.8
curton beige mosaic 30x60	A2VZZPDCNWE006730	25.5x29.5	curton beige	ACMZZPDCNWE006686	28.8x28.8




Shine Stone

PORCELAIN TILES
Matt • Rectified • Light Structure



shine stone white




shine stone grey



shine stone dark grey




shine stone black



shine stone ivory



shine stone beige




shine stone dark beige



shine stone brown


Mosaic



shine stone mosaic 2.3x2.3 *

SIZES

30x60 cm
11.81"x23.62"



mosaic
30x30 cm
11.81"x11.81"




* Available in all colours

Name	Code	Size(CM)	Name	Code	Size(CM)
shine stone white	A09GZSHS#WHO.MYR	30x60	shine stone white mosaic 2.3x2.3	AM-GZSHS-WH.2R/2H	30x30
shine stone grey	A09GZSHS#GYO.MYR	30x60	shine stone grey mosaic 2.3x2.3	AM-GZSHS-GY.2R/2H	30x30
shine stone dark grey	A09GZSHS#DGY.MYR	30x60	shine stone dark grey mosaic 2.3x2.3	AM-GZSHS-DGY.2R/2H	30x30
shine stone black	A09GZSHS#BKO.MYR	30x60	shine stone black mosaic 2.3x2.3	AM-GZSHS-BK.2R/2H	30x30
shine stone ivory	A09GZSHS#VO.MYR	30x60	shine stone ivory mosaic 2.3x2.3	AM-GZSHS-IV.2R/2H	30x30
shine stone beige	A09GZSHS#BEO.MYR	30x60	shine stone beige mosaic 2.3x2.3	AM-GZSHS-BE.2R/2H	30x30
shine stone dark beige	A09GZSHS#DBE.MYR	30x60	shine stone dark beige mosaic 2.3x2.3	AM-GZSHS-DBE.2R/2H	30x30
shine stone brown	A09GZSHS#BRO.MYR	30x60	shine stone brown mosaic 2.3x2.3	AM-GZSHS-BR.2R/2H	30x30

A modern outdoor swimming pool area. In the foreground, a pool ladder with three stainless steel handrails leads into the water. The pool deck is made of light-colored stone tiles. To the left, a wooden lounge chair with a grey cushion and a rolled-up towel sits on a wooden platform. In the background, a large glass-walled building is visible, reflecting the surrounding greenery and sky. The scene is set in a lush, green environment with trees and a clear sky.

Swimming pool accessories


From
Atecpool
(Not supplied by RAK Ceramics)



Swimming pool ladders

Standard Ladder

Ladders for residential and commercial swimming pools, made of polished stainless steel AISI 316 or AISI 304. Steps in Stainless Steel with anti-slip security. Complete with anchors and earthing accessories.




Steps	A	B	C	D	E	F	G
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
2	410	620	250	1300	180	500	610
3	410	620	250	1550	180	500	610
4	410	620	250	1800	180	500	610
5	410	620	250	2050	180	500	610

	Code	Weight	Volume
	AISI 316	(kg)	m ³
2 steps standard	13003215-5	10.0	0.07
3 steps standard	13003215-6	11.8	0.08
4 steps standard	13003215-7	13.2	0.08
5 steps standard	13003215-8	14.0	0.10

	Code	Weight	Volume
	AISI 304	(kg)	m ³
2 steps standard	13003215-1	10.0	0.07
3 steps standard	13003215-2	11.8	0.08
4 steps standard	13003215-3	13.2	0.08
5 steps standard	13003215-4	14.0	0.10

Standard Asymmetrical Ladder

Atecpool standard asymmetrical ladders made of AISI 316 are designed for safety against slipping from any asymmetrical pool surface or slopes. Steps in Stainless steel with anti-slip security. Complete with anchors and earthing accessories.




Steps	A	B	C	D	E	F	G
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
2	620	920	250	1300	180	500	738
3	620	920	250	1550	180	500	738
4	620	920	250	1800	180	500	738
5	620	920	250	2050	180	500	738

Deluxe S.S. 316

	Code	Weight	Volume
	AISI 316	(kg)	m ³
2 steps asymmetrical	13002200-1	10.0	0.07
3 steps asymmetrical	13002300-1	11.8	0.08
4 steps asymmetrical	13002400-1	13.2	0.08
5 steps asymmetrical	13002500-1	14.0	0.10

Overflow Ladder

Over low Ladder with 957mm extended fixing. Made of polished stainless steel AISI 304 or AISI 316. Handrails in polished Stainless steel (Ø42mm) tube. Steps in Stainless steel with anti-slip security. Complete with anchors and earthing accessories.



Steps	A	B	C	D	E	F	G	H
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
2	757	610	250	1390	180	500	957	710
3	757	610	250	1640	180	500	957	960
4	757	610	250	1890	180	500	957	1210
5	757	610	250	2140	180	500	957	1460

	Code	Weight	Volume
	AISI 316	(kg)	m ³
2 steps overflow	13003215-13	10.0	0.07
3 steps overflow	13003215-14	12.0	0.08
4 steps overflow	13003215-15	14.0	0.08
5 steps overflow	13003215-16	15.0	0.10

	Code	Weight	Volume
	AISI 304	(kg)	m ³
2 steps overflow	13003215-9	10.0	0.07
3 steps overflow	13003215-10	12.0	0.08
4 steps overflow	13003215-11	14.0	0.08
5 steps overflow	13003215-12	15.0	0.10



Swimming pool showers


Waterfall Collection

Waterfall collection is an elegant addition to your new or remodel pool or spa. With our Waterfall Collection you could add a peaceful atmosphere to your pool or a bold looking water feature that brings thrill & uniqueness to your project.


Classic Waterfall

Specifications


- Construction in Heavy-duty PVC.
- Selected Lip sizes can be radius curve cut.
- Available in Clear, Gray & Tan color options on request.
- Both Rear & Bottom inlet options available.
- Various size options, up to 5 ft. length




Colour	Description	Result at 1 Meter Height	Width	Length
Rear Inlet	Bottom Inlet	GPM / Projection	(W)	(L)
4600-1201	4601-1201	12 waterfall with 1" lip	3.15	
4600-1206	4601-1206	12" waterfall with 6" lip	8.07	12.36
4600-1209	4601-1209	12" waterfall with 9" lip	11.07	
4600-1212	4601-1212	12" waterfall with 12" lip	14.07	
4600-1801	4601-1801	18" waterfall with 1" lip	3.15	
4600-1806	4601-1806	18" waterfall with 6" lip	8.07	18.23
4600-1809	4601-1809	18" waterfall with 9" lip	11.07	
4600-1812	4601-1812	18" waterfall with 12" lip	14.07	
4600-2401	4601-2401	24" waterfall with 1" lip	3.15	
4600-2406	4601-2406	24" waterfall with 6" lip	8.07	24.13
4600-2409	4601-2409	24" waterfall with 9" lip	11.07	
4600-2412	4601-2412	24" waterfall with 12" lip	14.07	
4600-3601	4601-3601	36" waterfall with 1" lip	3.15	
4600-3606	4601-3606	36" waterfall with 6" lip	8.07	35.67
4600-3609	4601-3609	36" waterfall with 9" lip	11.07	
4600-3612	4601-3612	36" waterfall with 12" lip	14.07	
4600-4801	4601-4801	48" waterfall with 1" lip	3.15	
4600-4806	4601-4806	48" waterfall with 6" lip	8.07	47.36
4600-4809	4601-4809	48" waterfall with 9" lip	11.07	
4600-4812	4601-4812	48" waterfall with 12" lip	14.07	
4600-6001	-	60" waterfall with 1" lip	3.15	
4600-6006	-	60" waterfall with 6" lip	8.07	59.88
4600-6009	-	60" waterfall with 9" lip	11.07	
4600-6012	-	60" waterfall with 12" lip	14.07	



Back or Bottom Port



Filtered Water Only




Radius Cut Compatible

Important: Waterfalls are to be used only with filtered water

Special stainless steel ornamental pool features designed and engineered with excellence and high precision. Made of AISI 316 stainless steel for massage and relaxation with best aesthetic looks. Available in mat or mirror polished finish. Selection of pump based on the low mentioned.

- Water curtain w/ width 400mm - connection size 1.5"
- Water curtain w/ width 600/500mm - connection size 2"


Water Curtain Bali



Code	Flow	Height	Width	Distance
AISI 316	(m ³)	H (mm)	W (mm)	E (mm)
0124040	16	400	400	420
0125050	18	500	500	440
0126060	21	600	600	550
0126070	21	700	600	630
0126080	21	800	600	840
0126090	21	900	600	880
01260100	21	1000	600	910
01260120	21	1200	600	970
01260140	21	1400	600	1030


Cannon Jet Capri

Made of AISI 316 stainless steel with circular nozzle type mouth for maximum pressure, anchors required.



Standard Shower Single Head

With Feetwisher




Specifications

- Stainless steel tube AISI 304L Ø43 mm
- Shower taps: chrome-plated brass w/ trims
- Feetwisher: Taps chrome-plated brass

Code	Flow rate	Weight	Volume
AISI 316	(m ³ /h)	(Kg)	(m ³)
14200029	20	0.8	0.005

Oval Shower

With Feetwisher



Specifications


- Stainless steel tube AISI 304L Ø84 mm
- Shower taps: chrome-plated automatic valve w/ trims
- Feetwisher: Taps chrome-plated automatic valve with trim

Code	Type	Weight	Volume
		(kg)	(m ³)
00126045	Automatic	12	0.083

Swimming pool gratings

Over Flow Grating

Made of UV-protected high grade PP. 45 units in single linear meter.
Standard color - White, any color can be custom made upon request.
Available in 3 different heights - 22 mm, 24 mm and 30 mm.



Code	Height (mm)	Width (mm)	Std Packing linear meter
01593718	22 end cut type	195	10
01593725	22 end cut type	245	10
01593730	22 end cut type	295	10
01593735	24	195	10
01593740	24	245	10
01593745	24	295	10
01593747	30	195	10
01593748	30	245	10
01593749	30	295	10

Grating support profile

Grating Profile made of PP with internal dimensions 24 mm x 22 mm. Supplied in 2 m lengths. Suitable for 22 and 24 mm height grating. Color choice possible upon request.



Code	Size (internal mm)	Std Packing Linear meter
01593777	24 x 22	24

90 Corner Tiles

For over flow channels. Made of UV-protected high grade PP. Height - 24 mm



Code	Height (mm)	Width (mm)	Unit
01596195-1	24	200	1
01596245-1	24	250	1

Connection Box - ABS S.S. 316 Bronze models

Three models for connection boxes manufactured in ABS or SS 316 or Bronze. IP 65 class protection for ABS junction boxes and has 3 threaded outlets of 3/4" (PG 16), supplied with a set of electrical connectors and threaded couplers. Square type junction box standard size for the top lid : 130 x 130 mm.



Code	Code	Outlets	Connection IP Rating
01592823	JunctionBox ABS three 3/4" inlets/outlets, threaded	3	3/4" / IP65
0292020	Square Connection Box SS 316 three 3/4" BSP threaded	3	3/4" BSP / IP65



Swimming pool Jets

Suction Inlet ABS Threaded

Made in white ABS with 2" outer connection thread and Ø50 mm inner wall for concrete pools. Installed with female threaded wall conduits. Supplied with threaded plug of 1 1/2". Maximum pressure: 6 Bar



Code	Description	Std packing	Volume (m³)
01592827-2	Suction Inlet ABS threaded	24	0.020

Floor Inlet ABS Slip Fit

Made in white ABS with Ø63 mm outer connection and Ø50mm inner wall and screws in stainless steel. Its unique design permits 360° dispersion of fresh water in the pool. Max. Recommended flow rate: 12m³/h, flow rate can be manually regulated with the help of an adjustable screw fitted on top centre of the inlet.



Code	Description	Std packing	Volume (m³)
01592825	Floor Inlet ABS Slip Fit	24	0.020

Suction Inlet AISI 316

Suction inlet in polished stainless steel AISI 316 with outer thread 1 1/2". Length 50 mm, supplied with cover.



Code	Description	Length (mm)	Weight (kg)	Volume (m³)
01592860	Suction Inlet AISI 316	50	0.30	0.001

Return Inlet ABS Threaded for Prefabricated

Made in white ABS with 2" outer connection thread and Ø50 mm inner wall for **prefab pools**. Supplied with gasket, screws and nut for liner fixing. Installed with female threaded wall conduits. Maximum Flow: 7 m³/hr. Recommended max. flow velocity 4 m/s.



Code	Description	Std packing	Volume (m³)
01592836	Return Inlet ABS Threaded for Prefab	12	0.020

Return Inlet AISI 316

Direction-adjustable return inlet in polished stainless steel AISI 316 with outer thread 1 1/2" and Ø20 mm eyeball. Recommended flow: 4.5 m³/hr.



Code	Description	Length (mm)	Weight (kg)	Volume (m³)
01592858	Return Inlet AISI 316	50	0.30	0.001

Anti-Vortex Drain Grille AISI 316

Support ring and circular grille Ø220mm made of stainless steel AISI 316. Supplied with grille fixing screws. Recommended flow rate 14 m³/hr.



Code	Description	Size (mm)	Std packing	Weight (kg)
10532115	Anti-Vortex Drain Grille AISI 31	220	1	1.5

Adjustable Jet Ø50x50

Made of white ABS for perfect gluing to PVC pipes. Ø50mm water inlet and air inlet. Flow - 4.5 m³/hr. Unique design permits for a combination of air and water massage by way of a venture system. Atmospheric Pressure at 0.8 bar. Available with stainless steel AISI 316 trim.



Code	Description	Weight (kg)	Volume (m³)	Std Packing
00590050	JET 50X50 ABS	6.92	0.027	25
00590057	JET 50X50 ABS with S.S. Trim	9.92	0.028	25

Adjustable Jet Ø 1.5"x1.5"

Made of White ABS for perfect gluing to PVC pipes. Ø1.5" water inlet and air inlet. Flow - 4 m³/hr. Unique design permits for a combination of air and water massage by way of a venture system. Atmospheric Pressure at 0.8 bar. Available with stainless steel AISI 316 trim.



Code	Description	Weight (kg)	Volume (m³)	Std Packing
00590055	JET 1.5 X1.5 ABS	5.82	0.026	25
00590059	JET 1.5 X1.5 ABS with S.S. Trim	9.02	0.028	25






Swimming pool lights

Spectra-Slim LED Lighting ABS High Power Slim LED


Spectra-Slim LED Panel ABS Lighting

Super bright Ultra Slim LED panel underwater lights for swimming pool and spa. Made of ABS with resin filled bulbs which are 100% acid-proof, alkali-proof and UV resistant. Low power consumption, high stability, IP68 waterproof. Models available in RGB, Cool White, Warm White and Blue colour. Supplied with 3mtr 2 Core 2x1.0 mm² cable for all models. RGB lights get synchronized using Atecpool LED modulators / remote control with colour sequence arranged in 16 programs. ABS frame is compatible to any size niches using installation adaptor kit supplied along with the lights.




Concrete, Liner and Pre-fabricated pools - Easy installation

Spectra-Slim LED panel ABS lighting can be used for concrete, liner and pre-fabricated pools. Thanks to the installation adaptor kit supplied along with the lights make it possible to install in concrete, liner or pre-fabricated pools.



Spectra-Slim LED Panel Bulb

Constant current driving, resin filled LED have consistent color and brightness. High stability and long life span.



Spectra-Slim LED Panel Bulb - Specification


RGB Bulb RGB 16 modes
16 programs with synchronization capability
Power output in 3 models: 18W / 30W / 55W

Single Color Bulb Temperature 6500K / 2700K / Single Blue
Power output in 3 models: 21W / 33W / 60W
Standard input voltage: 12V AC / DC

Spectra-Slim LED Lighting S.S. 316 High Power Slim LED


Spectra-Slim S.S. 316 Lighting

Super bright Ultra Slim LED panel underwater lights for swimming pool and spa, frame made of stainless steel AISI 316 and ABS niche. Supplied with resin filled bulbs which are 100% acid-proof, alkali-proof and UV resistant. Low power consumption, high stability, IP68 waterproof. Models available in RGB, Cool White, Warm White and Blue colour. Supplied with 3mtr 2 Core 2x1.0 mm² cable for all models. RGB lights get synchronized using LED modulators/ remote control with colour sequence arranged in 16 programs. S.S. frame is compatible to any size niches using installation adaptor kit supplied along with the lights.




Concrete, Liner and Pre-fabricated pools - Easy installation

Atecpool Spectra-Slim LED panel S.S. 316 lighting can be used for concrete, liner and pre-fabricated pools. Thanks to the installation adaptor kit supplied along with the lights make it possible to install in concrete, liner or pre-fabricated pools.



Atecpool Spectra-Slim LED Panel Bulb

Constant current driving, resin filled LED have consistent color and brightness. High stability and long life span.



Spectra-Slim LED Panel Bulb - Specification

RGB Bulb - RGB 16 modes
16 programs with synchronization capability
Power output in 3 models: 18W / 30W / 55W

Single Color Bulb Temperature 6500K / 2700K / Single Blue
Power output in 3 models: 21W / 33W / 60W
Standard input voltage: 12V AC / DC

Swimming pool lights

Spectra Extra Flat LED S.S. 316 Lighting


LED underwater light for swimming pool and spa. Lamps fully filled with resin, completely waterproof, wall mounted, nicheless with S.S frame. Models available in RGB, Cool White, Warm White and Blue colour. RGB lights works with LED modulator with remote control system for synchronization.

Specifications

- Electrical Connection: 12V AC
- Complete with 2 core 2X1.0 mm² cable
- Construction: Moulded housing S.S. AISI 316
- Protection Class: IP68
- Lamp life: approx. 60,000 hrs
- Supplied with 4 mtr cable
- 16 programs with synchronization capability

Features

- Quality Resin filled lamps provides 100% waterproof assurance.
- Consumes 90% less energy than traditional lighting.
- High temperature protection guarantees the long life of LEDs.
- True PWM Technology is adopted.
- No niche, easy installation.
- Lights can be wired to any 12V/AC transformer.



LED Modulator



Code	Description	Power / Voltage	Lumen	Color Temperature
20524	Spectra Extra Flat RGB S.S 316	18W / 12 VAC	925 lm	RGB 16 Mode
20528	Spectra Extra Flat Cool White S.S 31	21W / 12 VAC	2100 lm	6500K
20532	Spectra Extra Flat Warm White S.S 316	21W / 12 VAC	1920 lm	2700K
20536	Spectra Extra Flat Blue S.S 316	21W / 12 VAC	470 lm	Single Blue

Lumina Extra Flat 199 LED ABS Lighting

Lumina Extra Flat LED ABS underwater light for wall mounting with 199 LED offering sixteen colour changing modes. The lights can be wired to any 12V/AC transformer. Models available in RGB, Cool White, Warm White and Blue colour. RGB lights works with LED modulator with remote control system for synchronization.

Specifications

- Electrical Connection: 12V AC
- Complete with 2 core 2X1.0 mm² cable
- Supplied material of construction: ABS
- Protection Class: IP68
- Lamp life: approx. 30,000 hrs
- Supplied with 2 mtr cable
- 16 programs with synchronization capability

Features

- UV protection.
- Consumes 90% less energy than traditional lighting.
- Tempered Protection Glass.
- No niche, easy installation.
- Constant-current driver to the LED.
- Low power consumption, low heat dissipation.



Code	Description	Power / Voltage	Lumen
20814	Lumina Extra Flat 199 LED RGB ABS	11W / 12 VAC	550 lm
20818	Lumina Extra Flat 199 LED Cool White ABS	12W / 12 VAC	840 lm
20822	Lumina Extra Flat 199 LED Warm White ABS	12W / 12 VAC	680 lm
20826	Lumina Extra Flat 199 LED Blue ABS	12W / 12 VAC	260 lm

Lumina Mini Spa LED Lighting

ABS with S.S. faceplate

Lumina Mini Spa LED Panel Lighting - ABS with S.S. trim & ABS

Lumina Mini SPA lighting in ABS with quick connections to 2" threaded wall conduit. Fully resin filled panel LED offering sixteen colour changing function in RGB mode. Light available in RGB, Cool White, Warm White and Blue colour options. RGB Lights are synchronized using LED Modulators with remote control system. Maximum power consumption of 7W and can be connected to a 12V/AC transformer.


Specifications

- Electrical Connection: 12V AC
- Complete with 2 core 2x10 mm cable
- Material of construction: ABS
- Protection Class: IP68
- Lamp Life: Approx. 60,000 hrs
- Supplied with 2 mtr cable
- 16 programs with synchronized capability

Features


- Consumes 90% less energy than traditional lighting.
- Eco-friendly, no radiation.
- Low power consumption, low heat dissipation.
- Light transmission rate up to 92%.
- PWM technology adopted
- 2" threaded wall conduits suitable for quick connections Lumina Mini ABS Spa Lights

Lumina Mini Spa LED Panel Lighting - ABS with S.S. faceplate




Code			Ø100mm	
Threaded Type	Niche Type	Model	Power / Voltage	Lumen (lm)
20224S RGB	20204S RGB	Lumina Mini LED ABS with S.S. trim RGB	6W / 12V	350
20224S CW	20205S CW	Lumina Mini LED ABS with S.S. trim Cool White	7W / 12V	600
20224S WW	20206S WW	Lumina Mini LED ABS with S.S. trim Warm White	7W / 12V	560
20224S BLU	20207S BLU	Lumina Mini LED ABS with S.S. trim Blue	7W / 12V	165

Lumina Mini Spa LED Panel Lighting - ABS



Code			Ø163mm	
Threaded Type	Niche Type	Model	Power / Voltage	Lumen (lm)
20224 RGB	20204 RGB	Lumina Mini LED ABS RGB	6W / 12V	350
20224 CW	20205 CW	Lumina Mini LED ABS Cool White	7W / 12V	600
20224 WW	20206 WW	Lumina Mini LED ABS Warm White	7W / 12V	560
20224 BLUE	20207 BLUE	Lumina Mini LED ABS Blue	7W / 12V	165




Swimming pool lights

Lumina Mini Spa LED Lighting Stainless Steel 316

Lumina Mini Spa LED Panel Lighting S.S. 316

Lumina Mini SPA lighting in stainless steel AISI 316 construction. Quick push-fit connections to solvent weld wall conduit Ø63 mm. Fully resin filled panel LED offering sixteen colour changing function in RGB mode. Light available in RGB, Cool White, Warm White and Blue colour options. RGB Lights are synchronized using LED Modulators with remote control system. Maximum power consumption of 7W and can be connected to a 12V/AC transformer.



Easy Colour Picker



International Safety Tested IEC EN 60598-2:18



Fast Return on Investment


Specifications

- Electrical Connection: 12V AC
- Complete with 2 core 2x10 mm² cable
- Material of construction: SS AISI 316
- Protection Class: IP68
- Lamp Life: Aprox. 60.000 hrs
- Supplied with 2 mtr cable
- 16 programs with synchronized capability

Features

- Consumes 90% less energy than traditional lighting.
- Eco-friendly, no radiation.
- Low power consumption, low heat dissipation.
- Light transmission rate up to 92%.
- PWM technology adopted
- No niche, solvent weld wall conduits Ø63 mm suitable for quick push-fit connections Lumina Mini S.S. Lights

Photometrics - 20444 CW 7W 5700K LED / 12V AC



Code	Model	Power / Voltage	Lumen (lm)	Color Temperature
20444RGB	Lumina Mini Spa LED S.S RGB	6W / 12V	350	RGB 16 Mode
20444CW	Lumina Mini Spa LED S.S Cool White	7W / 12V	600	6500K
20444WW	Lumina Mini Spa LED S.S Warm White	7W / 12V	560	2700K
20444B	Lumina Mini Spa LED S.S Blue	7W / 12V	165	Single Blue

Atecpool Vitrage 3 LED Underwater Light


Vitrage 3 LED Light, complete body construction in AISI 316 Stainless Steel supplied with an ABS niche specially designed for your Pool & Spa. Waterproof IP68. Available in cool white, warm white, blue and RGB.

Specifications


- Made of Stainless Steel AISI 316
- Glass: Step tempered glass T=8mm
- Cable gland: IP68 PG11
- Driver: constant current output
- Single colour LED = 1 circuit output: RGB 3 in 1 LED=3 circuit output
- Application environment: Temperature of water between 20°C - 40°C less than 1 meter depth
- Power cable: H07RN-F 2X10 mm L=3m (for single colour)H07RN-F 4X0.75 mm L=3m (RGB)
- Mounting sleeve: PVC with IP68 cable & conduit gland



ATZ1973 CW



Photometric Data ATZ1973 CW - 6000K, 30°



Code	Description	Voltage	Power	Beam Angle	Lumen (lm)	Color Temp
ATZ1973 CW	Vitrage 3 LED Cool White	12V AC	3x3 W	30°	720	Cool White 6000K
ATZ1973 WW	Vitrage 3 LED Warm White	12V AC	3x3 W	30°	640	Warm White 3000K
ATZ1973 B	Vitrage 3 LED Blue	12V AC	3x3 W	30°	220	Single Blue
ATZ1973 RGB	Vitrage 3 LED RGB	24V DC	3x3 W	30°	450	RGB 14 Modes

Atecpool Vitrage 9 LED Underwater Light


Vitrage 9 LED Light, complete body construction in AISI 316 Stainless Steel, supplied with an ABS niche specially designed for your Pool & Spa. Waterproof IP68. Available in cool white, warm white, blue and RGB.

Specifications


- Made of Stainless Steel AISI 316
- Glass: Step tempered glass T=8mm
- Cable gland: IP68 PG11
- Driver: constant current output
- Power Cable: H07RN-F 2X10 mm L=3 (for single colour) H07RN-F 4X0.75 mm L=3m (RGB)
- Single colour LED = 1 circuit output: RGB 3 in 1 LED = 3 circuit output
- Application environment: Temperature of water between 20°C - 40°C less than 1 meter depth
- Mounting sleeve: PVC with IP68 cable & conduit gland



ATZ1202 CW



Photometric Data ATZ1202 CW - 6000K, 30°



Code	Description	Voltage	Power	Beam Angle	Lumen (lm)	Color Temp
ATZ1202 CW	Vitrage 9 LED Cool White	12V AC	9x3 W	30°	2160	Cool White 6000K
ATZ1202 WW	Vitrage 9 LED Warm White	12V AC	9x3 W	30°	1880	Warm White 3000K
ATZ1202 B	Vitrage 9 LED Blue	12V AC	9x3 W	30°	660	Single Blue
ATZ1202 RGB	Vitrage 9 LED Full RGB	24V DC	9x3 W	30°	1450	RGB 14 Modes

Swimming pool lights

Atecpool Vitrage 12 LED Underwater Light


Vitrage 12 LED Light, complete body construction in AISI 316 Stainless Steel, supplied with an ABS niche specially designed for your Pool & Spa. Waterproof IP68. Available in cool white, warm white, blue and RGB.

Specifications


- Made of Stainless Steel AISI 316
- Glass: Step tempered glass T=8mm
- Cable gland: IP68 PG11
- Driver: constant current output
- Single colour LED = 1 circuit output
RGB 3 in 1 LED=3 circuit output
- Application environment: Temperature of water between 20°C - 40°C less than 1 meter depth.
- Power cable: HO7RN-F 2X1.0 mm L=3m (for single colour)HO7RN-F 4X0.75 mm L=3m (RGB)
- Mounting sleeve: PVC with IP68 cable & conduit gland



ATZ1811 CW



Photometric Data ATZ1811 CW - 6000K, 30°





Code	Description	Voltage	Power	Beam Angle	Lumen (lm)	Color Temp
ATZ1811 CW	Vitrage 12 LED Cool White	12V AC	12x3 W	30°	3300	Cool White 6000K
ATZ1811 WW	Vitrage 12 LED Warm White	12V AC	12x3 W	30°	2600	Warm White 3000K
ATZ1811 B	Vitrage 12 LED Blue	12V AC	12x3 W	30°	790	Single Blue
ATZ1811 RGB	Vitrage 12 LED Full RGB	24V DC	12x3 W	30°	1750	RGB 14 Modes

Atecpool Safety Step-down Transformers IP65

Special transformer encapsulated in cast resin material protected by a plastic cover-box. Available from 100W up to 600W with output voltage of 12VAC, variable voltage of 13/14/15/16VAC. Variable voltage transformers resist the voltage drop between the transformer and the connection box to suit a range of different lengths and sizes of cable. Wall mounting. Protection class: IP65 50/60 Hz.



01983100



Code	Primary	Secondary	Power	Dimension L/W/D (mm)
105W / 12VAC Toroidal Transformer IP65				
01983100	220V-240VAC	12VAC	105W	230 x 150 x 85
300W / 12VAC Toroidal Transformer IP65				
01983300	220V-240VAC	12VAC	300W	230 x 150 x 85
400W / 12VAC Toroidal Transformer IP65				
01983400	220V-240VAC	12VAC	400W	230 x 150 x 85
600W / 12VAC Toroidal Transformer IP65				
01983600	220V-240VAC	12VAC	600W	230 x 150 x 85
105W / 14 - 16VAC Variable Voltage Transformer IP65				
01984100	220V-240VAC	14 - 16VAC	105W	230 x 150 x 85
300W / 14 - 16VAC Variable Voltage Transformer IP65				
01984300	220V-240VAC	14 - 16VAC	300W	230 x 150 x 85
400W / 14 - 16VAC Variable Voltage Transformer IP65				
01984400	220V-240VAC	14 - 16VAC	400W	230 x 150 x 85
600W / 14 - 16VAC Variable Voltage Transformer IP65				
01984600	220V-240VAC	14 - 16VAC	600W	230 x 150 x 85

Atecpool LED Modulator Control Panel with remote control

LED Modulator with remote control

Suitable for synchronizing RGB colour changing LED lights. Atecpool LED Modulator available in 2 core and 4 core cable connection. 2 core LED Modulator R2007 used with Radiant PAR56, Spectra, Spectra High Power, Lumina and Lumina Mini colour changing RGB LED lights. Advanced feature of this panel is that it can synchronize RGB LED lights using 2 core cable. This makes it possible to use in existing pools that are already installed with 2 core halogen lamps.

4 core LED Modulator RKP001 used with Vitrage, Starry and Ladder colour changing RGB lights. Apart from selecting and synchronizing the colour, the 4 core modulator enables the user to control the sequence, pattern or speed of the light changing or to simply select a constant colour. The panel is designed to be wall mounted.



R2007




2 CORE connection
- WITH REMOTE CONTROL -

Specifications

- Includes port for input power from mains
- Standard design includes 12V / 200W transformer
- Suitable for 2 core electrical cable
- Two Input ports for cables from individual lights
- Number of lights can be enhanced on prior request at additional cost
- The entire Radiant, Spectra, Lumina and Lumina Mini range lighting can be controlled by single remote control.
- Panel available with and without transformer. Those without transformer should be connected to step-down voltage of 12V AC

Code	Description	Power/Voltage
R2007	Atecpool LED Modulator 2 core with transformer	200W/12V AC (output)
R2009	Atecpool LED Modulator 2 core w/o transformer	12V AC (input)




RKP001

Specifications

- 4 Core Connection / DC Voltage
- Long remote control distance upto 40 meters
- Wifi remote control on special request
- The entire Vitrage and Ladder LED RGB lighting can be controlled by single remote control
- RGB LED Modulator up to 20 LED lights 4 cable selection
- Output voltage 12/24V DC for RGB 4 cable selection
- LED Modulator for Starry LED with 5V DC output
- Number of lights can be enhanced on prior request at additional cost

Code	Description	Voltage
RKP001	Atecpool LED Modulator 4 core	12/24V DC
RKP005	Atecpool LED Modulator Starry	5V DC



TECHNICAL FEATURES

PORCELAIN TILES (B1a - GL) :

Porcelain tiles are manufactured using pure, selectively imported raw materials mixed using the most advanced extraction and sorting techniques; they are obtained with a production process similar to that of single-fired tiles.

The resulting product is top-quality porcelain tile, obtained by raw materials wet grinding, followed by partial drying by spraying, silo storage to allow homogenization of properties, and pressing with highly efficient hydraulic presses up to specific pressures more than 500 kg/cm². The high pressure combined with high firing temperature exceeding 1200 °C results in highly compact & strong ceramic surface with very low water absorption (lower than 0.4% according to UNI EN ISO 10545-3) and extremely high mechanical resistance (average value exceeding 40 N/mm² according to UNI EN ISO 10545-4).

Thanks to their low porosity, these porcelain tiles are frost-proof and rated as belonging to the B1a GL class according to the International Standard ISO 13006 and European Standard UNI EN 14411 which requires water absorption ≤ 0.5%.

The MoR (modulus of rupture) in accordance with UNI EN ISO 10545-4 results to 40 N/mm² while the required value is 35 N/mm². RAK Ceramics porcelain tiles are available in a wide range of designs, sizes and finishes.

















ADVICE ON LAYING

Although our porcelain tiles can be installed using traditional cement mortars, we advise using modern adhesives. While installing on wall, the two-layer spreading system is recommended to perfectly wet the back of the tile.

Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion. Do not wet the tiles if you are using vinyl, acrylic resin adhesives or two-component organic-solvent based adhesive.

It is advisable to incorporate suitable shrinkage - flexion joints (movement/ expansion joints) when installing on large floors: the joints should never be spaced more than 4 - 5 linear meters apart indoors and 3 linear meters apart outdoors. Be careful while using strong coloured grouts as they might leave stains on the surface of the tiles that may be difficult to remove later.

TECHNICAL CHARACTERISTICS - PORCELAIN TILES (B1a - GL)

Test Description	Standard Test Method	International Standard ISO 13006	RAK Ceramics Specifications	
			(Rectified)	(Unrectified)
 Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.1%	+/- 0.3%
 Thickness	BS EN ISO 10545-2	+/- 5.0%	+/- 5.0%	+/- 5.0%
 Rectangle Squareness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%	+/- 0.4%
 Straightness of sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%	+/- 0.3%
 Surface Flatness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.3%	+/- 0.3%
 Water Absorption	BS EN ISO 10545-3	≤0.5%	≤0.4%	≤0.4%
 Modulus of Rupture	BS EN ISO 10545-4	≥35 N/mm ²	≥40 N/mm ²	≥40 N/mm ²
 Breaking Strength	BS EN ISO 10545-4	≥1300N	≥1600N	≥1600N
 Resistance to surface abrasion	BS EN ISO 10545-7	Manufacturer to state Abrasion Class	PEI Class 2 -5	PEI Class 2 -5
 Linear Thermal Expansion	BS EN ISO 10545-8	≤9x10 ⁻⁶ /°C	≤7x10 ⁻⁶ /°C	≤7x10 ⁻⁶ /°C
 Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect	No visible defect
 Crazing Resistance	BS EN ISO 10545-11	No crazing	No crazing	No crazing
 Frost Resistance	BS EN ISO 10545-12	No visible damage	No visible damage	No visible damage
 Resistance to chemicals	BS EN ISO 10545-13	No visible defect	No visible defect	No visible defect
 Resistance to stains	BS EN ISO 10545-14	Manufacturer to state class	Stain removed Min.class 4	Stain removed Min.class 4
 Colour Resistance to UV Light	DIN 51094	No change in color	No change in color	No change in color

Note : Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended

TECHNICAL FEATURES

FULL BODY PORCELAIN TILES (BIA - UGL) :

Full body porcelain tiles are manufactured using pure, selectively imported raw materials mixed using the most advanced extraction and sorting techniques; they are obtained with a production process similar to that of single-fired tiles.

The resulting product is top-quality porcelain tile, obtained by raw materials wet grinding, followed by partial drying by spraying, silo storage to allow homogenization of properties, and pressing with highly efficient hydraulic presses up to specific pressures more than 500 kg/cm². The high pressure combined with high firing temperature exceeding 1200 °C results in highly compact & strong ceramic surface with very low water absorption (lower than 0.1% according to UNI EN ISO 10545-3) and extremely high mechanical resistance (average value exceeding 40 N/mm² according to UNI EN ISO 10545-4).

Full body porcelain are suitable for heavy traffic areas as they are characterized by a deep abrasion resistance (equal to 150 mm³ of removed material, as opposed to the 175 mm³ provided for by the UNI EN ISO 10545-6 standard).

Thanks to their low porosity, these tiles are frost-proof and rated as belonging to the BIa UGL class according to the International Standard ISO 13006 and European Standard UNI EN 14411 which requires water absorption ≤ 0.5%.

Chemical acid and base resistance (UNI EN ISO 10545-13) makes full body porcelain tiles suitable for environments where aggressive chemicals are used, e.g. food processing factories, hospitals, chemical or pharmaceutical plants. The full bod porcelain tiles are available in a wide range of sizes and surfaces (slip-resistant finish also available).
















ADVICE ON LAYING

Although our full bod porcelain tiles can be installed using traditional cement mortars, we advise using modern adhesives. For large sizes over 40x40cm, outdoor and wall installations, the two-layer spreading system is recommended to perfectly wet the back of the tile.

Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion. Do not wet the tiles if you are using vinyl, acrylic resin adhesives or two-component organic-solvent based adhesive.

It is advisable to incorporate suitable shrinkage - flexion joints (movement/ expansion joints) when installing on large floors: the joints should never be spaced more than 4 - 5 linear meters apart indoors and 3 linear meters apart outdoors. Be careful while using strong coloured grouts as they might leave stains on the surface of the tiles that may be difficult to remove later.

TECHNICAL CHARACTERISTICS - FULL BODY PORCELAIN TILES (BIA - UGL)

Test Description	Standard Test Method	International Standard ISO 13006	RAK Ceramics Specifications	
			(Rectified)	(Unrectified)
 Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.1%	+/- 0.3%
 Thickness	BS EN ISO 10545-2	+/- 5.0%	+/- 5.0%	+/- 5.0%
 Rectangle Squareness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%	+/- 0.4%
 Straightness of sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%	+/- 0.3%
 Surface Flatness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%	+/- 0.3%
 Water Absorption	BS EN ISO 10545-3	≤0.5%	≤0.1%	≤0.1%
 Modulus of Rupture	BS EN ISO 10545-4	≥35 N/mm ²	≥40 N/mm ²	≥40 N/mm ²
 Breaking Strength	BS EN ISO 10545-4	≥1300N	≥1500N	≥1600N
 Resistance to deep abrasion	BS EN ISO 10545-6	≤175/mm ³	≤150/mm ³	≤150/mm ³
 Linear Thermal Expansion	BS EN ISO 10545-8	≤9x10 ⁻⁶ /°C	≤7x10 ⁻⁶ /°C	≤7x10 ⁻⁶ /°C
 Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect	No visible defect
 Frost Resistance	BS EN ISO 10545-12	No visible damage	No visible damage	No visible damage
 Resistance to chemicals	BS EN ISO 10545-13	No visible defect	No visible defect	No visible defect
 Resistance to stains	BS EN ISO 10545-14	Manufacturer to state class	Stain removed Min. class 2	Stain removed Min. class 2
 Colour Resistance to UV Light	DIN 51094	No change in color	No change in color	No change in color

Note: Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended

TECHNICAL FEATURES

GRES WHITE BODY TILES (BIIA) :

Gres white body tiles are created by mixing raw materials including high quality white or red clays, quartz and feldspar in wet grinding ball mills. After grinding, a clay-based suspension of these materials called a slip is fed out of the mill then spray-dried to remove excess moisture. Following the spray drying process, the free flowing powder is pressed using advanced hydraulic presses with a specific pressing power exceeding 300 kg/cm² in order to obtain a compact gres body. Once dried, the tiles are coated and decorated with glazes to make them aesthetically pleasing and meet our customers design requirements.

The glazed tile body is then fired in roller kilns where temperatures of approximately 1200 °C are reached. The resulting product is normally a medium-to-low porosity (3% to 5%) tile, in compliance with the International Standard ISO 13006 and European Standard UNI EN 14411 standard and rated as belonging to the BIIa GL group with notable technological specifications such as the product flexural strength (average value: 30N/mm² according to UNI EN ISO 10545-4).

As for wear resistance, this will depend on the type and colour of glazing and may change according to different products or collections. As a general rule, bright finishes are not recommended for heavy traffic floors or rooms opening onto outdoor areas, where sand or other abrasive materials are more likely to be brought in.

ADVICE ON LAYING

Our gres white body tiles can be laid using either traditional cement mortar or modern tile adhesives. When laying large size tiles, it is best to adopt the two-layer spreading system to ensure the adhesive is spread over 90 % of the tile surface.

Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion, however, do not wet the tiles if you are using vinyl, acrylic resin adhesives or two-component organic-solvent based adhesive.

It is advisable to always incorporate suitable shrinkage-flexion joints (movement/expansion joints) which must not be spaced more than 4-5 metres apart from one another. These joints must be inserted not only between the tiles, but also reach the levelling compound below, consisting of either cement mortar or dry compound, depending on whether the tiles are set in the traditional manner or using a modern adhesive. The movement joints must be sealed with appropriate materials such as silicone or polyurethane-based sealants, depending on the anticipated traffic of the application area.

Appropriate tile bedding layers should be used such as underlay, damp course, vapour barrier or any other layer necessary to prevent the tiles from detaching themselves or cracking due to water penetration.

TECHNICAL CHARACTERISTICS - GRES WHITE BODY TILES (BIIA)

	Test Description	Standard Test Method	International Standard ISO 13006	RAK Ceramics Specifications
	Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.5%
	Thickness	BS EN ISO 10545-2	+/- 5.0%	+/- 5.0%
	Rectangle Squareness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.4%
	Straightness of sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.4%
	Surface Flatness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.4%
	Water Absorption	BS EN ISO 10545-3	0.5% < E <= 3.0%	0.5% < E <= 3.0%
	Modulus of Rupture	BS EN ISO 10545-4	>=30 N/mm ²	>=35 N/mm ²
	Breaking Strength	BS EN ISO 10545-4	>=1100 N	>=1300 N
	Resistance to surface abrasion	BS EN ISO 10545-7	Manufacturer to state Abrasion Class	PEI Class 2
	Linear Thermal Expansion	BS EN ISO 10545-8	Test Method available	<=7x10 ⁻⁶ /°C
	Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect
	Crazing Resistance	BS EN ISO 10545-11	No crazing	No crazing
	Frost Resistance	BS EN ISO 10545-12	No visible damage	No visible damage
	Resistance to chemicals & swimming pool salts	BS EN ISO 10545-13	Minimum Class B	Class A No visible effect
	Resistance to low concentrations acid and alkalis	BS EN ISO 10545-13	Manufacturer to state classification	Class LA No visible effect
	Resistance to stains	BS EN ISO 10545-14	Minimum Class 3	Stain removed Min. class 4

Note: Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended

MAINTENANCE AND CLEANING OF TILES

Maintenance of ceramic and porcelain tiles on dry surfaces is relatively easy. RAK Ceramics tiles are highly scratch and stain resistant.

- By regularly sweeping the floor, you can help avoid scratches that small pebbles or sand can create.
- Make it a habit to always wipe the soles of your shoes on a mat before entering the house. Thoroughly wipe up any spills using plain warm water.
- While they are not likely to stain your ceramic tiles, spills may stain the grout between the tiles and if they are left to sit for too long, may also stain the actual tiles.
- Plain water is the ideal cleaner because it leaves no residue if you dry the surface of the tiles thoroughly after cleaning.
- If tiles are left wet after cleaning, there may be some unsightly mineral residue after the water dries, but this can easily be removed by spot cleaning.
- If stains resist cleaning with water alone, you can use a mild acidic solution, such as white vinegar. Use it highly diluted and rinse with plain water then dry.
- As food stains are acidic in nature, try using a mild alkaline solution.
- Use common detergents sparingly, rinse with plain water and dry thoroughly.

SWIMMING POOL ACCESSORIES

All the swimming pool accessories (page 70 to 87) are provided by our recommended partner atecpool internacional espana and can be purchased at A-TECHNOLOGIES FZCO (UAE), That is responsible for availability, price and delivery terms.



TILE-LAYING RECOMMENDATIONS

All RAK Ceramics products are subject to size and shade variations. Please check the size, batch number, caliber, tone, choice, color, quality of the pieces before the installation, as no claims will be accepted once the tiles are installed.

Place some tiles on the floor - 2 or 3 sqm - and check the overall technical and aesthetic characteristics with care and check if there is enough product to finish the work.

Manufacturer's responsibility is only limited to replacement of defective material if any, prior to fixing of tiles and we will not entertain claim of any nature after the tiles are installed.

Therefore, if any issue is found on the delivered product, the contractor for installation or the client should not install the tiles. The issue should be communicated to RAK Ceramics for investigation and further action for resolution as required.

The substrate must be a compact cement bed. Levelling system ensures flatness between tiles avoiding movements during the mortar setting. This reduces the time for the ceramic laying obtaining a perfect lippage-free finish. Avoid movements between the tiles due to the mortar setting.

The width of grout joints must be established by the installation supervisor, unless grout widths are regulated by national laying standards. The grout colour should be selected according to the colour of the tile. We recommend to select a matching colour. Before using fine-grain coloured grout on lapped, polished or brushed products, always test it. If the pigment is very adhesive, it may be very difficult to remove.

We recommend to lay the tiles by using suitable adhesives for each kind of product and surface. As general rule, tiles must be installed in the same position. The minimum joint is 2 mm for rectified tiles, although we suggest a higher joint for big size products. After grouting, remove any excess product as quickly as possible by repeatedly washing the area with a sponge and water.

Steps to follow 1. First, set the tool to the scale according to the ceramic thickness. 2. Introduce the crossheads and continue laying the adjacent tiles. 3. Put the wedges in the crosshead manually. 4. Tighten the wedges with the pliers to level the pieces. 5. Allow for setting for the time recommended by the manufacturer of the adhesive cement. 6. Remove the crossheads. Hit the crosshead with a rubber mallet or with your foot in the direction of the joint. Do not hit the wedges.

The company will not accept any claim if this is due to the problems caused by not following these suggestions and instructions.

Product Guide

ICONS

COLOUR VARIATIONS



V1 EVEN

The least amount of shade variation attainable.



V2 LIGHT

Light to moderate shade variation within each carton.



V3 MEDIUM

Medium to high shade variation within each carton.

INDICATIONS FOR USE



WALL TILES



FLOOR TILES

SUGGESTED APPLICATIONS



DOMESTIC PURPOSE

Residential areas, hotel rooms, bathrooms



LIGHT COMMERCIAL TRAFFIC AREA

Indoor public areas subject to medium pedestrian traffic such as restaurants, bars, offices, shops, hotel public areas, convention rooms.



HEAVY COMMERCIAL TRAFFIC AREA

Industrial floors such as warehouses, deposits, factories.



OUTDOOR

Outdoor public environments subject to medium pedestrian traffic such as outdoor terraces, stairs, corridors, raised paving, private garden, swimming pool and wellness areas. Always check the slipperiness characteristics according to the intended environment, in conformity with applicable regulations or laws.

R RATING



indicates a normal grip with an inclination plane from 3° to 10°



indicates a medium grip with an inclination plane from 10° to 19°



indicates a high grip with an inclination plane from 19° to 27°



CLASSIFICATION	TYPICAL APPLICATIONS	MEAN CRITICAL ANGLE VALUE
Class A	Barefoot, but mainly dry aisles and walkways, dry changing areas.	≥ 12 °
Class B	Shower rooms, pool surrounds, wet changing areas (plus all areas covered by Class A).	≥ 18 °
Class C	Areas constantly under water, e.g. steps into pools, foot baths, inclined pool surrounds, Jacuzzis (plus all areas covered by Class A and B).	≥ 24 °

In printing, colour of the products may differ slightly from actual, pictures are only for reference.

PACKAGING

Sizes (cm)	Thickness (mm)	Pieces X	M² X	Kg X	X Sq. Pallet	M² X Sq. Pallet	kg X Sq. Pallet	X Eu. Pallet	M² X Eu. Pallet	kg X Eu. Pallet
60x120	20	1	0.72	32.40	-	-	-	38	27.36	1247.00
60x120	9	2	1.44	30.00	-	-	-	30	43.20	921.00
60x60	9	4	1.44	30.00	-	-	-	30	43.20	921.00
60x60	20	2	0.72	32.00	-	-	-	30	21.60	1000.00
30x60	9	6	1.08	23.00	-	-	-	30	43.20	921.00
11.7X24.5		28	0.8	13.50	112	89.60	1512.00	96	76.80	1296.00
Mosaic 30x30	9	10	-	14.00	-	-	-	48	-	672.00
Mosaic 28.8x28.8	9	6	-	12.00	-	-	-	48	-	576.00
Mosaic 25.5x29.5	9	10	-	17.50	54	-	980.00	-	-	-
Mosaic 30x40	9	8	-	13.00	-	-	-	48	-	624.00
Mosaic 30x45	9	6	-	15.00	-	-	-	30	-	450.00
Mosaic 30x60	9	6	-	17.00	-	-	-	30	-	510.00
Steps 30x120	9	2	0.72	20.00	-	-	-	-	-	-
Steps 29.8x60	9	6	1.05	24.00	48	50.40	1162.00	48	50.40	1162.00
Skirting 60x8	9	18	-	19.00	80	-	1520.00	-	-	-

R RATING TABLE

Collections	Typology	Colours	R 	R  (20mm thickness)
Breccia Adige Stone	Porcelain Tiles	Beige	R11 / A+B	-
		Brown	R11 / A+B	-
		Taupe	R11 / A+B	-
		White	R11 / A+B	-
Bryce	Porcelain Tiles	Anthracite	-	R11 / A+B
		White	-	R11 / A+B
		Gold	-	R11 / A+B
Burano	Porcelain Tiles	White	R11 / A+B	
		Grey	R11 / A+B	
		Dark Grey	R11 / A+B	
Carmo Stone	Porcelain Tiles	Anthracite	-	R11 / A+B
		Black	-	R11 / A+B
		Grey	-	R11 / A+B
		Ivory	-	R11 / A+B
Coral Stone	Porcelain Tiles	light Grey	-	R11 / A+B
		Grey	-	R11 / A+B
		ivory	-	R11 / A+B
		Beige	-	R11 / A+B
Core Stone	Porcelain Tiles	Grey	-	R11 / A+B
		Anthracite	-	R11 / A+B
		Beige	-	R11 / A+B
Creative Concrete	Porcelain Tiles	Grey	-	R11 / A+B
		Dark Grey	-	R11 / A+B
		White	-	R11 / A+B
Curton	Full Body Porcelain Tiles	white decor	R11 / A+B	-
		grey decor	R11 / A+B	-
		beige decor	R11 / A+B	-
Design Concrete	Porcelain Tiles	Light Grey	-	R11 / A+B
		Dark Grey	-	R11 / A+B
		Ivory	-	R11 / A+B
		Nut	-	R11 / A+B
French vanilla	Porcelain Tiles	Anthracite	-	R11 / A+B
		Beige	-	R11 / A+B
		Grey	-	R11 / A+B
Fashion Stone	Porcelain Tiles	Light Grey	R11 / A+B	R11 / A+B
		Grey	R11 / A+B	R11 / A+B
		Black	R11 / A+B	R11 / A+B
		Ivory	R11 / A+B	R11 / A+B
		Beige	R11 / A+B	R11 / A+B
Clay	R11 / A+B	R11 / A+B		

Collections	Typology	Colours	R 	R  (20mm thickness)
Lapideus	Full Body Porcelain Tiles	White	R10 / A+B+C	-
		slate grey	R10 / A+B+C	-
		beige	R10 / A+B+C	-
		original	R10 / A+B+C	-
Lava Concrete	Full Body Porcelain Tiles	White	R10 / A+B+C	-
		Light Grey	R10 / A+B+C	-
		Beige	R10 / A+B+C	-
Revive Concrete	Porcelain Tiles	active white	-	R11 / A+B
		concrete grey	-	R11 / A+B
		graphite grey	-	R11 / A+B
		pitch black	-	R11 / A+B
		cloud grey	-	R11 / A+B
		blade beige	-	R11 / A+B
Shine Stone	Porcelain Tiles	white	R11 / A+B	-
		grey	R11 / A+B	-
		dark grey	R11 / A+B	-
		black	R11 / A+B	-
		ivory	R11 / A+B	-
		beige	R11 / A+B	-
		dark beige	R11 / A+B	-
brown	R11 / A+B	-		
Surface 2.0	Porcelain Tiles	Cool Grey	-	R11 / A+B
		mid grey	-	R11 / A+B
		ash	-	R11 / A+B
		night	-	R11 / A+B
		Sand	-	R11 / A+B
copper	-	R11 / A+B		

RAK CERAMICS
P.O. Box 4714, Ras Al Khaimah,
United Arab Emirates (U.A.E.)
Tel.: +971 7 2467000
Fax: +971 7 2445270
Email : info@rakceramics.com

RAKCERAMICS.COM

Note: In printing, colour of the products may differ slightly from actual, pictures are only for reference.

RAK
CERAMICS