

THE SURFACES

162x324 • 120x280 • 162x162 • 120x120 • 60x120



MAXIMILIAN

THE SURFACES

MAXIMUS



INDEX

MARBLE

ALTISSIMO MARBLE HYPER WHITE	16
CALACATTA APUANO HYPER WHITE	20
CALACATTA GOLD LUX HYPER WHITE	30
CALACATTA MACCHIA VECCHIA HYPER WHITE	42
CALACATTA MERAVIGLIA HYPER WHITE	24
FIOR DI BOSCO ANTHRACITE	48
GOLDEN GLINTS HYPER WHITE	38
NERO MARQUINA MARBLE BLACK	52
WHITE GOLDEN MARBLE HYPER WHITE	34

STONE

ARAGONA IVORY	58
TRAVERTINE CROSSCUT OSSO LIGHT BEIGE	64
TRAVERTINE CROSSCUT OSSO WHITE	62
TRAVERTINE OSSO LIGHT BEIGE	68
TRAVERTINE OSSO WHITE	66

CONCRETE

TERRA CREAM	84
TERRA IVORY	83
TERRA WHITE	82

MAXIMUS

From the Largest to Every Detail. Maximus Redefines Surface Possibilities.

The timeless elegance of marble, the raw beauty of natural stone, the contemporary appeal of concrete, and the welcoming warmth of wood come together in perfect harmony. Experience the remarkable versatility of Maximus, designed to transform any living space into an exclusive and uniquely refined environment.

In a move set to redefine modern design, Maximus has introduced its expanded range of solutions, now available in striking 162x324 cm, 144x305 cm, 162x162 cm, 120x280 cm, 120x120 cm, 60x120 cm and 60x120 cm 20 mm. These new dimensions bring a blend of aesthetic sophistication and technological advancement to contemporary interiors, offering solutions for countertops, floors and walls. The Maximus surfaces are notable not only for their vast scale but also for their exceptional durability. Designed to endure even the harshest conditions, these tiles offer long-lasting beauty, making them ideal for both residential and commercial applications. The range includes surfaces with thicknesses of 20 mm, 14 mm, 12 mm, 9 mm and 6 mm, aligning with the latest design trends and professional needs.

Versatility Meets Innovation

Maximus provides a versatile option for a variety of surfaces. Its substantial size and technical features make it suitable for porcelain stoneware countertops, large indoor and outdoor surfaces, and even as cladding for ventilated facades. This adaptability extends to bespoke furniture elements, such as bathroom and kitchen worktops. In today's design landscape, where versatility and durability are paramount, porcelain big sizes are gaining popularity. Their expansive format not only enhances aesthetic appeal but also ensures resilience. This combination makes them a preferred choice for contemporary spaces seeking both style and substance.

162x324

>|< 12 mm

120x280

>|< 9 mm
>|< 6 mm

162x162

>|< 9 mm

120x120

>|< 9 mm

60x120

>|< 20 mm
>|< 9 mm

A Canvas for Creativity

Maximus offers a broad spectrum of design possibilities. With options inspired by natural elements such as wood, stone, granite, and marble, these tiles provide a luxurious canvas for creative expression. Whether aiming for a serene, nature inspired look or a bold, modern statement, Maximus caters to diverse design preferences.

Sustainability and Practicality

In addition to their visual and functional benefits, Maximus surfaces are an eco friendly choice. Crafted from premium materials like clay, silica, and quartz, they feature a dense core and a smooth surface. Their low water absorption rate of less than 0.5% makes them highly resistant to water damage, making them ideal for bathrooms and kitchens. Maintenance is another area where Maximus excels. Its large format reduces the number of tiles needed, simplifying cleaning and upkeep. It's robust surface is resistant to scratches and stains, ensuring long-term durability and ease of maintenance.

Eco-Conscious Choice

Maximus surfaces also stand out for their environmental benefits. The use of natural raw materials and reduced resource consumption during installation contributes to a lower environmental impact. Their energy-efficient properties help regulate indoor temperatures, potentially reducing heating and cooling costs. In summary, Maximus presents an exceptional option for those seeking both beauty and durability in their design projects. With their impressive size, aesthetic flexibility, and sustainable attributes, they offer an ideal solution for transforming spaces with lasting impact.

MAXIMUS SURFACES

162X324 . 120X280 . 162X162 .
120X120 . 60X120

Maximus redefines the
concept of Surface.

Maximus surfaces seamlessly blend design and performance, offering a premium solution for both indoor and outdoor projects. Whether for hotels, residential spaces, offices, co-working environments, or public areas, Maximus Surface collections instantly elevate interiors with distinctive quality and style. From the sleek, contemporary charm of minimalist design to timeless sophistication, the Maximus range caters to every aesthetic. Each surface embodies advanced technology that ensures long-lasting beauty and durability, remaining elegant and relevant through time.

The comprehensive selection of formats and finishes completes the Maximus collections, providing limitless possibilities for creative design. Large slab sizes and versatile applications enable the creation of highly functional yet refined spaces, defined by smooth lines and understated elegance.

Versatile and reliable, Maximus surfaces unlock a world of design potential across countless applications.




Scratch Guard



Long lasting love

A premium glazed polished surface finish, engineered for enhanced scratch resistance without compromising on gloss and elegance, specifically designed for Maximus. The polished surface features a highly scratch-resistant finish that provides exceptional durability against deep scratches, even from metal objects, making it one of the premium scratch-guard finishes available for porcelain surfaces.

Sync Effect



High definition structures using digital technology

Sync effect is a high definition digital structure technology. Digital Structure is a relief effect created using ink on the surface glaze or on the tile body surface. It involves a hydro-repellent activity developed with inks that can be synchronized with the design or can be done random, it always results in a textured depth on the surface.

Klima



Surface capable to absorb and repel heat or cold according to individual needs

Klima is a new generation ceramic that, thanks to special materials, is able to resist to cold or warm temperatures according to individual needs and to keep the same temperature as the surrounding environment. When applied to indoor flooring, Klima retains room heat and releases it over the entire surface, producing a warmer feel than a standard floor. When installed on outdoor flooring, Klima resists to the heat from sunlight and remains cool and pleasant to walk on with bare feet. Even with significant sun exposure, the surface is not burning hot and floor keeps the same temperature as the surrounding environment. On ventilated external façades, Klima helps limit heat dispersion while maintaining a steady indoor temperature. An innovative solution that helps reduce room energy demands. Klima tiles are suitable for indoor and outdoor applications, for flooring or external walls, to achieve maximum comfort with minimum energy impact.

RAK Sanit



Antibacterial solution for healthier environment


RAK-Sanit is a complete solution that includes porcelain and ceramic tile collections that reduce bacterial contamination and contribute to a healthier living and working environment owing to its antibacterial properties given by silver nitrate compounds. RAK-Sanit antibacterial collection of wall and floor tiles features antibacterial technology that is permanently integrated into the tile surface. Once bacteria come into contact with the tiled surface, the silver ions initiate the elimination cycle. Silver ions in the antibacterial tile surface bind to enzymes, proteins, cell membranes, and the DNA of the microbe to damage DNA and block reproduction, resulting in the death of the organisms.

INNOTECH - LAB

Every solution within the Maximus range is created at Innotech Lab, a dedicated research and development hub where innovation drives every stage of design and production.

Innovation lies at the core of the Maximus philosophy, with a strong focus on pioneering high-tech breakthroughs that redefine industry standards. The brand is recognized for advanced porcelain surfaces designed for both indoor and outdoor applications, suitable for wall and floor coverings across residential, retail, and industrial environments.

Innotech Lab continuously develops new solutions and pushes technological boundaries through the use of state-of-the-art production technologies. These include advancements in extra-large format slabs, high-definition digital printing, anti-microbial and anti-reflective surfaces that are exceptionally pleasant to the touch, enhanced anti-slip performance, the latest high-definition digital structure technology known as Sync Effect, and highly natural 3D Shape technology extremely natural and well defined deepness of different levels of surface.




High performance sintered slabs

Versatile and simply beautiful, the Maximus revolutionizes the design and architecture world by opening up new perspectives in tiles application that were previously unimaginable.

All the continuous surfaces are designed for any type of application and provide creative flexibility and high technical and aesthetic performances.






MARBLE

A wide and varied range of collections inspired by the elegance of marble to offer hundreds of solutions for residential areas, hospitality industry and business places. Revised classy marble and granite patterns displaying elegant veins which remodel walls, floors, countertops and furniture, creating sophisticated ambiances. Maximus marble collections are the epitome of luxury and sophistication. Also available in the trendy Open Book effect in a huge range of sizes, thicknesses and design solutions.




ALTISSIMO MARBLE HYPER WHITE

Porcelain Tiles • Rectified • Smooth • Polished / Matt



> < 12 mm 162X324 cm 63.77"x 127.55"	> < 9 mm 120x280 cm 47.24"x110.23"
> < 9 mm 162X162 cm 63.77"x 63.77"	> < 9 mm 120x120 cm 47.24"x47.24"
> < 9 mm 60x120 cm 23.62"x47.24"	



NAME	ALTISSIMO MARBLE HYPER WHITE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (polished)	A6MGALMM-HWH.BOX8P
CODE (matt)	A6MGALMM-HWH.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (polished)	A82GALMM-HWH.BOX5P
CODE (matt)	A82GALMM-HWH.MOX5R
SIZE (cm / inches)	162X162 / 63.77"x 63.77"
THICKNESS (mm)	9
CODE (polished)	A6AGALMM-HWH.BOX5P
CODE (matt)	A6AGALMM-HWH.MOX5R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (polished)	A22GALMM-HWH.BOX5P
CODE (matt)	A22GALMM-HWH.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (polished)	A12GALMM#HWH.BOX5P
CODE (matt)	A12GALMM#HWH.MOX5R





Wall and Floor: Altissimo Marble



CALACATTA APUANO HYPER WHITE

Porcelain Tiles • Rectified • Smooth • Polished / Matt




>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 9 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	CALACATTA APUANO HYPER WHITE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (polished)	A6MGCTAP-HWH.BOX8P
CODE (matt)	A6MGCTAP-HWH.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (polished)	A82GCTAP-HWH.BOX5P
CODE (matt)	A82GCTAP-HWH.MOX5R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (polished)	A22GCTAP-HWH.BOX5P
CODE (matt)	A22GCTAP-HWH.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (polished)	A12GCTAP#HWH.BOX5P
CODE (matt)	A12GCTAP#HWH.MOX5R






Wall and Floor: Calacatta Apuano



CALACATTA MERA VIGLIA HYPER WHITE

Porcelain Tiles • Rectified • Smooth • Polished / Matt




>|< 12 mm
162X324 cm
63.77"x127.55"

>|< 9 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	CALACATTA MERA VIGLIA HYPER WHITE
SIZE (cm / inches)	162X324 / 63.77"x127.55"
THICKNESS (mm)	12
CODE (polished)	A6MGCTMG-HWH.BOX8P
CODE (matt)	A6MGCTMG-HWH.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (polished)	A82GCTMG-HWH.BOX5P
CODE (matt)	A82GCTMG-HWH.MOX5R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (polished)	A22GCTMG-HWH.BOX5P
CODE (matt)	A22GCTMG-HWH.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (polished)	A12GCTMG#HWH.BOX5P
CODE (matt)	A12GCTMG#HWH.MOX5R


CALACATTA MERA VIGLIA HYPER WHITE BOOK MATCH

Porcelain Tiles • Rectified • Smooth • Polished / Matt


>|< 9 mm
120x280 cm
47.24"x110.23"



NAME	CALACATTA MERA VIGLIA HYPER WHITE BOOK MATCH
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE FACE A (polished)	A82GCTMG-HWH.BOA5P
CODE FACE A (matt)	A82GCTMG-HWH.MOA5R
CODE FACE B (polished)	A82GCTMG-HWH.BOB5P
CODE FACE B (matt)	A82GCTMG-HWH.MOB5R



book match (face A)



book match (face B)

NOTE : CONTINUOUS COMPOSITION, MAXIMUM IMAGE DEVIATION UP TO 3CM




Wall, Counter Top and Floor: Calacatta Meraviglia



Wall and Floor: Calacatta Meraviglia

Floor: Calacatta Meraviglia





CALACATTA GOLD LUX HYPER WHITE

Porcelain Tiles • Rectified • Smooth • Polished / Matt




>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 9 mm
120x280 cm
47.24"x110.23"


>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	CALACATTA GOLD LUX HYPER WHITE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (polished)	A6MGCTLX-HWH.BOX8P
CODE (matt)	A6MGCTLX-HWH.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (polished)	A82GCTLX-HWH.BOX5P
CODE (matt)	A82GCTLX-HWH.MOX5R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (polished)	A22GCTLX-HWH.BOX5P
CODE (matt)	A22GCTLX-HWH.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (polished)	A12GCTLX#HWH.BOX5P
CODE (matt)	A12GCTLX#HWH.MOX5R





Wall and Floor: Calacatta Gold Lux




WHITE GOLDEN MARBLE HYPER WHITE


Porcelain Tiles • Rectified • Smooth • Polished / Matt



> < 12 mm 162X324 cm 63.77"x 127.55"	> < 9 mm 120x280 cm 47.24"x110.23"
> < 9 mm 162X162 cm 63.77"x 63.77"	> < 9 mm 120x120 cm 47.24"x47.24"
> < 9 mm 60x120 cm 23.62"x47.24"	



NAME	WHITE GOLDEN MARBLE HYPER WHITE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (polished)	A6MGWGNM-HWH.BOX8P
CODE (matt)	A6MGWGNM-HWH.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (polished)	A82GWGNM-HWH.BOX5P
CODE (matt)	A82GWGNM-HWH.MOX5R
SIZE (cm / inches)	162X162 / 63.77"x 63.77"
THICKNESS (mm)	9
CODE (polished)	A6AGWGNM-HWH.BOX5P
CODE (matt)	A6AGWGNM-HWH.MOX5R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (polished)	A22GWGNM-HWH.BOX5P
CODE (matt)	A22GWGNM-HWH.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (polished)	A12GWGNM#HWH.BOX5P
CODE (matt)	A12GWGNM#HWH.MOX5R





Wall, Floor and Counter Top: White Golden Marble



GOLDEN GLINTS HYPER WHITE

Porcelain Tiles • Rectified • Smooth • Polished / Matt




>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 9 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	GOLDEN GLINTS HYPER WHITE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (polished)	A6MGGDGS-HWH.BOX8P
CODE (matt)	A6MGGDGS-HWH.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (polished)	A82GGDGS-HWH.BOX5P
CODE (matt)	A82GGDGS-HWH.MOX5R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (polished)	A22GGDGS-HWH.BOX5P
CODE (matt)	A22GGDGS-HWH.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (polished)	A12GGDGS#HWH.BOX5P
CODE (matt)	A12GGDGS#HWH.MOX5R





Wall, Counter Top and Floor: Golden Glints

CALACATTA MACCHIA VECCHIA HYPER WHITE

Porcelain Tiles • Rectified • Smooth / Heavy Structure • Polished / Matt




>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 9 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"
Decor



NAME	CALACATTA MACCHIA VECCHIA HYPER WHITE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (polished)	A6MGCTMV-HWH.BOX8P
CODE (matt)	A6MGCTMV-HWH.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (polished)	A82GCTMV-HWH.BOX5P
CODE (matt)	A82GCTMV-HWH.MOX5R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (polished)	A22GCTMV-HWH.BOX5P
CODE (matt)	A22GCTMV-HWH.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (polished)	A12GCTMV#HWH.BOX5P
CODE (matt)	A12GCTMV#HWH.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9 (Decor)
CODE (matt)	A12GCTMV-WHE.MLX5R

CALACATTA MACCHIA VECCHIA HYPER WHITE BOOK MATCH

Porcelain Tiles • Rectified • Smooth • Polished / Matt

>|< 9 mm
120x280 cm
47.24"x110.23"



book match (face A)



book match (face B)

NOTE : CONTINUOUS COMPOSITION, MAXIMUM IMAGE DEVIATION UP TO 3CM

NAME	CALACATTA MACCHIA VECCHIA HYPER WHITE BOOK MATCH
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE FACE A (polished)	A82GCTMV-HWH.BOASp
CODE FACE A (matt)	A82GCTMV-HWH.MOASr
CODE FACE B (polished)	A82GCTMV-HWH.BOBSp
CODE FACE B (matt)	A82GCTMV-HWH.MOB5R



macchia vecchia hyper white decor
60x120 cm
Heavy Structure




Wall and Floor: Calacatta Macchia Vecchia



Wall: Calacatta Macchia Vecchia Decor
Floor: Calacatta Macchia Vecchia

Wall, Counter Top and Floor: Calacatta Macchia Vecchia





FIOR DI BOSCO ANTHRACITE

Porcelain Tiles • Rectified • Smooth • Matt



>|< 12 mm
162X324 cm
63.77"x 127.55"


>|< 6 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	FIOR DI BOSCO ANTHRACITE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (matt)	A6MGFDIB-ANT.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	6
CODE (matt)	A82GFDIB-ANT.MOX6R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (matt)	A22GFDIB-ANT.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (matt)	A12GFDIB#ANT.MOX5R





Wall, Counter and Floor: Fior Di Bosco Anthracite



NERO MARQUINA MARBLE BLACK

Porcelain Tiles • Rectified • Smooth • Polished / Matt



>|< 12 mm
162X324 cm
63.77"x 127.55"


>|< 9 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	NERO MARQUINA MARBLE BLACK
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (polished)	A6MGNMQR-BLK.DOX8P
CODE (matt)	A6MGNMQR-BLK.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (polished)	A82GNMQR-BLK.DOX5P
CODE (matt)	A82GNMQR-BLK.MOX5R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (polished)	A22GNMQR-BLK.DOX5P
CODE (matt)	A22GNMQR-BLK.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (polished)	A12GNMQR#BLK.DOX5P
CODE (matt)	A12GNMQR#BLK.MOX5R





Wall, Counter and Floor: Nero Marquina Marble



STONE

Maximus reinterprets the ancestral charm of stone and transforms it in one of the most favourite material in contemporary architecture. Solid, durable and extremely versatile.

Maximus stones can be applied both indoors and out, and are designed to interpret both more minimalist tastes as well as the more refined and stylish ones.



ARAGONA STONE IVORY

Porcelain Tiles • Rectified • Light Structure • Matt



>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 6 mm
120x280 cm
47.24"x110.23"


>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	ARAGONA STONE IVORY
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (matt)	A6MGAGLM-IVO.M6X8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	6
CODE (matt)	A82GAGLM-IVO.M6X6R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (matt)	A22GAGLM-IVO.M6X5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (matt)	A12GAGLM#IVO.M6X5R





Wall and Floor: Aragona Stone

TRAVERTINE CROSSCUT OSSO WHITE

Porcelain Tiles • Rectified • Smooth • Matt



SIGNATURE
COLLECTION



SIGNATURE
COLLECTION

TRAVERTINE CROSSCUT OSSO WHITE DECOR

Porcelain Tiles • Rectified • Heavy Structure • Matt

>|< 9 mm
60x120 cm
23.62"x47.24"



>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 9 mm
120x280 cm
47.24"x110.23"

>|< 6 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
162X162 cm
63.77"x 63.77"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 20 mm
60x120 cm
23.62"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	TRAVERTINE CROSSCUT OSSO WHITE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (matt)	A6MGCTOS-WHE.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (matt)	A82GCTOS-WHE.MOX5R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	6
CODE (matt)	A82GCTOS-WHE.MOX6R
SIZE (cm / inches)	162X162 / 63.77"x 63.77"
THICKNESS (mm)	9
CODE (matt)	A6AGCTOS-WHE.MOX5R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (matt)	A22GCTOS-WHE.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (matt)	A12GCTOS#WHE.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	20 (Outdoor)
CODE (matt)	A12GCTOS-WHE.YOX7R

NAME	TRAVERTINE CROSSCUT OSSO WHITE DECOR
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9 (Decor)
CODE (matt)	A12GCTOS-WHE.MLX5R

TRAVERTINE CROSSCUT OSSO LIGHT BEIGE

Porcelain Tiles • Rectified • Smooth • Matt



SIGNATURE
COLLECTION



SIGNATURE
COLLECTION

TRAVERTINE CROSSCUT OSSO LIGHT BEIGE DECOR

Porcelain Tiles • Rectified • Heavy Structure • Matt

>|< 9 mm
60x120 cm
23.62"x47.24"



>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 9 mm
120x280 cm
47.24"x110.23"

>|< 6 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
162X162 cm
63.77"x 63.77"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 20 mm
60x120 cm
23.62"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	TRAVERTINE CROSSCUT OSSO LIGHT BEIGE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (matt)	A6MGCTOS-LBE.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (matt)	A82GCTOS-LBE.MOX5R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	6
CODE (matt)	A82GCTOS-LBE.MOX6R
SIZE (cm / inches)	162X162 / 63.77"x 63.77"
THICKNESS (mm)	9
CODE (matt)	A6AGCTOS-LBE.MOX5R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (matt)	A22GCTOS-LBE.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (matt)	A12GCTOS#LBE.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	20 (Outdoor)
CODE (matt)	A12GCTOS-LBE.YOX7R

NAME	TRAVERTINE CROSSCUT OSSO LIGHT BEIGE DECOR
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9 (Decor)
CODE (matt)	A12GCTOS-LBE.MLX5R

TRAVERTINE OSSO WHITE

Porcelain Tiles • Rectified • Smooth • Matt



SIGNATURE
COLLECTION



SIGNATURE
COLLECTION

TRAVERTINE OSSO WHITE DECOR

Porcelain Tiles • Rectified • Heavy Structure • Matt

>|< 9 mm
60x120 cm
23.62"x47.24"



>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 9 mm
120x280 cm
47.24"x110.23"

>|< 6 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 20 mm
60x120 cm
23.62"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	TRAVERTINE OSSO WHITE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (matt)	A6MGTROS-WHE.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (matt)	A82GTROS-WHE.MOX5R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	6
CODE (matt)	A82GTROS-WHE.MOX6R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (matt)	A22GTROS-WHE.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (matt)	A12GTROS#WHE.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	20 (Outdoor)
CODE (matt)	A12GTROS-WHE.YOX7R

NAME	TRAVERTINE OSSO WHITE DECOR
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9 (Decor)
CODE (matt)	A12GTROS-WHE.MLX5R

TRAVERTINE OSSO LIGHT BEIGE

Porcelain Tiles • Rectified • Smooth • Matt



SIGNATURE
COLLECTION



SIGNATURE
COLLECTION

TRAVERTINE OSSO LIGHT BEIGE DECOR

Porcelain Tiles • Rectified • Heavy Structure • Matt



>|< 9 mm
60x120 cm
23.62"x47.24"

>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 9 mm
120x280 cm
47.24"x110.23"

>|< 6 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 20 mm
60x120 cm
23.62"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	TRAVERTINE OSSO LIGHT BEIGE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (matt)	A6MGTROS-LBE.MOX8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	9
CODE (matt)	A82GTROS-LBE.MOX5R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	6
CODE (matt)	A82GTROS-LBE.MOX6R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (matt)	A22GTROS-LBE.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (matt)	A12GTROS#LBE.MOX5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	20 (Outdoor)
CODE (matt)	A12GTROS-LBE.YOX7R

NAME	TRAVERTINE OSSO LIGHT BEIGE DECOR
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9 (Decor)
CODE (matt)	A12GTROS-LBE.MLX5R



Wall: Travertine Crosscut Osso Light Beige, Travertine Osso Light Beige, Travertine Osso Light Beige Decor. Floor: Travertine Osso White



Wall: Travertine Crosscut Osso Light Beige Decor

Floor: Travertine Osso White





Counters and Table Top: Travertine Osso Light Beige
Floor: Travertine Crosscut Osso Light Beige



Wall: Terra Ivory, Travertine Crosscut Osso Light Beige
Floor: Travertine Crosscut Osso Light Beige

Counter: Travertine Osso Light Beige
Floor: Travertine Crosscut Osso Light Beige



Floor: Travertine Osso Light Beige



CONCRETE

Maximus' concrete collections make a powerful statement with their sheer simplicity. No fuss, no frills, just pure perfection. Packed full of contemporary style, the concrete-effect big slabs are the ideal choice for creating a minimalist look and feel. The Maximus solutions are strikingly bold and beautiful, inspired by the simplicity and strength of industrial concrete.


TERRA WHITE

Porcelain Tiles • Rectified • Light Structure • Matt



TERRA IVORY

Porcelain Tiles • Rectified • Light Structure • Matt



>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 6 mm
120x280 cm
47.24"x110.23"

>|< 12 mm
162X324 cm
63.77"x 127.55"

>|< 6 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	TERRA WHITE
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (matt)	A6MGTRRA-WHE.M6X8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	6
CODE (matt)	A82GTRRA-WHE.M6X6R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (matt)	A22GTRRA-WHE.M6X5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (matt)	A12GTRRA#WHE.M6X5R

NAME	TERRA IVORY
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (matt)	A6MGTRRA-IVO.M6X8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	6
CODE (matt)	A82GTRRA-IVO.M6X6R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (matt)	A22GTRRA-IVO.M6X5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (matt)	A12GTRRA#IVO.M6X5R



TERRA CREAM

Porcelain Tiles • Rectified • Light Structure • Matt



>|< 12 mm
162X324 cm
63.77"x 127.55"


>|< 6 mm
120x280 cm
47.24"x110.23"

>|< 9 mm
120x120 cm
47.24"x47.24"

>|< 9 mm
60x120 cm
23.62"x47.24"



NAME	TERRA CREAM
SIZE (cm / inches)	162X324 / 63.77"x 127.55"
THICKNESS (mm)	12
CODE (matt)	A6MGTRRA-CAM.M6X8R
SIZE (cm / inches)	120x280 / 47.24"x110.23"
THICKNESS (mm)	6
CODE (matt)	A82GTRRA-CAM.M6X6R
SIZE (cm / inches)	120x120 / 47.24"x47.24"
THICKNESS (mm)	9
CODE (matt)	A22GTRRA-CAM.M6X5R
SIZE (cm / inches)	60x120 / 23.62"x47.24"
THICKNESS (mm)	9
CODE (matt)	A12GTRRA#CAM.M6X5R





Wall: Terra White, Travertine Osso White, Travertine Crosscut Osso White
Floor: Terra Ivory



Counter, Wall and Floor: Terra Cream

PRODUCT GUIDE

PRODUCT FACES
PRODUCT OVERVIEW
TECHNICAL SPECIFICATIONS
PACKAGING DETAILS

PRODUCT GUIDE

Product Faces

ALTISSIMO MARBLE HYPER WHITE 120X280 FACES



ALTISSIMO MARBLE HYPER WHITE 162X162 FACES




ALTISSIMO MARBLE HYPER WHITE 120X120 FACES



ALTISSIMO MARBLE HYPER WHITE 60X120 FACES



CALACATTA APUANO HYPER WHITE (CONTINUOUS) 120X280 FACES




CALACATTA APUANO HYPER WHITE 120X120 FACES



CALACATTA APUANO HYPER WHITE 60X120 FACES



CALACATTA MERAVIGLIA HYPER WHITE 60X120 FACES



CALACATTA MERAVIGLIA HYPER WHITE (CONTINUOUS) 120X280 FACES



CALACATTA GOLD LUX HYPER WHITE 120X280 FACES



CALACATTA MERAVIGLIA HYPER WHITE 120X120 FACES



CALACATTA GOLD LUX HYPER WHITE 120X120 FACES



CALACATTA GOLD LUX HYPER WHITE 60X120 FACES



WHITE GOLDEN MARBLE HYPER WHITE 162X162 FACES



WHITE GOLDEN MARBLE HYPER WHITE 120X280 FACES



WHITE GOLDEN MARBLE HYPER WHITE 60X120 FACES



WHITE GOLDEN MARBLE HYPER WHITE 120X120 FACES



GOLDEN GLINTS HYPER WHITE 120X280 FACES




CALACATTA MACCHIA VECCHIA HYPER WHITE 120X280 FACES



GOLDEN GLINTS HYPER WHITE 60X120 FACES



CALACATTA MACCHIA VECCHIA HYPER WHITE 60X120 FACES



GOLDEN GLINTS HYPER WHITE 120X120 FACES




CALACATTA MACCHIA VECCHIA HYPER WHITE 120X120 FACES



FIOR DI BOSCO ANTHRACITE 120X280 FACES




NERO MARQUINA MARBLE BLACK 120X280 FACES




FIOR DI BOSCO ANTHRACITE 60X120 FACES




NERO MARQUINA MARBLE BLACK 60X120 FACES



FIOR DI BOSCO ANTHRACITE 120X120 FACES



NERO MARQUINA MARBLE BLACK 120X120 FACES




ARAGONA STONE IVORY 120X280 FACES



TRAVERTINE CROSSCUT OSSO WHITE 120X280 FACES



ARAGONA STONE IVORY 60X120 FACES




TRAVERTINE CROSSCUT OSSO WHITE 162X162 FACES



ARAGONA STONE IVORY 120X120 FACES



TRAVERTINE CROSSCUT OSSO WHITE 120X120 FACES



TRAVERTINE CROSSCUT OSSO WHITE 60X120 FACES



TRAVERTINE CROSSCUT OSSO LIGHT BEIGE 162X162 FACES



TRAVERTINE CROSSCUT OSSO LIGHT BEIGE 120X280 FACES



TRAVERTINE CROSSCUT OSSO LIGHT BEIGE 60X120 FACES



TRAVERTINE CROSSCUT OSSO LIGHT BEIGE 120X120 FACES



TRAVERTINE OSSO WHITE 120X280 FACES



TRAVERTINE OSSO LIGHT BEIGE 120X280 FACES



TRAVERTINE OSSO WHITE 60X120 FACES



TRAVERTINE OSSO LIGHT BEIGE 60X120 FACES



TRAVERTINE OSSO WHITE 120X120 FACES



TRAVERTINE OSSO LIGHT BEIGE 120X120 FACES




TERRA WHITE 120X280 FACES




TERRA IVORY 120X280 FACES




TERRA WHITE 60X120 FACES




TERRA IVORY 60X120 FACES



TERRA WHITE 120X120 FACES




TERRA IVORY 120X120 FACES





TERRA CREAM 120X280 FACES



TERRA CREAM 60X120 FACES



TERRA CREAM 120X120 FACES






Counter and Floor: Terra Cream



PRODUCT GUIDE

Product overview

MARBLE	SIZE(cm)	THICKNESS (mm)	PRODUCT TYPE	POLISHED	MATT	BOOK MATCH
 ALTISSIMO MARBLE	162x324 120X280 162x162 120x120 60x120	12 9 9 9 9	PORCELAIN TILE	✓	✓	
 CALACATTA APUANO	162x324 120X280 120x120 60x120	12 9 9 9	PORCELAIN TILE	✓	✓	
 CALACATTA MERAVIGLIA	162x324 120X280 120x120 60x120	12 9 9 9	PORCELAIN TILE	✓	✓	✓
 CALACATTA GOLD LUX	162x324 120X280 120x120 60x120	12 9 9 9	PORCELAIN TILE	✓	✓	
 WHITE GOLDEN MARBLE	162x324 120X280 162x162 120x120 60x120	12 9 9 9 9	PORCELAIN TILE	✓	✓	
 GOLDEN GLINTS	162x324 120X280 120x120 60x120	12 9 9 9	PORCELAIN TILE	✓	✓	
 CALACATTA MACCHIA VECCHIA	162x324 120X280 120x120 60x120	12 9 9 9	PORCELAIN TILE	✓	✓	✓
 FIOR DI BOSCO	162x324 120X280 120x120 60x120	12 6 9 9	PORCELAIN TILE		✓	
 NERO MARQUINA MARBLE	162x324 120X280 120x120 60x120	12 9 9 9	PORCELAIN TILE	✓	✓	

STONE	SIZE(cm)	THICKNESS (mm)	PRODUCT TYPE	POLISHED	MATT	BOOK MATCH
 ARAGONA STONE	162x324 120X280 120x120 60x120	12 6 9 9	PORCELAIN TILE		✓	
 TRAVERTINE CROSSCUT OSSO WHITE	162x324 120X280 120X280 162x162 120x120 60x120 60x120	12 9 6 9 9 20 9	PORCELAIN TILE		✓	
 TRAVERTINE CROSSCUT OSSO LIGHT BEIGE	162x324 120X280 120X280 162x162 120x120 60x120 60x120	12 9 6 9 9 20 9	PORCELAIN TILE		✓	
 TRAVERTINE OSSO WHITE	162x324 120X280 120X280 120x120 60x120 60x120	12 9 6 9 20 9	PORCELAIN TILE		✓	
 TRAVERTINE OSSO LIGHT BEIGE	162x324 120X280 120X280 120x120 60x120 60x120	12 9 6 9 20 9	PORCELAIN TILE		✓	

CONCRETE	SIZE(cm)	THICKNESS (mm)	PRODUCT TYPE	POLISHED	MATT	BOOK MATCH
 TERRA WHITE	162x324 120X280 120x120 60x120	12 6 9 9	PORCELAIN TILE		✓	
 TERRA IVORY	162x324 120X280 120x120 60x120	12 6 9 9	PORCELAIN TILE		✓	
 TERRA CREAM	162x324 120X280 120x120 60x120	12 6 9 9	PORCELAIN TILE		✓	



Technical specifications 162x324 cm (12 mm)
Porcelain Tiles (BIa - GL)

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	MAXIMUS SPECIFICATION
			Porcelain Tiles (12 MM) 162x324 CM
Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects
Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm
Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.5mm
Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm
Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm
Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%
Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N	≥ 2000 N
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 40 N/mm ²
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect
Crazing Resistance	BS EN ISO 10545-11	Required	No crazing
Frost Resistance	BS EN ISO 10545-12	Required	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum Class B	Class A No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Min. Class LB (Matt) Class A (Polishes) No visible effect
Resistance To Staining (Natural)	BS EN ISO 10545-14	Minimum Class 3 (glazed) Test method available (Unglazed)	Min. Class 4 Stains removed
Resistance To Staining (Polished)	BS EN ISO 10545-14	Minimum Class 3 (glazed) Test method available (Unglazed)	Min. Class 3 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".

* Test performed using 60x120 cm cut pieces from the slab.
* Thickness is nominal

TECHNICAL MANUAL

Technical specifications 120x280 cm (9mm) Porcelain Tiles (BIa - GL)

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	MAXIMUS SPECIFICATION
			Porcelain Tile (9 MM) 120x280 CM
 Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects
 Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm
 Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.4mm
 Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm
 Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm
 Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm
 Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm
 Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm
 Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%
 Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N	≥ 2000 N
 Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 40 N/mm ²
 Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C
 Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect
 Frost Resistance	BS EN ISO 10545-12	Required	No visible damage
 Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	Class A No visible effect
 Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class LA No visible effect
 Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	Test method available	Class HA No visible effect
 Resistance To Staining (Natural)	BS EN ISO 10545-14	Min. Class 3	Min. Class 4 Stains removed
 Resistance To Staining (Polished)	BS EN ISO 10545-14	Min. Class 3	Min. Class 3 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".

* Test performed using 60x120 cm cut pieces from the slab.
* Thickness is nominal

Technical specifications 120x280 cm (6 mm) Porcelain Tiles (BIa - GL)

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	MAXIMUS SPECIFICATION
			Porcelain Tile (6 MM) 120x280 CM
 Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects
 Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm
 Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.5mm
 Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm
 Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm
 Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm
 Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm
 Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm
 Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%
 Breaking Strength*	BS EN ISO 10545-4	≥ 700 N	≥ 700 N
 Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 35 N/mm ²
 Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C
 Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect
 Frost Resistance	BS EN ISO 10545-12	Required	No visible damage
 Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	Class A No visible effect
 Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class LA No visible effect
 Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	Test method available	Class HA No visible effect
 Resistance To Staining (Natural)	BS EN ISO 10545-14	Min. Class 3	Min. Class 4 Stains removed
 Resistance To Staining (Polished)	BS EN ISO 10545-14	Min. Class 3	Min. Class 3 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".

* Test performed using 60x120 cm cut pieces from the slab.
* Thickness is nominal

TECHNICAL MANUAL

Technical specifications 162X162 cm (9 mm) Porcelain Tiles (BIa - GL)

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	MAXIMUS SPECIFICATION	
			Porcelain Tile (9 MM) 162X162 CM	
 Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects	
 Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm	
 Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.4mm	
 Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm	
 Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm	
 Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm	
 Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	
 Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	
 Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%	
 Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N	≥ 2000 N	
 Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 40 N/mm ²	
 Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C	
 Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect	
 Frost Resistance	BS EN ISO 10545-12	Required	No visible damage	
 Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	Class A No visible effect	
 Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class LA No visible effect	
 Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	Test method available	Class HA No visible effect	
 Resistance To Staining (Natural)	BS EN ISO 10545-14	Min. Class 3	Min. Class 4 Stains removed	
 Resistance To Staining (Polished)	BS EN ISO 10545-14	Min. Class 3	Min. Class 3 Stains removed	

Note: This technical specifications are applicable only to tiles in choice "A".

* Test performed using 60x120 cm cut pieces from the slab.
* Thickness is nominal


Technical specifications 120x120 cm (9 mm) and 60x120cm (9 mm & 20 mm) Porcelain Tiles (BIa - GL)

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	MAXIMUS SPECIFICATION	
			Porcelain Tiles (9 MM) 120x120 and 60x120	Porcelain Tiles (20 MM) 60x120
 Surface Quality	BS EN ISO 10545-2	a minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects	
 Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm	± 1.0mm
 Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.4mm	± 0.5mm
 Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm	± 0.8mm
 Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm	± 1.2mm
 Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm	± 1.8mm
 Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm	± 1.8mm
 Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	± 1.5mm
 Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%	≤ 0.4%
 Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N	≥ 2000 N	≥ 10000 N
 Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 40 N/mm ²	≥ 40 N/mm ²
 Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C
 Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect	No visible defect
 Crazing Resistance	BS EN ISO 10545-11	Required	No crazing	No crazing
 Frost Resistance	BS EN ISO 10545-12	Required	No visible damage	No visible damage
 Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	Class A No visible effect	Class A No visible effect
 Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class LA No visible effect	Class LA No visible effect
 Resistance To Staining	BS EN ISO 10545-14	Min. Class 3	Min. Class 4 Stains removed	Min. Class 4 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".


* Test performed using 60x120 cm cut pieces from the slab.
* Thickness is nominal

Packaging details



162x324 PALLET DIMENSIONS (A Frame Vertical)

PACKING MATERIAL	LENGTH (cm)	WIDTH (cm)	HEIGHT (cm)	Price
WOODEN BOX A-FRAME	328	75	192	200 USD




162x324 PALLET DIMENSIONS (Horizontal)

PACKING MATERIAL	LENGTH (cm)	WIDTH (cm)	HEIGHT (cm)
WOODEN BOX	328	175	37


SIZE (cm)	THICKNESS (mm)	FINISH	TILE AREA (sqm)	KG per pc	PCS per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)
162x324	12	Matt / Polished	5.25	150	15	78.75	2390

Note: All weights and thickness mentioned in the above table are approximate average.



120x280 (9mm) PALLET DIMENSIONS (Horizontal)

PACKING MATERIAL	LENGTH (cm)	WIDTH (cm)	HEIGHT (cm)
WOODEN BOX	328	175	37



120x280 (6mm) PALLET DIMENSIONS (Horizontal)

PACKING MATERIAL	LENGTH (cm)	WIDTH (cm)	HEIGHT (cm)
WOODEN BOX	313	156	36

SIZE (cm)	THICKNESS (mm)	FINISH	TILE AREA (sqm)	KG per pc	PCS per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)
120x280	9	Matt / Polished	3.36	70.8	20	67.2	1545
120x280	6	Matt / Polished	3.36	50	20	67.2	1100

SIZE (cm)	THICKNESS (mm)	PIECES x	M ² x	KG x	x Eu. Pallet	M ² x Eu. Pallet	kg x Eu. Pallet
120X120	9	2	2.88	62	30	86.40	1885
60X120	9	3	2.16	42	22	47.52	1011
60x120	9	2	1.44	28	30	43.2	921
60X120	20	1	0.72	30.5	30	21.60	939

Note: 162x162 cm packaging details available upon request

MAXIMUSSURFACES.COM



Note: In printing, colour of the products may differ slightly from actual, pictures are only for reference.

MAXIMUSSURFACES.COM