200x1200 mm

Woodart Collection






Mahogany Caffe	14
Mohogany Rosso	14
Pinewood Blanco	16
Pinewood Bruno	16
Teakwood Caffe	18
Teakwood Rosso	18
Antiguawood Caffe	20
Beechwood Caffe	20
Cedarwood Blanco	22
Ashwood Beige	22
Hardwood Natura	24
Ebony Nero	24
Rosewood Natura	26
Maplewood Marrone	26
Traventino Beige	28
Traventino Blanco	28
Traventino Gris	28
Walnut Gris	30







Wood

Be inspired by wood effect tiles

Natural-looking tiles are one of the key trends for indoor and outdoor floor and wood is one of the most popular choice thanks to its versatility and beauty. Combining the aesthetic quality of natural timber with the durability of vitrified tiles, wood effect tiles are the perfect option when replacing a floor in a renovation project or laying a new floor in a newly built property, as it helps in creating your own personal style.


Parquet floor tiles can give any room the elegant look of hardwood, in an eco-friendly new way. It's waterproof, highly resistant to scratches and chemicals, easy to clean and resistant to heat and frost. It definitely looks like a good ideal.


Gvt Collection

GVT COLLECTION

Size

200 x 1200 mm | 8 x 48 in | 20 x 120 cms











WOODS


Mahogany





Sizes

Name	Size
Mahogany caffe	200x1200 mm
Mohogany rosso	200x1200 mm




Pinewood





Sizes

Name	Size
Pinewood blanco	200x1200 mm
Pinewood bruno	200x1200 mm



Teakwood WOOD

Teakwood




















Sizes

Name	Size
Teakwood caffe	200x1200 mm
Teakwood rosso	200x1200 mm



Antiguawood caffe








Beechwood caffe



Beechwood caffe





Sizes

Name	Size
Antiguawood caffe	200x1200 mm
Beechwood caffe	200X1200 mm

Cedarwood blanco








Ashwood beige



Ashwood beige





Sizes

Name	Size
Cedarwood blanco	200x1200 mm
Ashwood beige	200x1200 mm

Hardwood natura








Ebony Nero



Ebony nero





Sizes


200X1200 mm

Name	Size
Hardwood natura	200x1200 mm
Ebony nero	200X1200 mm

Rosewood natura








Maplewood marrone



Maplewood marrone





Sizes

200X1200 mm

Name	Size
Rosewood natura	200x1200 mm
Maplewood marrone	200x1200 mm

Traventino WOOD

Traventino
















Traventino beige





Traventino gris





Sizes

200X1200 mm

Name	Size
Traventino beige	200X1200 mm
Traventino blanco	200X1200 mm
Traventino gris	200x1200 mm

Walnut gris


























Sizes

Name	Size
Walnut gris	200X1200 mm

ICONS

TECHNICAL INFORMATION

TYPOLOGY	EDGE	SURFACE STRUCTURE
C/R RED BODY CERAMIC TILES	STRAIGHT	S SMOOTH
C/W WHITE BODY CERAMIC TILES	SHAPED	LIGHT STRUCTURE
G/W GRES WHITE BODY TILES	RECTIFIED	HEAVY STRUCTURE
VT VITRIFIED TILES		
FB FULL BODY VITRIFIED TILES		

FINISH	SURFACE LOOK	INDICATIONS FOR USE	COLOUR VARIATIONS
NATURAL N	MATT MATT	WALL TILES	V2 LIGHT
LAPPATO L	SATIN	FLOOR TILES	Light to moderate shade variation within each carton.
FULL LAPPATO	GLOSSY		
POLISHED	HIGH GLOSSY		

SUGGESTED APPLICATIONS



DOMESTIC PURPOSE



LIGHT COMMERCIAL TRAFFIC AREA



INDUSTRIAL TRAFFIC AREA



OUTDOOR



HEAVY COMMERCIAL TRAFFIC AREA

In printing, colour of the products may differ slightly from actual, pictures are only for reference.

TECHNICAL CHARACTERISTICS - 20 X 120 cm

	Test Description	Standard Test Method	International Standard ISO 13006 : 2012 (E)	RAK Ceramics Specifications GLAZED (RECTIFIED)
$\stackrel{\bigoplus}{\longleftrightarrow}$	Thickness	BS EN ISO 10545 - 2	Max. ± 5.0%	Max. ± 5.0%
90°	Straightness of sides	BS EN ISO 10545 - 2	± 0.5%	± 0.15%
	Rectangle Squareness	BS EN ISO 10545 - 2	± 0.6%	± 0.1%
	Surface Flatness	BS EN ISO 10545 - 2	± 0.5%	± 0.2%
H ₂ 0	Water Absorption	BS EN ISO 10545 - 3	≤ 0.5%	≤ 0.05%
√KG ↑ ↑	Breaking Strength	BS EN ISO 10545 - 4	≥1300 N	≥ 1600 N
$\frac{\downarrow}{\uparrow\uparrow}$	Modulus of Rupture	BS EN ISO 10545 - 4	≥ 35N/MM²	≥ 35N/MM ²
[2 ^D]	Resistance To Surface Abrasion	BS EN ISO 10545 - 7	Manufacturer To State Abrasion Class	PEI Class 2-4
\Leftrightarrow	Linear Thermal Expansion	BS EN ISO 10545 - 8	≤ 9 x 10 ⁻⁶ C	≤7 x 10°C
<u>+</u>	Resistance to Thermal Shock	BS EN ISO 10545 - 9	NO VISIBLE DEFECT	NO VISIBLE DEFECT
*	Frost Resistance	BS EN ISO 10545 - 12	NO VISIBLE DAMAGE	NO VISIBLE DAMAGE
	Resistance to chemicals	BS EN ISO 10545 - 13	NO VISIBLE EFFECT	NO VISIBLE EFFECT
*	Resistance to stains	BS EN ISO 10545 - 14	MANUFACTURER TO STATE CLASS	STAINS REMOVED MIN. CLASS 3
	Colour Resistance to UV light	DIN 51094	NO CHANGE IN COLOR	NO CHANGE IN COLOR
<u></u>	Scratch Hardness : (Moh's Scale)	EN 101	MANUFACTURER TO STATE VALUE ON MOH'S SCALE	≤5

Note: *Colour shown in this catalogue may vary with the original tile. *Slight shade & size variation is an inherent property of ceramic / vitrified tiles. RAK's SG / MATT / RUSTIC are non polished product and therefore the tolerance will not be similar to polished models. However all RAK tiles will conform to international and RAK standards for non-polished products.

PACKING DETAILS

	Tile Size (In mm)	No. of Tiles (Per Box)	Approx Area (In sqft.)
Working Size	200 x 1200	4	10.33

RAK CERAMICS | 2021

^{*}Use of spacers are recommended. (For Size 298 x 598 mm)

Product Guide

TECHNICAL FEATURES

VITRIFIED TILES (Bla - GL):

Vitrified tiles are manufactured using pure, selectively imported raw materials mixed using the most advanced extraction and sorting techniques; they are obtained with a production process similar to that of single-fired tiles.

The resulting product is top-quality Vitrified tile, obtained by raw materials wet grinding, followed by partial drying by spraying, silo storage to allow homogenization of properties, and pressing with highly efficient hydraulic presses up to specific pressures more than 500 kg/cm2. The high pressure combined with high firing temperature exceeding 1200 °C results in highly compact & strong ceramic surface with very low water absorption (lower than 0.1% according to UNI EN ISO 10545-3) and extremely high mechanical resistance (average value exceeding 50 N/mm2 according to UNI EN ISO 10545-4).

Thanks to their low porosity, these Vitrified tiles are frost-proof and rated as belonging to the BIa GL class according to the European Standard UNI EN 14411 which requires water absorption ≤ 0.5%.

The MoR (modulus of rupture) in accordance with UNI EN ISO 10545-4 results to 50 N/mm2 while the required value is 35 N/mm2. RAK Ceramics Vitrified tiles are available in a wide range of designs, sizes and finishes.


ADVICE ON LAYING


Although our Vitrified tiles can be installed using traditional cement mortars, we advise using modern adhesives. While installing on wall, the two-layer spreading system is recommended to perfectly wet the back of the tile.


Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion. Do not wet the tiles if you are using vinyl, acrylic resin adhesives or two-component organic-solvent based adhesive.


It is advisable to incorporate suitable shrinkage - flexion joints (movement/ expansion joints) when installing on large floors: the joints should never be spaced more than 4 - 5 linear meters apart indoors and 3 linear meters apart outdoors. Be careful while using strong coloured grouts as they might leave stains on the surface of the tiles that may be difficult to remove later.


Design Ideas











Product Guide

MAINTENANCE AND CLEANING OF TILES

Maintenance of ceramic and Vitrified tiles on dry surfaces is relatively easy. RAK Ceramics tiles are highly scratch and stain resistant.

- By regularly sweeping the floor, you can help avoid scratches that small pebbles or sand can create.
- Make it a habit to always wipe the soles of your shoes on a mat before entering the house. Thoroughly wipe up any spills using plain warm
 water.
- While they are not likely to stain your ceramic tiles, spills may stain the grout between the tiles and if they are left to sit for too long, may also stain the actual tiles.
- · Plain water is the ideal cleaner because it leaves no residue if you dry the surface of the tiles thoroughly after cleaning.
- If tiles are left wet after cleaning, there may be some unsightly mineral residue after the water dries, but this can easily be removed by spot cleaning.
- If stains resist cleaning with water alone, you can use a mild acidic solution, such as white vinegar. Use it highly diluted and rinse with plain water then dry.
- As food stains are acidic in nature, try using a mild alkaline solution.
- Use common detergents sparingly, rinse with plain water and dry thoroughly.

TILE-LAYING RECOMMENDATIONS

All RAK Ceramics products are subject to size and shade variations. Please check the size, batch number, caliber, tone, choice, color, quality of the pieces before the installation, as no claims will be accepted once the tiles are installed.

Place some tiles on the floor - 2 or 3 sqm - and check the overall technical and aesthetic characteristics with care and check if there is enough product to finish the work.

Manufacturer's responsibility is only limited to replacement of defective material if any, prior to fixing of tiles and we will not entertain claim of any nature after the tiles are installed.

Therefore, if any issue is found on the delivered product, the contractor for installation or the client should not install the tiles. The issue should be communicated to RAK Ceramics for investigation and further action for resolution as required.

The substrate must be a compact cement bed. Levelling system ensures flatness between tiles avoiding movements during the mortar setting. This reduces the time for the ceramic laying obtaining a perfect lippage-free finish. Avoid movements between the tiles due to the mortar setting.

The width of grout joints must be established by the installation supervisor, unless grout widths are regulated by national laying standards. The grout colour should be selected according to the colour of the tile. We recommend to select a matching colour. Before using fine-grain coloured grout on lapped, polished or brushed products, always test it. If the pigment is very adhesive, it may be very difficult to remove.

We recommend to lay the tiles by using suitable adhesives for each kind of product and surface. As general rule, tiles must be installed in the same position. The minimum joint is 2 mm for rectified tiles, although we suggest a higher joint for big size products. After grouting, remove any excess product as quickly as possible by repeatedly washing the area with a sponge and water.

Steps to follow 1. First, set the tool to the scale according to the ceramic thickness. 2. Introduce the crossheads and continue laying the adjacent tiles. 3. Put the wedges in the crosshead manually. 4. Tighten the wedges with the pliers to level the pieces. 5. Allow for setting for the time recommended by the manufacturer of the adhesive cement. 6. Remove the crossheads. Hit the crosshead with a rubber mallet or with your foot in the direction of the joint. Do not hit the wedges.

37

The company will not accept any claim if this is due to the problems caused by not following these suggestions and instructions.

RAK CERAMICS | 2021

RAK PREMIUM PARTNERS - PAN INDIA

EAST	SOUTH	NORTH	WEST
PRAMILA ENTERPRISES: Plot No. 373/4128, Aiginia, Khurda Bhubaneswar - 751030, Odisha Mob.: 9338063999 9337799166 GOKUL STONES & TILES PVT. LTD.: 375/1, Jessore Road, Dum Dum, Kolkatta West Bengal - 700028 Mob.:9831858332 9903808060 SHREE KANAK LAKSHMI GRANITES: Plot No 250, Rasulgarh, Khordha, Bhubaneswar-751010, Odisha Mob.:9437060300 DURGA ENTERPRISES: Shop No-4,Om Complex,Sp Verma Road, Patna-1 Patna-800001, Bihar Mob.:9431018896 9934486480	KSR CERAMICS: # No.01 T C Playa Main Road Akshaya Nagar, Ramamurthy Nagar Extn, Bangalore-560016 Mob No: 8494931200 LAKSHMI CERAAMICS: 21,22 Cowley Brown Road, Opp Forest College, R.s. Puram,Coimbatore, Tamilnadu - 641002 Mob No: 9843019625 MANII CORPORATION: No-10-B/2, Ground Floor, Ramachandrapuram, Trichy, Tamilnadu - 620017 Mob.: 9823017421 SIVA EXPORTS: 8 / 1a, Vidhathakulam Village,Sivagangai Main Road, Madurai, Tamilnadu - 625020 Mob.: 9363077209 PAN CERAMICS: D.no 159/7, 1st Floor, Syndicate Bank Upstairs, Rayudupalem, Pithapuram Road, Kakinada - 533005 East Godavari District. Andhra Pradesh Mob.: 9966966999	LUXMI MARBLE & GRANITE: CHD-Ambala Highway, Near Hotel Sapphire, Zirakpur- Punjab-140603 Mob: 9814006858, 592058000 S A TILES: 441/8, Nyay Khand 111, Near Kala Pathar, Ghaziabad - 201014 Uttar Pradesh Mob: 9419174059 AB SALES CORPORATION: C5, Sector 10, Ground Floor, Noida U.P. 301201 Mob: 9811076580, 9643307817	NATURAL STONE: Near Jain Mandir, Shiroli Phata, Kolhapur-416122 Mob.: 9823017421 CERAMIC TRADERS / ELITE MARBLE: Opp. Suyash Hospital, Near Hotel Sandeep, Mumbai Naka, Nashik – 422001 Mob - 9665444440 S V CERAMICS: Akriti Towers, Near Sparsh Automobiles, Dhamtari Road, Panchpedinaka, Raipur, Chattisgarh Mob - 7471120969

RAK OFFICIAL PARTNERS - PAN INDIA

EAS

SHREE KRISHNA SUPPLY AGENCY: PLOT NO-602, Bomikhal, CuttackRoad, Bhubaneswar, Khurdha, Odisha, Pin-751010 Mob: 0437011341 DURGA ENTERPRISES: 3 & 4, Om Complex S.P. Verma Road, Patna Bihar-800 001 Mob: 9431018896 GRIH VATIKA: Janpul Chowk, Station Road, Motihari Bihar -845401 Mob: 9430233139 CERAMIC CITY P LTD: KOLKATA9, SYED AMIR ALI AVENUENEAR PARK CIRCUS 7 POINT CROSSING, Kolkata-700017 Mob: 9830015530 RADHA MARBLE & GRANITE PVT. LTD:: 13/2/1, Umesh Chandra Chatterjee Lane, (Near Ladona Restaurant) Kona Express, Belepole crossing, Howrah-711 104. Mob.:9433030719. VIP BUILDING MALL: Hardiya More, Siwan, Bihar-842226. Mob.: 8853316878/9006680450.

WEST

JB HOME STORE P LTD: Plot no 35/36, Marble market, Sec-23, Turbhe, Thane-400705 Mob:HADI ENTERPRISES: 9, Turning Point, Opp Dada Saheb Jain Derasar, Kalanala, Bhavnagar. Mob.: 9825206991. **NATURAL STONE:** Shelke Tower, Behind Big Bazar, Kolhapur-416008. Mob.: 7276006514. **RAJ SALES CORPORATION:** Chandal Layout, Ghat Rd,Wadi, Nagpur- 440030. Mob.: 9823078388.

SOUTH

Home Stone: 22/684, Thazhe Chelari, Malappuram - 676317 Kerala Mob: 7025757575 TARA SANITARY WARES AND TILES: Thiruvananthapuram-4 Mob:9447055212 BENOY MARBLES & GRANITES: TC-3 /323, Ambala Nagar, Kowdiar, P. O., Thiruvananthapuram, Kerala-695005. Mob.:8589876060 COCHIN SANIWARES: Pakalomattom, Kuravilangad. Mob.:9447661224.. KSR CERAMICS: #1, T C Palya main Road, Ramurthynagar Extn, Akshyanagar, Bangalore - 560016. Mob.:9663501122 Tel:080 28493323. MARUTHI CERAMICS: #311, 10th main, 100feet Road, HRBR Layout, Banaswadi, Bangalore-560043. Mob.: 9900211350. MANI CORPORATION: S F No. 50/7-C, Old Palpannai, Chennai By-Pass Road (Near Hyundai Car Showroom), Trichy- 620010. Mob: 9842254512. PAN MARKETING: Pandarakalam Buildings, M C Road, Kumaranalloor, Kottayam, Kerala-686016. Mob.:9895227603, 9633009900. SS TILES: NH-16, Morumpudi Junction, Rajamundhry-533103. Mob.: 9866616222/9394199099. YASHAS CERAMICS: PR Square, #2228, Singasandra, Opposite Elevated Highway, Piller No.93, Hosur Main Road, Bangalore-560068. Mob.:9448358765 | Tel:080 - 43726569. Lakshmi Ceramics: No- 21, 22, Cowley Brown Road, R.S.Puram, Coimbatore 641 002. Tel:0422 - 4959625 Kaitharan Buildware: Aluva Mala road, Kurumassery, Eranakulam 683579, Tel - 9072330301 Tropical Traders: NH bye pass Edappaly, Eranakulam, Tel – 9447039496

NORTH

TRIKUTA AGENCIES: OPP.BSFH.Q (DOUBLE IRON BRIDGE).AKHNOOR ROAD, PALOURA, JAMMU. (M): 9419181700, 9419109960 TARA SANITARY WARES AND TILES: Goodwill Tower, Near Plamood Bridge, Pattom, Trivandrum- 695004, kerala NIRMAL ENTERPRISE: Main Bazar, Bishnah, Jammu - 181132 Jammu And Kashmir Mob: 9419123515 AARTI HARDWARE: Shaheedi Road, Kishtwar, kishtwar - 182204, Jammu And Kashmir. Mob: 9419110024. JHAND MARBLE: Gt Rd, Manawala, Amritsar - 143109 Punjab Mob: 8800933305 DURGA HARDWARE STORE: Chandan Vihar, Behind - JDA Flats, Muthi , Jammu. Pin Code: -181025 Mob: 9797424063, 9682675115 MALHOTRA BUILDING MATERIAL: Camp Road, Near jain Mandir, Talab Tillo, -180001 JAMMU Mob: 9419191008 PRAKASH TRADING COMPANY: Naushera road, khichian, Hoshiarpur -144211, Punjab. Mob: 9814006858 VAISHNAV MARBLE: H No 97-A, Anand Avenue, Nr Rattan Singh, punjab, Amritsar Mob: 9417341623 OM PRAKASH KRISHAN LAAL: Opp. St. Joseph Health Centre Jourian Raod, Akhnoor. Pin Code: 181201 M01924-252424, 9419100191, 9419100175, 9086700175 MAHAJAN CEMENT STORE: Ward No. 5, Main Road, Jourian (Akhnoor). Mob: 9419123515 / 7889761432 BEHARI JI CEMENT: Kapoor & Co., Ghanta Ghar Station Road, Near Telephone Exchange, Shahjehanpur, Uttar Pradesh-242001. Mob.:9415286833, 9793007400. FAB TILE AND MARBLE: Kalka Chandiagarh Road, Opp-Honda Activa Showroom, Pinjore, Panchkula, Haryana-133302. Mob.:9896224723. GR TRADERS: Opp Pwd Rest House, Btm Rd, Bhiwani, Haryana-127021. Mob.:7015450422, 9416473201. GALAXY INDIA: 90 feet, Pandach, Ganderbal, Srinagar, Jammu & Kashmir -190077. Mob.:9018284111. GAURAV TRADERS: 340-Umapuri Colony, Sonauli Road, Infront of D.R Chemical, Gorakhpur-273015 (U.P) Mob.:9919863999. JAIN BUILDER: Extn Greater Kailash, Marble Market, Jammu-180011. Mob.:9419190059. KAMLA SALES AGENCY: Jal Nigam Road, Krishnapuri, Rauza, Gazipur, U.P-233001. Mob.:9415281225. KAVITA DREAM HOMES PRIVATE LIMITED: N-13/208, 52-A Brij Enclave, Sunderpur, Varanasi- 221005. Mob.:9415994000. LONE HARDWARE: K. P Road, Near Womens College, Anantnag, Jammu & Kashmir-192101. Mob.:9419412804. MAHESHWARI MARBLE INDUSTRIES: Royal Park, Mudaila Road, Manduadih, Varanasi-221103. Mob.:9554953939. PLY & TILE: LGF, Rohit Tower CP-1, Haniman Chauraha, Viraj Khand, Gomti Nagar, Lucknow-226020. Mob.:9415089090. S R ENTERPRISES: 562/563, Hind nagar, Transport nagar, Kanpur Road, Lucknow-226012 (U.P) Mob.:9956376378. SUMAN ENTERPRISES: Taramandal Tiraha, Deoria Bypass, Near Amar Ujala Office, Gorakhpur, Pin-273001. Mob.:8423737751. THE RAJASTHAN GRANITE & MARBLE: Chanapora, Bye-Pass, Srinagar, Jammu & Kashmir-190014. Mob.:9622100044. VIKAS MARBLE: Batala Road, Qadian, Gurudaspur, Punjab-143516. Mob.:9876094516.

RAK OFFICES AND FLAGSHIP SHOWROOMS

EAST

BHUBANESWAR

Plot no-1127/3015, 1st Floor, Lane-2, Govind Prasad, Unit-32, Jayadurga Nagar, Bomikhal, Bhubaneswar-751006, (INDIA). Mob.: 9238000120, 9238010071

KOLKATA

11A/1D, East Topsia Road, Garg House, 3rd Floor, Opp. Fleming Hospital, Kolkata-700046, WB, (INDIA). Tel. +91-33-46020541 Mob.: 9238000120, 9238010071

WEST

AHMEDABAD

102-103, Shilp Aaron, Sindhu Bhavan Road, Nr-Pakwan Cross Road, Ahmedabad -380054, Gujarat, (INDIA). Tel: 079-29705205

INDORE

Office No. 101 / 102, Satguru Parinay, Plot No. 5, P.U – 3, Scheme no.54, Opp C 21 Mall, AB Road, Indore, M.P – 452010, (INDIA). Tel: 0731-4970003 Tel: 0731-4970003

MUMBAI: SANTACRUZ

Dheeraj Heritage, 19, 1st Floor, Junction of Milan Subway, S. V. Road, Santacruz (W), Mumbai - 400054, (INDIA). Tel.: 022-26605 938/937

MUMBAI: MALAD

Carnival House, 1st Floor, Vasant Valley, AK Vaidya Marg, MHB Colony, Dindoshi, Malad East Opposite Oberoi mall, Mumbai, Maharashtra 400097.

MORBI

1st Floor, Dhanraj Chambers, Near Kuber Talkies, Morbi-2 Dist. – Rajkot, Gujarat – 363642, (INDIA). Tele/fax. No. 02822-243110

PUNE

Shop No. 12, 13 & 14, Vega Center, Near Income Tax Office, Shankarseth Road, Pune – 411037, (INDIA). Tel: 020-4122-0634

SOUTH

BANGALORE

#116, Unit no 108, 1st floor, Pride Hulkul, Opposite to Passport Office, Lalbagh Road, Bangalore-560027. Tel: 080 41710394

HENNAI

Amient House, New No.7 Old No 3- A First Floor, Kodambakkam High Road, Nungambakkam, Chennai-600034, (INDIA). Tel: 044 48545434

COCHIN

Highway Heights, 2nd & 3rd Floor, National Highway Bypass, Thammanam, Kochi-682032, (INDIA). Tel: 0484-2985535, Mob.: 9288955281

SAMALKOT

P.B. NO. 11, IDA Peddapuram, ADB Road, Samalkot East, Godavari District, AP-533440, (INDIA). Tel: 91 884 2329344.

NORTH

CHANDIGARH

SCO 9A, 1st Floor, Madhya Marg, Sector 7C, Chandigarh-160019, (INDIA). Tel: 0172-4026052

GURUGRAM

SCO-310, SECTOR-29, HUDA CITY CENTRE, GURUGRAM - 122001 Mob.: 8745009998

38 RAK CERAMICS | 2021 39

