

# GROUNDUP

BORN OF THE SOIL

VITRIFIED TILES



RAK  
CERAMICS

**RAK**  
CERAMICS

# I N D E X

## EARTH

|                             |    |
|-----------------------------|----|
| EARTH PEATY                 | 21 |
| EARTH LATERITE              | 23 |
| EARTH DECCAN                | 25 |
| EARTH VINDHYAN              | 27 |
| EARTH ARID                  | 29 |
| EARTH REH KUTCH             | 31 |
| EARTH ALLUVIAL              | 33 |
| EARTH PODZOLS               | 35 |
| EARTH CHERNOZEM             | 37 |
| EARTH PEATY LINEA DÉCOR     | 38 |
| EARTH LATERITE LINEA DÉCOR  | 38 |
| EARTH DECCAN LINEA DÉCOR    | 38 |
| EARTH VINDHYAN LINEA DÉCOR  | 38 |
| EARTH REH KUTCH LINEA DÉCOR | 39 |
| EARTH ALLUVIAL LINEA DÉCOR  | 39 |
| EARTH CHERNOZEM LINEA DÉCOR | 39 |
| EARTH PEATY HEXA DÉCOR      | 40 |
| EARTH LATERITE HEXA DÉCOR   | 40 |
| EARTH DECCAN HEXA DÉCOR     | 40 |
| EARTH VINDHYAN HEXA DÉCOR   | 40 |
| EARTH REH KUTCH HEXA DÉCOR  | 41 |
| EARTH ALLUVIAL HEXA DÉCOR   | 41 |
| EARTH CHERNOZEM HEXA DÉCOR  | 41 |
| EARTH PEATY DÉCOR           | 42 |
| EARTH LATERITE DÉCOR        | 42 |
| EARTH DECCAN DÉCOR          | 42 |
| EARTH REH KUTCH DÉCOR       | 43 |
| EARTH CHERNOZEM DÉCOR       | 43 |
| EARTH ARID DÉCOR            | 43 |
| EARTH ALLUVIAL DÉCOR        | 43 |

## MINI CRAFT

|                 |       |
|-----------------|-------|
| ELONG TEAL      | 48-49 |
| ELONG IVORY     | 48-49 |
| ELONG COTTO     | 48-49 |
| ELONG BLACK     | 48-49 |
| ELONG GRIS      | 48-49 |
| ELONG WHITE     | 48-49 |
| ELONG AZUL      | 48-49 |
| ELONG VERDE     | 48-49 |
| ELONG YELLOW    | 48-49 |
| CUADRA COTTO    | 51    |
| FLAVIA COTTO    | 51    |
| FELIICIO COTTO  | 51    |
| CUADRA TEAL     | 53    |
| PRIMO TEAL      | 53    |
| CORTONA TEAL    | 53    |
| CUADRA YELLOW   | 55    |
| ATHANGUDI DÉCOR | 55    |
| ORIA GOLD       | 55    |
| CUADRA AZUL     | 57    |

|                 |    |
|-----------------|----|
| ENCAUSTIC AZUL  | 57 |
| ENCAUSTIC IVORY | 57 |
| CUADRA VERDE    | 59 |
| FORTUNA VERDE   | 59 |
| FIORELLA DÉCOR  | 59 |
| CUADRA WHITE    | 61 |
| ETTORE WHITE    | 61 |
| DANTEL WHITE    | 61 |
| EMENIA WHITE    | 61 |
| CUADRA GRIS     | 63 |
| TRIBLY GRIS     | 63 |
| PATRIZ GRIS     | 63 |
| CUADRA IVORY    | 65 |
| JEMMA DÉCOR     | 65 |
| AUREUM CLUB     | 65 |
| CUADRA BLACK    | 67 |
| MAURA LINEA     | 67 |
| LETIZIA PEARL   | 67 |
| LETINOVA BORDER | 69 |
| LETINOVA CENTER | 69 |
| LETINOVA CORNER | 69 |
| ORABELLA BORDER | 71 |
| ORABELLA CENTER | 71 |
| ORABELLA CORNER | 71 |
| KALEEN BORDER   | 73 |
| KALEEN CENTER   | 73 |
| KALEEN CORNER   | 73 |
| MARQUIS BORDER  | 75 |
| MARQUIS CENTER  | 75 |
| MARQUIS CORNER  | 75 |
| DONZEL BORDER   | 77 |
| DONZEL CENTER   | 77 |
| DONZEL CORNER   | 77 |
| CITADEL BORDER  | 79 |
| CITADEL CENTER  | 79 |
| CITADEL CORNER  | 79 |
| BLENZA CLUB     | 81 |
| SEVILLA CLUB    | 83 |

## MASSIF


|                       |     |
|-----------------------|-----|
| ANTORIA ORO WHITE     | 88  |
| ARCANA BIANCO         | 88  |
| ARABESQUE BIANCO      | 90  |
| ATRIC WHITE           | 90  |
| AURELIA PISTA         | 92  |
| AURELIA ROSE          | 92  |
| BIANCO GLACIALE       | 94  |
| CALCATTÀ LUXE         | 94  |
| CALSTRUZO BEIGE       | 96  |
| CALSTRUZO IVORY       | 96  |
| CALCATTÀ ROYALE WHITE | 98  |
| CELVISTO ONYX         | 98  |
| CELISTRO BEIGE        | 100 |
| CELISTRO BIANCO       | 100 |
| COLESUS BEIGE         | 102 |

|                     |     |
|---------------------|-----|
| COLESUS GREY        | 102 |
| CRISTALLO AZURE     | 104 |
| CRISTALLO NATURAL   | 104 |
| CRISTALLO WHITE     | 106 |
| DOLCE BIANCO        | 106 |
| DORENA CHOCO        | 108 |
| EBANO BEIGE         | 108 |
| ELAVIQUE AVORIO     | 110 |
| ELAVIQUE SAND       | 110 |
| GRANDE REDSPIDER    | 112 |
| TIERRA IMPERIAL     | 112 |
| JAIPURI OFF WHITE   | 114 |
| JAIPURI SAND        | 114 |
| ELESTA FRAGMENT     | 116 |
| FABULO MARFIL       | 116 |
| LEMURIAN FOREST     | 118 |
| LEMURIAN SAPPHIRE   | 118 |
| MARGESA CREMA       | 120 |
| MARGESA SAND        | 120 |
| LUSTRO BIANCO       | 122 |
| MARMOREA BEIGE      | 122 |
| NIKOLIC BIANCO      | 124 |
| NIKOLIC OCHRE       | 124 |
| NIKOLIC GREY        | 126 |
| NIKOLIC IVORY       | 126 |
| OTTOMAN BEIGE       | 128 |
| OTTOMAN GREY        | 128 |
| MOONLIT WHITE       | 130 |
| OBSIDIAN AZURE      | 130 |
| OBSIDIAN INDIGO     | 132 |
| OBSIDIAN LAVENDER   | 132 |
| OBSIDIAN AERIS      | 134 |
| PATAGONIA BM A + B  | 134 |
| PATAGONIA NATURAL   | 136 |
| PATAGONIA VINTAGE   | 136 |
| PATAGONIA           | 138 |
| VELORA CREMA        | 138 |
| PRIMUS IVORY        | 140 |
| STATUARIO AURUM     | 140 |
| STATUARIO BORGHINI  | 142 |
| STATUARIO CINZA     | 142 |
| SUNSET MARBLE       | 144 |
| TAJ MAHAL PEARL     | 144 |
| TAJ CLASSIC BEIGE   | 146 |
| TAJ CLASSIC CREMA   | 146 |
| TEMPESTA BLACK      | 148 |
| TEMPESTA BROWN      | 148 |
| TRAVER CROSS CEMENT | 150 |
| TRAVER CROSS CREMA  | 150 |
| VOLAKAS GREIGE      | 152 |
| VOLAKAS TAUPE       | 152 |
| VERIAS BLACK        | 154 |
| VERIAS GREEN        | 154 |

## ARDEA

|                     |     |
|---------------------|-----|
| EARTHY BEIGE        | 158 |
| EARTHY BROWN        | 158 |
| EARTHY GEO DÉCOR    | 158 |
| ETERNAL BROWN       | 160 |
| ETERNAL CHOCO       | 160 |
| ETERNAL CREMA       | 160 |
| ETERNAL FROST       | 160 |
| BELLORA STONE BASE  | 162 |
| BELLORA STONE DÉCOR | 162 |
| ETERNAL GREY        | 162 |
| KINTSUGI AQUA       | 164 |
| KINTSUGI PURPLE     | 164 |
| KINTSUGI ROSE       | 164 |
| LEAFORA BEIGE       | 166 |
| LEAFORA IVORY       | 166 |
| LEAFORA IVORY DÉCOR | 166 |
| LEAFORA MINT        | 168 |
| LEAFORA MINT DÉCOR  | 168 |
| FURY BLACK          | 168 |
| FURY CHOCO          | 168 |
| LABRADO AQUA        | 170 |
| LUCCA GOLD          | 170 |
| LUNEX GOLD          | 170 |
| LUMUS BIEGE         | 170 |
| LUMUS BROWN         | 172 |
| LUMUS GREY          | 172 |
| LUMUS OCHRE         | 172 |
| LUMUS BIANCO        | 172 |
| MURALIA COTTO       | 174 |
| MURALIA DÉCOR       | 174 |
| MURALIA OFF WHITE   | 174 |
| NEBULA BIANCO       | 176 |
| NEBULA GREY         | 176 |
| SARINIA GOLDEN      | 176 |
| PHANTOM BLACK       | 176 |
| NEROVIA AQUA        | 178 |
| NEROVIA GREEN       | 178 |
| NEROVIA LT AQUA     | 178 |
| NEROVIA PURPLE      | 178 |
| ORAVIA ONYX OCEAN   | 180 |
| ORAVIA ONYX ROSE    | 180 |
| ORAVIA ONYX SKY     | 180 |
| ORAVIA ONYX VERDE   | 180 |
| OROBIC BEIGE        | 182 |
| OROBIC BIANCO       | 182 |
| OROBIC GREY         | 182 |
| OROBIC IVORY        | 182 |
| STELLAR WAVE BEIGE  | 184 |
| STELLAR WAVE BROWN  | 184 |
| STELLAR WAVE GREY   | 184 |
| STELLAR WAVE NERO   | 184 |
| TWILIGHT ROSE       | 186 |
| TWILIGHT ROSE DÉCOR | 186 |
| VESPER GOLD         | 186 |





# RAK

## CERAMICS

## Building from the ground up

Founded in 1989 in Ras Al Khaimah, RAK Ceramics was shaped by a simple but demanding ambition: to build ceramics at a scale and quality that could compete with the world's finest. This compelled our founders to invest early in manufacturing, research and development, and technology. The location mattered. So did the climate, the geology, and a keen understanding of the way materials react to heat, distance, and time.

What grew out of this was a complex ecosystem that serves clients in 150 countries. Over the years, RAK Ceramics expanded its capabilities across tiles, slabs, and sanitary ware, building production facilities that could support both volume and precision. These capabilities have helped the company produce over 123 million square metres of tiles, 5 million pieces of sanitary ware in state-of-the-art plants across United Arab Emirates (UAE), India, and Bangladesh.

This approach has been ingrained into 12,000 members of staff from 40 countries and continues to inform how RAK designs, engineers, and produces its surfaces today.





## Form and substance

Too often, ceramics are discussed only as finishes. At RAK, the opposite is true. As one of the world's largest ceramics manufacturers, the company operates across continents, with production facilities in the United Arab Emirates, India, and Bangladesh, alongside a presence that spans more than 150 countries. This scale helps us refine our products in terms of design and testing. Our designers and engineers pay close attention to how surfaces are used, cleaned, worn down, and relied upon, which is why our innovations usually begin with practical questions.

How does a floor respond to extreme heat? How does light interact with large slabs? How do materials age in old family homes?

Perhaps that is why RAK Ceramics has remained a dependable partner to renowned architects, interior designers, developers, and homeowners. It all boils down to one thing: build well and let the material do the work.





## Our green thumb approach

At RAK Ceramics, sustainability is embedded in the way things are made, the way they are designed, the way we work, and who we call partners.

Design decisions, material choices, and manufacturing processes are calibrated to use less energy, limit emissions, and reduce waste. Recycling is built into the system, alongside cleaner production methods that actively cut carbon output. The impact extends beyond production. RAK Ceramics supports local ecosystems and improves everyday conditions for the communities and workforce connected to the company.

RAK Ceramics was among the first in its region to publish a sustainability and corporate social responsibility (CSR) report aligned with Global Reporting Initiative standards (GRI), setting a clearer benchmark for accountability. As a founding member of the Emirates Green Building Council, the company remains part of a larger shift towards more responsible building practices.





## The RAK benchmark

RAK Ceramics was among the first in the region to align with globally recognised certification systems. The company's processes are shaped by rigorous international standards, from ISO 9001 for quality management to ISO 14001 for environmental responsibility. These credentials are testament to how thoroughly our products are designed, tested, and produced.

Our manufacturing operations adhere to established benchmarks such as ISO 13006 and EN standards, with equivalence to ANSI specifications, ensuring consistency across markets. Behind this, an ISO/IEC 17025-accredited laboratory oversees testing with precision, reinforcing reliability at every stage.

There is also a broader commitment at play. As a member of the Emirates Green Building Council, RAK Ceramics participates in shaping conversations around sustainable construction in the region.

In the end, it's less about certification and more about the trust RAK Ceramics has established over clients and partners alike.





## The world's leading ceramics lifestyle solution provider

RAK Ceramics helps architects and interior designers create icons and build marvels. It provides materials that inspire ideas and spark creativity. We aim to design unique and inspiring products that realistically resemble natural materials. RAK Ceramics gives vitrified perfection and limitless imagination. Its passion and expertise combined with careful attention to detail enables RAK to provide designers and end users with a wide range of integrated ceramic solutions, allowing them the freedom to be creative.





## Proof in plain sight

The work of RAK Ceramics is found in projects that rarely go unnoticed.

From the Burj Al Arab to Atlantis The Palm, and from Ferrari World to Wembley Stadium and The O2 Arena, RAK Ceramics is part of the global architectural landscape.

They appear just as consistently in everyday settings like international airports, showrooms, residential developments, and retail spaces.

Taken together, our portfolio reflects a certain range: high-profile, widely used, and built to hold up across contexts.







# EARTH

## FROM EARTH TO ELEVATED LIVING

The EARTH series doesn't replicate nature. It translates it, distilling the mineral palette of India's most ancient landscapes into surfaces that belong in a contemporary living room, a premium hotel lobby, or a bathroom that feels shaped by the landscape itself.

Whether it's matt, structured or décor, they each reflect a distinct quality of that landscape: raw and open, or beautifully weathered and textured.





PEATY

LATERITE

DECCAN

VINDHYAN

ARID

REH KUTCH

ALLUVIAL

PODZOLS

CHERNOZEM






EARTH SERIES

EARTH PEATY



FINISH: MATT

FACE VARIATIONS- 60x120cm\*



SPECIFICATIONS

- 

9 MM THICKNESS
- 

WALL TILE
- 

FLOOR TILE
- 

HOME USE
- 

COMMERCIAL USE
- 

V2 SHADE VARIATION

\*Design may vary as per face variations

SIZES AVAILABLE - TO SCALE



120x240 cm      120x180 cm      80x160 cm      60x120 cm




EARTH SERIES

EARTH LATERITE

FINISH: MATT

FACE VARIATIONS- 60x120cm\*



SPECIFICATIONS

- 

9 MM THICKNESS
- 

WALL TILE
- 

FLOOR TILE
- 

HOME USE
- 

COMMERCIAL USE
- 

V2 SHADE VARIATION

\*Design may vary as per face variations

SIZES AVAILABLE - TO SCALE



120x240 cm      120x180 cm      80x160 cm      60x120 cm




EARTH SERIES

EARTH DECCAN

FINISH: MATT

FACE VARIATIONS- 60x120cm\*



SPECIFICATIONS



9 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION

\*Design may vary as per face variations

SIZES AVAILABLE - TO SCALE



60x120 cm




EARTH SERIES

# EARTH VINDHYAN



FINISH: MATT

FACE VARIATIONS- 60x120cm\*



## SPECIFICATIONS



9 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION

\*Design may vary as per face variations

SIZES AVAILABLE - TO SCALE



60x120 cm



EARTH SERIES

EARTH ARID

FINISH: MATT

SIZES AVAILABLE - TO SCALE



120x240 cm



120x180 cm



80x160 cm

SPECIFICATIONS



9 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION




EARTH SERIES

# EARTH REH KUTCH

FINISH: MATT

FACE VARIATIONS- 60x120cm\*



SPECIFICATIONS

- 

9 MM THICKNESS
- 

WALL TILE
- 

FLOOR TILE
- 

HOME USE
- 

COMMERCIAL USE
- 

V2 SHADE VARIATION

\*Design may vary as per face variations

SIZES AVAILABLE - TO SCALE




120x240 cm      120x180 cm      80x160 cm      60x120 cm



EARTH SERIES

# EARTH ALLUVIAL

FACE VARIATIONS- 60x120cm\*



## SPECIFICATIONS



9 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION

FINISH: MATT

\*Design may vary as per face variations


## SIZES AVAILABLE - TO SCALE




120x240 cm



120x180 cm



80x160 cm




60x120 cm



EARTH SERIES

# EARTH PODZOLS



FINISH: MATT

## SPECIFICATIONS



9 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION

## SIZES AVAILABLE - TO SCALE



120x240 cm



120x180 cm



80x160 cm




EARTH SERIES

# EARTH CHERNOZEM

FINISH: MATT

FACE VARIATIONS- 60x120cm\*



SPECIFICATIONS

- 

9 MM THICKNESS
- 

WALL TILE
- 

FLOOR TILE
- 


HOME USE
- 

COMMERCIAL USE
- 

V2 SHADE VARIATION

\*Design may vary as per face variations

SIZES AVAILABLE - TO SCALE



120x240 cm      120x180 cm      80x160 cm      60x120 cm




# LINEA DÉCOR

SIZE: 60x120 cm  
FINISH: MATT PUNCH



FACE VARIATIONS\*

EARTH PEATY



FACE VARIATIONS\*

EARTH LATERITE



FACE VARIATIONS\*

EARTH REH KUTCH



FACE VARIATIONS\*

EARTH ALLUVIAL




FACE VARIATIONS\*

EARTH DECCAN




FACE VARIATIONS\*

EARTH VINDHYAN



FACE VARIATIONS\*

EARTH CHERNOZEM



TEXTURE

\* Designs may vary as per face variations




# HEXA DÉCOR

SIZE: 60x120 cm  
FINISH: CARVING



FACE VARIATIONS\*

EARTH PEATY



FACE VARIATIONS\*

EARTH LATERITE




FACE VARIATIONS\*

EARTH REH KUTCH




FACE VARIATIONS\*

EARTH ALLUVIAL




FACE VARIATIONS\*

EARTH DECCAN




FACE VARIATIONS\*

EARTH VINDHYAN



FACE VARIATIONS\*

EARTH CHERNOZEM



TEXTURE

\* Designs may vary as per face variations



# DÉCOR

SIZE: 120x240 cm  
FINISH: CARVING



EARTH PEATY




EARTH LATERITE




EARTH DECCAN

# DÉCOR

SIZE: 120x240 cm  
FINISH: CARVING



EARTH REH KUTCH\*



EARTH REH KUTCH\*



EARTH CHERNOZEM

\* Designs may vary as per face variations



EARTH ARID



TEXTURE



EARTH ALLUVIAL



TEXTURE





MINI  
CRAFT


Stories, now set in stone.



Before tiles were surfaces, they were storytellers. In old India, the colour of a wall bore a tale of its own - the city you hailed from, a season's fresh greeting, a festival yet to come.

Mini Craft doesn't just revive that tradition. It picks up an unfinished story and reimagines it with new chapters. Colours drawn from the pigment vocabulary of Indian craft - the burnt cotto of Rajasthani pottery, the deep charcoal grey of soot that makes kajal, and the vibrant indigo of Kutch vats

Each colour has lived somewhere before. Each one carries a memory. Mix matt with Glossy. Stack squares with bricks. Break the grid with a single shift in colour. Mini Craft is the only tile series that treats the wall as a blank manuscript.





# CUADRA

COLORS

SIZE: 20x20 cm

FINISH: MATT

THICKNESS: 8mm

CUADRA COTTO

CUADRA VERDE

CUADRA WHITE

CUADRA YELLOW

CUADRA IVORY

CUADRA BLACK

CUADRA GRIS

CUADRA AZUL

CUADRA TEAL



# ELONG

## COLORS

SIZE: 6X25 cm  
FINISH: MATT PUNCH & GLOSSY PUNCH  
THICKNESS: 9mm




ELONG YELLOW




ELONG AZUL



ELONG VERDE



ELONG IVORY



ELONG WHITE



ELONG GRIS



ELONG COTTO



ELONG BLACK



ELONG TEAL



CUADRA COTTO



SIZE: 20X20 cm  
FINISH - MATT

FLAVIA COTTO




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

FELIICIO COTTO




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



# COTTO



SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION



CUADRA TEAL



SIZE: 20X20 cm  
FINISH - MATT

CORTONA TEAL



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

PRIMO TEAL



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



TEAL

SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION



CUADRA YELLOW



SIZE: 20X20 cm  
FINISH - MATT

ORIA GOLD



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

ATHANGUDI DÉCOR



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



YELLOW

SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION



CUADRA AZUL



SIZE: 20X20 cm  
FINISH - MATT

ENCAUSTIC AZUL




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

ENCAUSTIC IVORY




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



AZUL



SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION



CUADRA VERDE



SIZE: 20X20 cm  
FINISH - MATT

FORTUNA VERDE



SIZE: 20X20 cm  
FINISH - MATT

IORELLA DÉCOR




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



VERDE



SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION





MINI CRAFT

CUADRA WHITE



SIZE: 20X20 cm  
FINISH - MATT

DANTEL WHITE



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

ETTORE WHITE



SIZE: 20X20 cm  
FINISH - CARVING

EMENIA WHITE




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



WHITE



SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE




COMMERCIAL USE



V2 SHADE VARIATION



CUADRA GRIS



SIZE: 20X20 cm  
FINISH - MATT

PATRIZ GRIS



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

TRIBLY GRIS




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



GRIS



SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION



CUADRA IVORY



SIZE: 20X20 cm  
FINISH - MATT

AUREUM CLUB\*



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

JEMMA DÉCOR




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

AUREUM CLUB VARIATIONS



\*Designs may vary as per face variations

IVORY



SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE




COMMERCIAL USE



V2 SHADE VARIATION





CUADRA BLACK



SIZE: 20X20 cm  
FINISH - MATT

MAURA LINEA



SIZE: 20X20 cm  
FINISH - CARVING

LETIZIA PEARL




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



BLACK



SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION



LETINOVA CORNER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

LETINOVA BORDER




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

LETINOVA CENTER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



# LETINOVA

SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION



ORABELLA CORNER   ORABELLA BORDER   ORABELLA CENTER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



# ORABELLA

SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION



KALEEN CORNER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

KALEEN BORDER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

KALEEN CENTER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



# KALEEN

SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION



MARQUIS CORNER MARQUIS BORDER MARQUIS CENTER



SIZE: 20X20 CM  
FINISH - LUCENT GLOSSY




SIZE: 20X20 CM  
FINISH - LUCENT GLOSSY



SIZE: 20X20 CM  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



# MARQUIS



SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION





MINI CRAFT

DONZEL CORNER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

DONZEL BORDER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

DONZEL CENTER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



DONZEL

SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION





CITADEL CORNER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

CITADEL BORDER




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

CITADEL CENTER



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

SUGGESTED PATTERN



# CITADEL

SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION



BLENZA CLUB VARIATIONS\*



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

\*Designs may vary as per face variations

SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION

# BLENZA CLUB



SEVILLA CLUB VARIATIONS\*



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY




SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY



SIZE: 20X20 cm  
FINISH - LUCENT GLOSSY

\*Designs may vary as per face variations

SPECIFICATIONS



8 MM THICKNESS



WALL TILE



FLOOR TILE



HOME USE



COMMERCIAL USE



V2 SHADE VARIATION

SEVILLA CLUB



## THIS IS YOUR **SIGN TO LIVE LARGE**

The word Massif comes from geology, used to describe a large, continuous formation of rock. Here, it signals something similar. Inspired by the natural stones of Turkish and Italian quarries, Massif is designed to look like one uninterrupted surface. At 120 × 240 cm, a single Massif slab offers a deeply immersive experience. Its veins move uninterrupted with no grout lines breaking the composition and no edges cutting through the patterns. The finishes, too, follow the same logic. Polished, Honed, and Cashmere enhance the character of the material, rather than overriding it.

MAXIMUS  
MEGA SLAB

MASSIF



| DESIGN NAME           | POLISHED | HIGH GLOSSY | HONED | CASHMERE | CARVING | MATT |
|-----------------------|----------|-------------|-------|----------|---------|------|
| ANTORIA ORO WHITE     | ✓        |             | ✓     |          |         |      |
| ARABESQUE BIANCO      | ✓        |             |       |          |         |      |
| ARCANA BIANCO         | ✓        |             |       | ✓        |         |      |
| ATRIC WHITE           | ✓        |             |       | ✓        |         |      |
| AURELIA PISTA         | ✓        |             |       |          |         |      |
| AURELIA ROSE          | ✓        |             |       |          |         |      |
| BIANCO GLACIALE       | ✓        |             | ✓     |          |         |      |
| CALCATTÀ LUXE         | ✓        |             |       |          |         |      |
| CALCATTÀ ROYALE WHITE | ✓        |             | ✓     |          |         |      |
| CALSTRUZO BEIGE       |          |             |       |          | ✓       |      |
| CALSTRUZO IVORY       |          |             |       |          | ✓       |      |
| CELISTRO BEIGE        | ✓        | ✓           |       |          |         |      |
| CELISTRO BIANCO       | ✓        | ✓           |       |          |         |      |
| CELVISTO ONYX         | ✓        |             |       | ✓        |         |      |
| COLESUS BEIGE         | ✓        | ✓           | ✓     |          |         |      |
| COLESUS GREY          | ✓        |             | ✓     |          |         |      |
| CRISTALLO AZURE       |          | ✓           |       |          |         |      |
| CRISTALLO NATURAL     |          | ✓           |       |          |         |      |
| CRISTALLO WHITE       | ✓        |             | ✓     |          |         |      |
| DOLCE BIANCO          | ✓        |             |       |          |         |      |
| DORENA CHOCO          |          | ✓           |       |          |         |      |
| EBANO BEIGE           | ✓        |             | ✓     |          |         |      |
| ELAVIQUE AVORIO       | ✓        |             |       |          |         |      |
| ELAVIQUE SAND         | ✓        |             |       |          |         |      |
| ELESTA FRAGMENT       | ✓        |             |       |          |         |      |
| FABULO MARFIL         | ✓        |             | ✓     |          |         |      |
| GRANDE REDSPIDER      |          | ✓           |       |          |         |      |
| JAIPURI OFF WHITE     |          |             |       |          |         | ✓    |
| JAIPURI SAND          |          |             |       |          |         | ✓    |
| LEMURIAN FOREST       |          | ✓           |       |          |         |      |
| LEMURIAN SAPPHIRE     |          | ✓           |       |          |         |      |
| LUSTRO BIANCO         | ✓        |             | ✓     |          |         |      |
| MARGESA CREMA         | ✓        |             |       |          | ✓       |      |
| MARGESA SAND          | ✓        |             |       |          | ✓       |      |

| DESIGN NAME         | POLISHED | HIGH GLOSSY | HONED | CASHMERE | CARVING | MATT |
|---------------------|----------|-------------|-------|----------|---------|------|
| MARMOREA BEIGE      | ✓        |             | ✓     | ✓        |         |      |
| MOONLIT WHITE       | ✓        |             | ✓     |          |         |      |
| NIKOLIC BIANCO      | ✓        |             |       |          |         |      |
| NIKOLIC GREY        | ✓        |             |       |          |         |      |
| NIKOLIC IVORY       | ✓        |             |       |          |         |      |
| NIKOLIC OCHRE       | ✓        |             |       |          |         |      |
| OBSIDIAN AERIS      |          | ✓           |       |          |         |      |
| OBSIDIAN INDIGO     |          | ✓           |       |          |         |      |
| OBSIDIAN AZURE      |          | ✓           |       |          |         |      |
| OBSIDIAN LAVENDER   |          | ✓           |       |          |         |      |
| OTTOMAN BEIGE       | ✓        | ✓           |       | ✓        |         |      |
| OTTOMAN GREY        | ✓        | ✓           |       | ✓        |         |      |
| PATAGONIA           |          | ✓           |       |          |         |      |
| PATAGONIA BM A      |          | ✓           |       |          |         |      |
| PATAGONIA BM B      |          | ✓           |       |          |         |      |
| PATAGONIA NATURAL   | ✓        |             |       |          |         |      |
| PATAGONIA VINTAGE   | ✓        |             | ✓     |          |         |      |
| PRIMUS IVORY        | ✓        |             | ✓     |          |         |      |
| STATUARIO AURUM     | ✓        |             | ✓     |          |         |      |
| STATUARIO BORGHINI  | ✓        |             | ✓     |          |         |      |
| STATUARIO CINZA     | ✓        |             | ✓     |          |         |      |
| SUNSET MARBLE       | ✓        |             | ✓     |          |         |      |
| TAJ CLASSIC BEIGE   | ✓        | ✓           | ✓     | ✓        |         |      |
| TAJ CLASSIC CREMA   | ✓        | ✓           | ✓     | ✓        |         |      |
| TAJ MAHAL PEARL     | ✓        |             | ✓     |          |         |      |
| TEMPESTA BLACK      |          | ✓           |       |          |         |      |
| TEMPESTA BROWN      |          | ✓           |       |          |         |      |
| TIERRA IMPERIAL     |          | ✓           |       |          |         |      |
| TRAVER CROSS CEMENT |          |             |       | ✓        |         |      |
| TRAVER CROSS CREMA  |          |             |       | ✓        |         |      |
| VELORA CREMA        | ✓        |             |       | ✓        |         |      |
| VERIAS BLACK        |          | ✓           |       |          |         |      |
| VERIAS GREEN        |          | ✓           |       |          |         |      |
| VOLAKAS GREIGE      | ✓        |             |       |          |         |      |
| VOLAKAS TAUPE       | ✓        |             |       |          |         |      |



ANTORIA ORO WHITE



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x240 cm         | 80x160 cm          |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS

ARCANA BIANCO



|           |                       |                       |
|-----------|-----------------------|-----------------------|
| SIZE      | 120x180 cm            | 80x160 cm             |
| FINISH    | POLISHED,<br>CASHMERE | POLISHED,<br>CASHMERE |
| THICKNESS | 9 mm                  | 9 mm                  |



FACE VARIATIONS

MASSIF



ANTORIA ORO WHITE



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE




HOME USE




COMMERCIAL USE



ARABESQUE BIANCO



|           |           |
|-----------|-----------|
| SIZE      | 80x160 cm |
| FINISH    | POLISHED  |
| THICKNESS | 9 mm      |



FACE VARIATIONS

ATRIC WHITE



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x180 cm         | 80x160 cm          |
| FINISH    | POLISHED, CASHMERE | POLISHED, CASHMERE |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE






AURELIA PISTA



|           |            |           |
|-----------|------------|-----------|
| SIZE      | 120x180 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm      |




FACE VARIATIONS

AURELIA ROSE



|           |            |           |
|-----------|------------|-----------|
| SIZE      | 120x180 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm      |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE

MASSIF


AURELIA PISTA



BIANCO GLACIALE



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x240 cm         | 120x180 cm         |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |




FACE VARIATIONS

CALCATA LUXE



|           |           |
|-----------|-----------|
| SIZE      | 80x160 cm |
| FINISH    | POLISHED  |
| THICKNESS | 9 mm      |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



CALSTRUZO IVORY



|           |           |
|-----------|-----------|
| SIZE      | 80x160 cm |
| FINISH    | CARVING   |
| THICKNESS | 9 mm      |



FACE VARIATIONS

CALSTRUZO BEIGE



|           |           |
|-----------|-----------|
| SIZE      | 80x160 cm |
| FINISH    | CARVING   |
| THICKNESS | 9 mm      |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



MASSIF

CALSTRUZO IVORY



CALCATTÀ ROYALE WHITE



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x240 cm         | 120x180 cm         |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS

CELVISTO ONYX



|           |                       |                       |
|-----------|-----------------------|-----------------------|
| SIZE      | 120x180 cm            | 80x160 cm             |
| FINISH    | POLISHED,<br>CASHMERE | POLISHED,<br>CASHMERE |
| THICKNESS | 9 mm                  | 9 mm                  |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE

MASSIF



CALCATTÀ ROYALE WHITE





CELISTRO BIANCO



|           |            |            |             |
|-----------|------------|------------|-------------|
| SIZE      | 120x240 cm | 120x180 cm | 120x180 cm  |
| FINISH    | POLISHED   | POLISHED   | HIGH GLOSSY |
| THICKNESS | 9 mm       | 9 mm       | 15 mm       |




FACE VARIATIONS

CELISTRO BEIGE



|           |            |            |             |
|-----------|------------|------------|-------------|
| SIZE      | 120x240 cm | 120x180 cm | 120x180 cm  |
| FINISH    | POLISHED   | POLISHED   | HIGH GLOSSY |
| THICKNESS | 9 mm       | 9 mm       | 15 mm       |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



COLOR BODY (15mm)



WALL TILE



HOME USE



COMMERCIAL USE

MASSIF

CELISTRO BIANCO



COLESUS BEIGE



|           |                 |             |
|-----------|-----------------|-------------|
| SIZE      | 120x180 cm      | 120x180 cm  |
| FINISH    | POLISHED, HONED | HIGH GLOSSY |
| THICKNESS | 9 mm            | 15 mm       |



FACE VARIATIONS

COLESUS GREY



|           |                 |
|-----------|-----------------|
| SIZE      | 120x180 cm      |
| FINISH    | POLISHED, HONED |
| THICKNESS | 9 mm            |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



COLOR BODY (15mm)



WALL TILE



HOME USE



COMMERCIAL USE






CRISTALLO AZURE



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x240 cm  | 120x180 cm  |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |



FACE VARIATIONS


CRISTALLO NATURAL



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x240 cm  | 120x180 cm  |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |



FACE VARIATIONS



MASSIF

CRISTALLO AZURE



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



CRISTALLO WHITE



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x180 cm         | 80x160 cm          |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS

DOLCE BIANCO




|           |           |
|-----------|-----------|
| SIZE      | 80x160 cm |
| FINISH    | POLISHED  |
| THICKNESS | 9 mm      |



FACE VARIATIONS

MASSIF



DOLCE BIANCO



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE




HOME USE




COMMERCIAL USE



DORENA CHOCO



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x180 cm  | 120x180 cm  |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 15 mm       |



FACE VARIATIONS

EBANO BEIGE



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x240 cm         | 120x180 cm         |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



COLOR BODY (15mm)



WALL TILE



HOME USE



COMMERCIAL USE

MASSIF

DORENA CHOCO



ELAVIQUE AVORIO



|           |            |            |           |
|-----------|------------|------------|-----------|
| SIZE      | 120x240 cm | 120x180 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm       | 9 mm      |



FACE VARIATIONS

ELAVIQUE SAND



|           |            |            |           |
|-----------|------------|------------|-----------|
| SIZE      | 120x240 cm | 120x180 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm       | 9 mm      |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE




HOME USE




COMMERCIAL USE



GRANDE REDSPIDER



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x180 cm  | 80x160 cm   |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |




FACE VARIATIONS

TIERRA IMPERIAL



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x240 cm  | 120x180 cm  |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |



FACE VARIATIONS

MASSIF

GRANDE REDSPIDER

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



JAIPURI OFF WHITE



|           |            |
|-----------|------------|
| SIZE      | 120x180 cm |
| FINISH    | MATT       |
| THICKNESS | 9 mm       |



FACE VARIATIONS

JAIPURI SAND



|           |            |
|-----------|------------|
| SIZE      | 120x180 cm |
| FINISH    | MATT       |
| THICKNESS | 9 mm       |



FACE VARIATIONS

SPECIFICATIONS

-  FLOOR TILE
-  V2 SHADE VARIATION
-  WALL TILE
-  HOME USE
-  COMMERCIAL USE



MASSIF


JAIPURI OFF WHITE



ELESTA FRAGMENT



|           |           |
|-----------|-----------|
| SIZE      | 80x160 cm |
| FINISH    | POLISHED  |
| THICKNESS | 9 mm      |



FACE VARIATIONS

FABULO MARFIL



|           |                    |
|-----------|--------------------|
| SIZE      | 80x160 cm          |
| FINISH    | POLISHED,<br>HONED |
| THICKNESS | 9 mm               |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE




COMMERCIAL USE

MASSIF

FABULO MARFIL



LEMURIAN FOREST



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x240 cm  | 80x160 cm   |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |



FACE VARIATIONS

LEMURIAN SAPPHIRE



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x240 cm  | 80x160 cm   |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE

MASSIF

LEMURIAN FOREST



MARGESA SAND



|           |                      |                      |
|-----------|----------------------|----------------------|
| SIZE      | 120x180 cm           | 80x160 cm            |
| FINISH    | POLISHED,<br>CARVING | POLISHED,<br>CARVING |
| THICKNESS | 9 mm                 | 9 mm                 |



FACE VARIATIONS

MARGESA CREMA



|           |                      |                      |
|-----------|----------------------|----------------------|
| SIZE      | 120x180 cm           | 80x160 cm            |
| FINISH    | POLISHED,<br>CARVING | POLISHED,<br>CARVING |
| THICKNESS | 9 mm                 | 9 mm                 |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



MARMOREA BEIGE



|           |                           |                           |
|-----------|---------------------------|---------------------------|
| SIZE      | 120x180 cm                | 80x160 cm                 |
| FINISH    | POLISHED, HONED, CASHMERE | POLISHED, HONED, CASHMERE |
| THICKNESS | 9 mm                      | 9 mm                      |



FACE VARIATIONS

LUSTRO BIANCO



|           |                 |                 |
|-----------|-----------------|-----------------|
| SIZE      | 120x180 cm      | 80x160 cm       |
| FINISH    | POLISHED, HONED | POLISHED, HONED |
| THICKNESS | 9 mm            | 9 mm            |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



NIKOLIC OCHRE



|           |            |           |
|-----------|------------|-----------|
| SIZE      | 120x180 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm      |




FACE VARIATIONS

NIKOLIC BIANCO



|           |            |           |
|-----------|------------|-----------|
| SIZE      | 120x180 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm      |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



MASSIF

NIKOLIC OCHRE



NIKOLIC IVORY



|           |            |           |
|-----------|------------|-----------|
| SIZE      | 120x180 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm      |




FACE VARIATIONS

NIKOLIC GREY



|           |            |           |
|-----------|------------|-----------|
| SIZE      | 120x180 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm      |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



OTTOMAN BEIGE



|           |                    |                    |                       |
|-----------|--------------------|--------------------|-----------------------|
| SIZE      | 120x240 cm         | 120x180 cm         | 120x180 cm            |
| FINISH    | POLISHED, CASHMERE | POLISHED, CASHMERE | HIGH GLOSSY, CASHMERE |
| THICKNESS | 9 mm               | 9 mm               | 15 mm                 |



FACE VARIATIONS

OTTOMAN GREY



|           |                    |                    |                       |
|-----------|--------------------|--------------------|-----------------------|
| SIZE      | 120x240 cm         | 120x180 cm         | 120x180 cm            |
| FINISH    | POLISHED, CASHMERE | POLISHED, CASHMERE | HIGH GLOSSY, CASHMERE |
| THICKNESS | 9 mm               | 9 mm               | 15 mm                 |



FACE VARIATIONS



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



COLOR BODY (15mm)



WALL TILE



HOME USE




COMMERCIAL USE



MOONLIT WHITE




|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x180 cm         | 80x160 cm          |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |




FACE VARIATIONS

OBSIDIAN AZURE



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x180 cm  | 80x160 cm   |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |



FACE VARIATIONS

MASSIF



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE




HOME USE




COMMERCIAL USE



OBSIDIAN INDIGO



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x180 cm  | 80x160 cm   |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |




FACE VARIATIONS

OBSIDIAN LAVENDER



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x180 cm  | 80x160 cm   |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |



FACE VARIATIONS

MASSIF



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE




COMMERCIAL USE



OBSIDIAN AERIS



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x180 cm  | 80x160 cm   |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |



FACE VARIATIONS

PATAGONIA BM A+B




|           |             |
|-----------|-------------|
| SIZE      | 120x240 cm  |
| FINISH    | HIGH GLOSSY |
| THICKNESS | 9 mm        |

PATAGONIA A PATAGONIA B



FACE VARIATIONS\*



MASSIF



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE

\*Both faces to be used for creating book match pattern



PATAGONIA NATURAL



|           |            |           |
|-----------|------------|-----------|
| SIZE      | 120x240 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm      |



FACE VARIATIONS

PATAGONIA VINTAGE



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x180 cm         | 80x160 cm          |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



PATAGONIA



|           |             |
|-----------|-------------|
| SIZE      | 120x180 cm  |
| FINISH    | HIGH GLOSSY |
| THICKNESS | 9 mm        |



FACE VARIATIONS

VELORA CREMA



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x180 cm         | 80x160 cm          |
| FINISH    | POLISHED, CASHMERE | POLISHED, CASHMERE |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS



MASSIF

PATAGONIA

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE




COMMERCIAL USE



PRIMUS IVORY



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x180 cm         | 80x160 cm          |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS


STATUARIO AURUM



|           |                    |                    |                    |
|-----------|--------------------|--------------------|--------------------|
| SIZE      | 120x240 cm         | 120x180 cm         | 80x160 cm          |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               | 9 mm               |



FACE VARIATIONS



STATUARIO AURUM



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE




COMMERCIAL USE



STATUARIO BORGHINI



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x240 cm         | 120x180 cm         |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |




FACE VARIATIONS

STATUARIO CINZA



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x180 cm         | 80x160 cm          |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS

MASSIF



STATUARIO BORGHINI



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



SUNSET MARBLE



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x240 cm         | 120x180 cm         |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS

TAJ MAHAL PEARL



|           |                    |                    |
|-----------|--------------------|--------------------|
| SIZE      | 120x240 cm         | 80x160 cm          |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED |
| THICKNESS | 9 mm               | 9 mm               |



FACE VARIATIONS



TAJ MAHAL PEARL



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



TAJ CLASSIC BEIGE



|           |                    |                    |                          |
|-----------|--------------------|--------------------|--------------------------|
| SIZE      | 120x240 cm         | 120x180 cm         | 120x180 cm               |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED | HIGH GLOSSY,<br>CASHMERE |
| THICKNESS | 9 mm               | 9 mm               | 15 mm                    |



FACE VARIATIONS

TAJ CLASSIC CREMA



|           |                    |                    |                          |
|-----------|--------------------|--------------------|--------------------------|
| SIZE      | 120x240 cm         | 120x180 cm         | 120x180 cm               |
| FINISH    | POLISHED,<br>HONED | POLISHED,<br>HONED | HIGH GLOSSY,<br>CASHMERE |
| THICKNESS | 9 mm               | 9 mm               | 15 mm                    |



FACE VARIATIONS



TAJ CLASSIC CREAMA

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



COLOR BODY (15mm)



WALL TILE



HOME USE




COMMERCIAL USE



TEMPESTA BLACK




|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x240 cm  | 120x180 cm  |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |




FACE VARIATIONS


TEMPESTA BROWN



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x240 cm  | 120x180 cm  |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |



FACE VARIATIONS



TEMPESTA BLACK



SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



TRAVER CROSS CREMA



|           |            |
|-----------|------------|
| SIZE      | 120x180 cm |
| FINISH    | CASHMERE   |
| THICKNESS | 9 mm       |



FACE VARIATIONS

TRAVER CROSS CEMENT



|           |            |
|-----------|------------|
| SIZE      | 120x180 cm |
| FINISH    | CASHMERE   |
| THICKNESS | 9 mm       |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE





VOLAKAS TAUPE



|           |            |           |
|-----------|------------|-----------|
| SIZE      | 120x180 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm      |



FACE VARIATIONS

VOLAKAS GREIGE



|           |            |           |
|-----------|------------|-----------|
| SIZE      | 120x180 cm | 80x160 cm |
| FINISH    | POLISHED   | POLISHED  |
| THICKNESS | 9 mm       | 9 mm      |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE






VERIAS GREEN



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x240 cm  | 80x160 cm   |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |




FACE VARIATIONS

VERIAS BLACK



|           |             |             |
|-----------|-------------|-------------|
| SIZE      | 120x240 cm  | 80x160 cm   |
| FINISH    | HIGH GLOSSY | HIGH GLOSSY |
| THICKNESS | 9 mm        | 9 mm        |



FACE VARIATIONS

SPECIFICATIONS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE





# ARDEA

It's virtually impossible to tear one's eyes away from something truly stunning. This sentiment rings especially true with the Ardea collection. Named after one of Italy's oldest cities, Ardea is built on a singular belief: the finest spaces begin with the most beautiful materials. That is why Ardea features wandering veins and vibrant spectrums of colour that brighten and contrast with one another, revealing something new as the light moves across them. Captured in the medium of tiles and expressed in a single 60 × 120 cm format, every piece in the Ardea collection is sure to make your spaces feel distinct and memorable.





EARTHY BEIGE



SIZE: 60x120 cm  
FINISH: MATT

EARTHY BROWN



SIZE: 60x120 cm  
FINISH: MATT

EARTHY GEO DÉCOR



SIZE: 60x120 cm  
FINISH: CARVING

SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE





ETERNAL FROST




SIZE: 60x120 cm  
FINISH: MATT, POLISHED



FACE VARIATIONS

ETERNAL BROWN



SIZE: 60x120 cm  
FINISH: MATT, POLISHED



FACE VARIATIONS

ETERNAL CHOCO



SIZE: 60x120 cm  
FINISH: MATT, POLISHED



FACE VARIATIONS

ETERNAL CREMA



SIZE: 60x120 cm  
FINISH: MATT, POLISHED



FACE VARIATIONS

SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE




COMMERCIAL USE

ETERNAL FROST



ETERNAL GREY



SIZE: 60x120 cm  
FINISH: MATT, POLISHED



FACE VARIATIONS

BELLORA STONE BASE



SIZE: 60x120 cm  
FINISH: MATT



FACE VARIATIONS

BELLORA STONE DÉCOR



SIZE: 60x120 cm  
FINISH: MATT



BELLORA STONE BASE



SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE




HOME USE



COMMERCIAL USE




KINTSUGI AQUA



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY

KINTSUGI PURPLE



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY

KINTSUGI ROSE



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY

SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE





LEAFORA BEIGE



SIZE: 60x120 cm  
FINISH: MATT

LEAFORA IVORY



SIZE: 60x120 cm  
FINISH: MATT

LEAFORA IVORY DÉCOR



SIZE: 60x120 cm  
FINISH: CARVING



LEAFORA BEIGE



SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



LEAFORA MINT




SIZE: 60x120 cm  
FINISH: MATT

LEAFORA MINT DÉCOR




SIZE: 60x120 cm  
FINISH: CARVING

FURY BLACK




SIZE: 60x120 cm  
FINISH: HIGH GLOSSY




FACE VARIATIONS

FURY CHOCO




SIZE: 60x120 cm  
FINISH: HIGH GLOSSY



FACE VARIATIONS



ARDEA



SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE




HOME USE




COMMERCIAL USE



LABRADO AQUA



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY



FACE VARIATIONS

LUCCA GOLD



SIZE: 60x120 cm  
FINISH: CARVING



FACE VARIATIONS

LUNEX GOLD



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY




FACE VARIATIONS

LUMUS BIEGE



SIZE: 60x120 cm  
FINISH: MATT, POLISHED



FACE VARIATIONS

SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE


LABRADO AQUA



LUMUS BROWN



SIZE: 60x120 cm  
FINISH: MATT, POLISHED



FACE VARIATIONS

LUMUS GREY



SIZE: 60x120 cm  
FINISH: MATT, POLISHED



FACE VARIATIONS

LUMUS OCHRE



SIZE: 60x120 cm  
FINISH: MATT, POLISHED



FACE VARIATIONS

LUMUS BIANCO



SIZE: 60x120 cm  
FINISH: MATT, POLISHED



FACE VARIATIONS

SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE






MURALIA COTTO



SIZE: 60x120 cm  
FINISH: MATT



FACE VARIATIONS

MURALIA DÉCOR



SIZE: 60x120 cm  
FINISH: MATT

MURALIA OFF WHITE



SIZE: 60x120 cm  
FINISH: MATT



FACE VARIATIONS

SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE


MURALIA COTTO



NEBULA GREY



SIZE: 60x120 cm  
FINISH: CARVING



FACE VARIATIONS

NEBULA BIANCO



SIZE: 60x120 cm  
FINISH: CARVING




FACE VARIATIONS

PHANTOM BLACK



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY




FACE VARIATIONS

SARINIA GOLDEN



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY



FACE VARIATIONS

ARDEA



NEBULA BIANCO



SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



NEROVIA AQUA



SIZE: 60x120 cm  
FINISH: POLISHED, CARVING



FACE VARIATIONS

NEROVIA GREEN



SIZE: 60x120 cm  
FINISH: POLISHED, CARVING



FACE VARIATIONS

NEROVIA LT AQUA



SIZE: 60x120 cm  
FINISH: POLISHED, CARVING



FACE VARIATIONS

NEROVIA PURPLE



SIZE: 60x120 cm  
FINISH: POLISHED, CARVING



FACE VARIATIONS

SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE






ORAVIA ONYX OCEAN



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY



FACE VARIATIONS

ORAVIA ONYX VERDE



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY



FACE VARIATIONS

ORAVIA ONYX ROSE



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY



FACE VARIATIONS

ORAVIA ONYX SKY



SIZE: 60x120 cm  
FINISH: HIGH GLOSSY



FACE VARIATIONS



ORAVIA ONYX VERDE



SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



OROBIC BEIGE



SIZE: 60x120 cm  
FINISH: CARVING



FACE VARIATIONS

OROBIC IVORY



SIZE: 60x120 cm  
FINISH: CARVING



FACE VARIATIONS

OROBIC BIANCO



SIZE: 60x120 cm  
FINISH: CARVING



FACE VARIATIONS

OROBIC GREY



SIZE: 60x120 cm  
FINISH: CARVING



FACE VARIATIONS

SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE

OROBIC GREY



STELLAR WAVE BEIGE



SIZE: 60x120 cm  
FINISH: MATT



FACE VARIATIONS

STELLAR WAVE BROWN



SIZE: 60x120 cm  
FINISH: MATT



FACE VARIATIONS

STELLAR WAVE GREY




SIZE: 60x120 cm  
FINISH: MATT



FACE VARIATIONS

STELLAR WAVE NERO



SIZE: 60x120 cm  
FINISH: MATT



FACE VARIATIONS

SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE





TWILIGHT ROSE DÉCOR




SIZE: 60x120 cm  
FINISH: MATT

TWILIGHT ROSE



SIZE: 60x120 cm  
FINISH: MATT



FACE VARIATIONS

VESPER GOLD




SIZE: 60x120 cm  
FINISH: HIGH GLOSSY



FACE VARIATIONS

ARDEA



SPECIFICATIONS



9 MM THICKNESS



FLOOR TILE



V2 SHADE VARIATION



WALL TILE



HOME USE



COMMERCIAL USE



## TECHNICAL SPECIFICATION

### ICONS

#### TPOLOGY



VITRIFIED  
TILES



FULL-BODY  
VITRIFIED TILES

#### EDGE



RECTIFIED

#### SURFACE STRUCTURE



SMOOTH

Tiles with an even and regular surface, free from perceptible projections, lumps, or indentations.



LIGHT  
STRUCTURE

Tiles with an uneven, irregular surface, with a structure perceptible to the eye and touch.



HEAVY  
STRUCTURE

Tiles with a highly irregular surface.

#### FINISH



NATURAL

Pressed tiles with no further work after firing.



LAPPATO

Semi-polished/honed products achieved by polishing the tile's surface with an abrasive wheel, not long enough to attain the luster of a typical polished tile.



FULL  
LAPPATO

A ceramic lapping process performed with the finest abrasive grain, aimed at removing the smallest imperfections and glaze.



POLISHED

Pressed tiles with a smooth pad, subjected to strong mechanical processing, by removing a significant amount of material after firing, making the surface bright.

#### SURFACE LOOK



MATT

For a natural looking surface.



SATIN

For a satin-like surface look. Smooth and velvety to the touch.



GLOSSY

The surface has a medium degree of reflection.



HIGH  
GLOSSY

The surface is highly reflective, almost mirror-like.

#### COLOUR VARIATIONS



V1  
EVEN

The least amount of shade variation attainable.



V2  
LIGHT

Light to moderate shade variation within each carton.



V3  
MEDIUM

Medium shade variation within each carton.



V4  
STRONG

Strong shade variation within each carton.

#### INDICATIONS FOR USE



WALL TILES



FLOOR TILES



COUNTERTOP  
SURFACE

#### SUGGESTED APPLICATIONS



DOMESTIC  
PURPOSE

Residential areas, hotel rooms, bathrooms



LIGHT  
COMMERCIAL  
TRAFFIC AREA

Indoor public areas subject to medium pedestrian traffic such as restaurants, bars, offices, shops, hotel and convention rooms.



OUTDOOR

Outdoor public environments subject to medium pedestrian traffic such as outdoor terraces, stairs, corridors, raised paving, private garden, swimming pool and wellness areas. Always check slippery characteristics against the intended environment, in conformity with applicable regulations or laws.



TECHNICAL SPECIFICATIONS - 20X20CM

| TEST DESCRIPTION                                | STANDARD TEST METHOD | ISO 13006 : 2018 Specification      | RAK CERAMICS SPECIFICATIONS              |
|-------------------------------------------------|----------------------|-------------------------------------|------------------------------------------|
|                                                 |                      |                                     | 20x20 cm *8 mm                           |
| Size Length & Width                             | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. ±0.25%                              |
| Thickness                                       | BS EN ISO 10545 – 2  | Max. + 5.0%                         | Max. ±4.00%                              |
| Straightness Of Sides                           | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. ±0.20%                              |
| Rectangularity                                  | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. ±0.20%                              |
| Surface Flatness                                | BS EN ISO 10545 – 2  | Max. + 0.4%                         | Max. ±0.30%                              |
| Surface quality                                 | BS EN ISO 10545 – 2  | Min95%free from visible defects     | Min95%free from visible defects          |
| Water Absorption                                | BS EN ISO 10545 – 3  | < 0.50 %                            | Avg. < 0.080 %                           |
| Breaking Strength                               | BS EN ISO 10545 – 4  | MIN.1300N                           | ≥ 1300 N                                 |
| Modules Of Rupture                              | BS EN ISO 10545 – 4  | ≥ 35N/mm²                           | ≥ 38 N/mm²                               |
| Impect Resistance                               | BS EN ISO 10545 – 5  | Required                            | Min. 0.55                                |
| Resistance to Deep Abrasion for Un-glazed tiles | BS EN ISO 10545 – 6  | Max 175 mm³                         | For glaze Not Applicable                 |
| Resistance to surface Abrasion for glazed tiles | BS EN ISO 10545 – 7  | Report abrasion class               | PEI – 2 – 3                              |
| Linear thermal expansion                        | BS EN ISO 10545 – 8  | Test method available               | Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> |
| Resistance To Thermal Shock                     | BS EN ISO 10545 – 9  | No Visible Defect                   | No Visible Defect                        |
| Moisture Expansion                              | BS EN ISO 10545 – 10 | Test method available               | Nil                                      |
| Crazing Resistance                              | BS EN ISO 10545 – 11 | Required                            | Min 4 Cycle @7.5 bar                     |
| Frost Resistance                                | BS EN ISO 10545 – 12 | Required                            | No Visible Defect                        |
| Resistance To House hold Chemical               | BS EN ISO 10545 – 13 | Minimum B                           | Class A<br>No visible effect             |
| Resistance To Staining                          | BS EN ISO 10545 – 14 | Min Class - 3                       | Min Class - 3 Stain removed              |
| Scratch hardness                                | EN-101               | Manufacture to state classification | MIN 5                                    |
| Slip Resisstance                                | DIN 51130            | As per Manufacturer                 | For glossy Not Applicable                |
| Colour Resistance to UV light                   | DIN 51094            | No change in color                  | No change in color                       |

TECHNICAL SPECIFICATIONS - 6X25CM

| TEST DESCRIPTION                                | STANDARD TEST METHOD | ISO 13006 : 2018 Specification      | RAK CERAMICS SPECIFICATIONS              |
|-------------------------------------------------|----------------------|-------------------------------------|------------------------------------------|
|                                                 |                      |                                     | 6x25 cm *8 mm                            |
| Size Length & Width                             | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. ±0.25%                              |
| Thickness                                       | BS EN ISO 10545 – 2  | Max. + 5.0%                         | Max. ±4.00%                              |
| Straightness Of Sides                           | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. ±0.20%                              |
| Rectangularity                                  | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. ±0.20%                              |
| Surface Flatness                                | BS EN ISO 10545 – 2  | Max. + 0.4%                         | Max. ±0.30%                              |
| Surface quality                                 | BS EN ISO 10545 – 2  | Min95%free from visible defects     | Min95%free from visible defects          |
| Water Absorption                                | BS EN ISO 10545 – 3  | < 0.50 %                            | Avg. < 0.080 %                           |
| Breaking Strength                               | BS EN ISO 10545 – 4  | MIN.1300N                           | ≥ 1300 N                                 |
| Modules Of Rupture                              | BS EN ISO 10545 – 4  | ≥ 35N/mm²                           | ≥ 38 N/mm²                               |
| Impect Resistance                               | BS EN ISO 10545 – 5  | Required                            | Min. 0.55                                |
| Resistance to Deep Abrasion for Un-glazed tiles | BS EN ISO 10545 – 6  | Max 175 mm³                         | For glaze Not Applicable                 |
| Resistance to surface Abrasion for glazed tiles | BS EN ISO 10545 – 7  | Report abrasion class               | PEI – 2 – 3                              |
| Linear thermal expansion                        | BS EN ISO 10545 – 8  | Test method available               | Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> |
| Resistance To Thermal Shock                     | BS EN ISO 10545 – 9  | No Visible Defect                   | No Visible Defect                        |
| Moisture Expansion                              | BS EN ISO 10545 – 10 | Test method available               | Nil                                      |
| Crazing Resistance                              | BS EN ISO 10545 – 11 | Required                            | Min 4 Cycle @7.5 bar                     |
| Frost Resistance                                | BS EN ISO 10545 – 12 | Required                            | No Visible Defect                        |
| Resistance To House hold Chemical               | BS EN ISO 10545 – 13 | Minimum B                           | Class A<br>No visible effect             |
| Resistance To Staining                          | BS EN ISO 10545 – 14 | Min Class - 3                       | Min Class - 3 Stain removed              |
| Scratch hardness                                | EN-101               | Manufacture to state classification | MIN 5                                    |
| Slip Resisstance                                | DIN 51130            | As per Manufacturer                 | For glossy Not Applicable                |
| Colour Resistance to UV light                   | DIN 51094            | No change in color                  | No change in color                       |



TECHNICAL SPECIFICATIONS - 80X160CM

| TEST DESCRIPTION                                | STANDARD TEST METHOD | ISO 13006 : 2018 Specification      | RAK CERAMICS SPECIFICATIONS              |
|-------------------------------------------------|----------------------|-------------------------------------|------------------------------------------|
|                                                 |                      |                                     | 80x160 cm *9 mm                          |
| Size Length & Width                             | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. + 0.15%                             |
| Thickness                                       | BS EN ISO 10545 – 2  | Max. + 5.0%                         | Max. + 4.0%                              |
| Straightness Of Sides                           | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. + 0.15%                             |
| Rectangularity                                  | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. + 0.15%                             |
| Surface Flatness                                | BS EN ISO 10545 – 2  | Max. + 0.4%                         | Max. + 0.20%                             |
| Surface quality                                 | BS EN ISO 10545 – 2  | Min95%free from visible defects     | Min95%free from visible defects          |
| Water Absorption                                | BS EN ISO 10545 – 3  | < 0.50 %                            | Avg. < 0.080 %                           |
| Breaking Strength                               | BS EN ISO 10545 – 4  | MIN.1300N                           | ≥ 1400 N                                 |
| Modules Of Rupture                              | BS EN ISO 10545 – 4  | ≥ 35N/mm²                           | ≥ 38 N/mm²                               |
| Impect Resistance                               | BS EN ISO 10545 – 5  | Required                            | Min. 0.55                                |
| Resistance to Deep Abrasion for Un-glazed tiles | BS EN ISO 10545 – 6  | Max 175 mm³                         | For glaze Not Applicable                 |
| Resistance to surface Abrasion for glazed tiles | BS EN ISO 10545 – 7  | Report abrasion class               | PEI – 2 – 3                              |
| Linear thermal expansion                        | BS EN ISO 10545 – 8  | Test method available               | Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> |
| Resistance To Thermal Shock                     | BS EN ISO 10545 – 9  | No Visible Defect                   | No Visible Defect                        |
| Moisture Expansion                              | BS EN ISO 10545 – 10 | Test method available               | Nil                                      |
| Crazing Resistance                              | BS EN ISO 10545 – 11 | Required                            | Min 4 Cycle @7.5 bar                     |
| Frost Resistance                                | BS EN ISO 10545 – 12 | Required                            | No Visible Defect                        |
| Resistance To House hold Chemical               | BS EN ISO 10545 – 13 | Minimum B                           | Class A<br>No visible effect             |
| Resistance To Staining                          | BS EN ISO 10545 – 14 | Min Class - 3                       | Min Class - 3 Stain removed              |
| Scratch hardness                                | EN-101               | Manufacture to state classification | MIN 5                                    |
| Slip Resisstance                                | DIN 51130            | As per Manufacturer                 | For glossy Not Applicable                |
| Colour Resistance to UV light                   | DIN 51094            | No change in color                  | No change in color                       |

TECHNICAL SPECIFICATIONS - 120X180CM | 9MM

| TEST DESCRIPTION                                | STANDARD TEST METHOD | ISO 13006 : 2018 Specification      | RAK CERAMICS SPECIFICATIONS              |
|-------------------------------------------------|----------------------|-------------------------------------|------------------------------------------|
|                                                 |                      |                                     | 120x180 cm *9 mm                         |
| Size Length & Width                             | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. + 0.15%                             |
| Thickness                                       | BS EN ISO 10545 – 2  | Max. + 5.0%                         | Max. + 4.0%                              |
| Straightness Of Sides                           | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. + 0.15%                             |
| Rectangularity                                  | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. + 0.15%                             |
| Surface Flatness                                | BS EN ISO 10545 – 2  | Max. + 0.4%                         | Max. + 0.20%                             |
| Surface quality                                 | BS EN ISO 10545 – 2  | Min95%free from visible defects     | Min95%free from visible defects          |
| Water Absorption                                | BS EN ISO 10545 – 3  | < 0.50 %                            | Avg. < 0.080 %                           |
| Breaking Strength                               | BS EN ISO 10545 – 4  | MIN.1300N                           | ≥ 1300 N                                 |
| Modules Of Rupture                              | BS EN ISO 10545 – 4  | ≥ 35N/mm²                           | ≥ 38 N/mm²                               |
| Impect Resistance                               | BS EN ISO 10545 – 5  | Required                            | Min. 0.55                                |
| Resistance to Deep Abrasion for Un-glazed tiles | BS EN ISO 10545 – 6  | Max 175 mm³                         | For glaze Not Applicable                 |
| Resistance to surface Abrasion for glazed tiles | BS EN ISO 10545 – 7  | Report abrasion class               | PEI – 2 – 3                              |
| Linear thermal expansion                        | BS EN ISO 10545 – 8  | Test method available               | Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> |
| Resistance To Thermal Shock                     | BS EN ISO 10545 – 9  | No Visible Defect                   | No Visible Defect                        |
| Moisture Expansion                              | BS EN ISO 10545 – 10 | Test method available               | Nil                                      |
| Crazing Resistance                              | BS EN ISO 10545 – 11 | Required                            | Min 4 Cycle @7.5 bar                     |
| Frost Resistance                                | BS EN ISO 10545 – 12 | Required                            | No Visible Defect                        |
| Resistance To House hold Chemical               | BS EN ISO 10545 – 13 | Minimum B                           | Class A<br>No visible effect             |
| Resistance To Staining                          | BS EN ISO 10545 – 14 | Min Class - 3                       | Min Class - 3 Stain removed              |
| Scratch hardness                                | EN-101               | Manufacture to state classification | MIN 5                                    |
| Slip Resisstance                                | DIN 51130            | As per Manufacturer                 | For glossy Not Applicable                |
| Colour Resistance to UV light                   | DIN 51094            | No change in color                  | No change in color                       |




TECHNICAL SPECIFICATIONS - 120X240CM

| TEST DESCRIPTION                                | STANDARD TEST METHOD | ISO 13006 : 2018 Specification      | RAK CERAMICS SPECIFICATIONS              |
|-------------------------------------------------|----------------------|-------------------------------------|------------------------------------------|
|                                                 |                      |                                     | 120x240 cm *9 mm                         |
| Size Length & Width                             | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. + 0.15%                             |
| Thickness                                       | BS EN ISO 10545 – 2  | Max. + 5.0%                         | Max. + 4.0%                              |
| Straightness Of Sides                           | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. + 0.15%                             |
| Rectangularity                                  | BS EN ISO 10545 – 2  | Max. + 0.3%                         | Max. + 0.15%                             |
| Surface Flatness                                | BS EN ISO 10545 – 2  | Max. + 0.4%                         | Max. + 0.20%                             |
| Surface quality                                 | BS EN ISO 10545 – 2  | Min95%free from visible defects     | Min95%free from visible defects          |
| Water Absorption                                | BS EN ISO 10545 – 3  | < 0.50 %                            | Avg. < 0.080 %                           |
| Breaking Strength                               | BS EN ISO 10545 – 4  | MIN.1300N                           | ≥ 1600 N                                 |
| Modules Of Rupture                              | BS EN ISO 10545 – 4  | ≥ 35N/mm²                           | ≥ 38 N/mm²                               |
| Impect Resistance                               | BS EN ISO 10545 – 5  | Required                            | Min. 0.55                                |
| Resistance to Deep Abrasion for Un-glazed tiles | BS EN ISO 10545 – 6  | Max 175 mm³                         | For glaze Not Applicable                 |
| Resistance to surface Abrasion for glazed tiles | BS EN ISO 10545 – 7  | Report abrasion class               | PEI – 2 – 3                              |
| Linear thermal expansion                        | BS EN ISO 10545 – 8  | Test method available               | Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> |
| Resistance To Thermal Shock                     | BS EN ISO 10545 – 9  | No Visible Defect                   | No Visible Defect                        |
| Moisture Expansion                              | BS EN ISO 10545 – 10 | Test method available               | Nil                                      |
| Crazing Resistance                              | BS EN ISO 10545 – 11 | Required                            | Min 4 Cycle @7.5 bar                     |
| Frost Resistance                                | BS EN ISO 10545 – 12 | Required                            | No Visible Defect                        |
| Resistance To House hold Chemical               | BS EN ISO 10545 – 13 | Minimum B                           | Class A<br>No visible effect             |
| Resistance To Staining                          | BS EN ISO 10545 – 14 | Min Class - 3                       | Min Class - 3 Stain removed              |
| Scratch hardness                                | EN-101               | Manufacture to state classification | MIN 5                                    |
| Slip Resisstance                                | DIN 51130            | As per Manufacturer                 | For glossy Not Applicable                |
| Colour Resistance to UV light                   | DIN 51094            | No change in color                  | No change in color                       |

TECHNICAL SPECIFICATIONS - 120X180CM | 15MM

| TEST DESCRIPTION                                | STANDARD TEST METHOD | ISO 13006 : 2018 Specification      | RAK CERAMICS SPECIFICATIONS              |
|-------------------------------------------------|----------------------|-------------------------------------|------------------------------------------|
|                                                 |                      |                                     | 120x180 cm *15 mm                        |
| Size Length & Width                             | BS EN ISO 10545 – 2  | Max. ±0.3%                          | Max. ±0.15%                              |
| Thickness                                       | BS EN ISO 10545 – 2  | Max. ±5.0%                          | Max. ±4.0%                               |
| Straightness Of Sides                           | BS EN ISO 10545 – 2  | Max. ±0.3%                          | Max. ±0.15%                              |
| Rectangularity                                  | BS EN ISO 10545 – 2  | Max. ±0.3%                          | Max. ±0.15%                              |
| Surface Flatness                                | BS EN ISO 10545 – 2  | Max. ±0.4%                          | Max. ±0.20%                              |
| Surface quality                                 | BS EN ISO 10545 – 2  | Min95%free from visible defects     | Min95%free from visible defects          |
| Water Absorption                                | BS EN ISO 10545 – 3  | < 0.50 %                            | Avg. < 0.080 %                           |
| Breaking Strength                               | BS EN ISO 10545 – 4  | MIN.1300N                           | ≥ 4000 N                                 |
| Modules Of Rupture                              | BS EN ISO 10545 – 4  | ≥ 35N/mm²                           | ≥ 40 N/mm²                               |
| Impect Resistance                               | BS EN ISO 10545 – 5  | Required                            | Min. 0.55                                |
| Resistance to Deep Abrasion for Un-glazed tiles | BS EN ISO 10545 – 6  | Max 175 mm³                         | For Glaze not applicable                 |
| Resistance to surface Abrasion for glazed tiles | BS EN ISO 10545 – 7  | Report abrasion class               | PEI-2-3                                  |
| Linear thermal expansion                        | BS EN ISO 10545 – 8  | Test method available               | Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> |
| Resistance To Thermal Shock                     | BS EN ISO 10545 – 9  | No Visible Defect                   | No Visible Defect                        |
| Moisture Expansion                              | BS EN ISO 10545 – 10 | Test method available               | Nil                                      |
| Crazing Resistance                              | BS EN ISO 10545 – 11 | Required                            | For unglazed Not Applicable              |
| Frost Resistance                                | BS EN ISO 10545 – 12 | Required                            | No Visible Defect                        |
| Resistance To House hold Chemical               | BS EN ISO 10545 – 13 | Minimum B                           | Class A<br>No visible effect             |
| Resistance To Staining                          | BS EN ISO 10545 – 14 | Min Class - 3                       | Min Class - 3 Stain removed              |
| Scratch hardness                                | EN-101               | Manufacture to state classification | MIN 5                                    |
| Slip Resisstance                                | DIN 51130            | As per Manufacturer                 | For glossy Not Applicable                |
| Colour Resistance to UV light                   | DIN 51094            | No change in color                  | No change in color                       |





RAK  
CERAMICS