

**60x120**

**40x120**

**40x80**

Ceramic Surface



**RAK**  
CERAMICS

Marble Collection	10
Black Iron	12
Honor	18
Iron	14
Petra Stone	16
Porpora Stone	20
Refrain	24
Ripple	28
Bianco Marble	36
Bianco Vena	34
Brexitinia	42
Cloudy	38
Lenis	40
Marvin	42
Metropol	44
Refine	48
Smoke	48
Texture	50

**RAK**  
CERAMICS



**60X120**  
**40X120**



60x120 cm

Wall: Falcon Ivory 60x120 cm Floor: Falcon Ivory 60x120 cm

60x120

# 60x120 cm

RED BODY CERAMIC TILES  
Glossy • Rectified • Smooth



amber gold ivory




arina grey



belzin white



carnico ivory



corscia white



venisa white




flacon ivory



globe white

60x120 cm

## SIZES



60x120 cm  
23.62"x47.24"



Wall: Amber Gold 60x120 cm Floor: Amber Gold 60x120 cm

# 60x120 cm

RED BODY CERAMIC TILES  
Glossy / Matt • Rectified • Smooth



london light grey


matt



menitos light beige



velantina white



reden white



renny light beige



selome wheat




taylor white



Z730 grey



## SIZES



**60x120 cm**  
23.62"x47.24"



zandea brown

Name	Code	Size(CM)
amber gold ivory	A12RABGD-IVO.GoXoR	60x120
arina grey	ARB12ARINGRYZGSNLR	60x120
belzin white	A12RBZIN-WHE.GoXoR	60x120
carnico ivory	ARB12CRNCIVOZGSNLR	60x120
corscia white	ARB12ZCSCWHEZGSNLR	60x120
flacon ivory	ARB12FLONIVOZGSNLR	60x120
globe white	A12RGLBE-WHE.GoXoR	60x120
london light grey	A12RZLND-LIG.MoXoR	60x120
menitos light beige	ARB12MENSLBEZGSNLR	60x120
reden white	A12RRDEN-WHE.GoXoR	60x120
renny light beige	ARB12RNNYLBEZGSNLR	60x120
salome wheat	ARB12SLMEWHTZGSNLR	60x120
taylor white	ARB12TYLRWHEZGSNLR	60x120
velantina white	ARB12VLTAWHEZGSNLR	60x120
venisa white	ARB12ZVSAWHEZGSNLR	60x120
Z730 grey	ARB12Z730GRYZGSNLR	60x120
zandea brown	ARB12ZZADBRNZGSNLR	60x120

Sizes (cm)	Thickness (mm)	Pieces X	M² X	Kg X	X Sq. Pallet	M² X Sq. Pallet	kg X Sq. Pallet
60x120	11	3	2.16	44	28	60.48	1232



**Black Iron**

Wall: Black Iron Anthracite And Black Iron Anthracite Diamond  
Decor 40x120 cm Floor: Calacatta Verde 120x280 cm

# Black Iron

RED BODY CERAMIC TILES  
Matt • Rectified • Smooth / Heavy Structure




black iron light grey



black iron light grey diamond decor heavy structure



black iron anthracite



black iron anthracite diamond decor heavy structure

# Iron

RED BODY CERAMIC TILES  
Matt • Rectified • Light Structure



iron grey




iron grey line decor


Name	Code	Size(CM)	Name	Code	Size(CM)
black iron light grey	A45RBKIR-LIG.MoXoR	40x120	black iron light grey decor	A45RBKIR-LIG.MNXoR	40x120
black iron anthracite	A45RBKIR-ANT.MoXoR	40x120	black iron anthracite decor	A45RBKIR-ANT.MNXoR	40x120
iron grey	A45RBLLB-GRY.M6XoR	40x120	iron grey line decor	A45RBLLB-GRY.MLXoR	40x120

Sizes (cm)	Thickness (mm)	Pieces X	M <sup>2</sup> X	Kg X	X  Sq. Pallet	M <sup>2</sup> X  Sq. Pallet	kg X  Sq. Pallet
40x120	10,5	3	1,44	29,00	64	92,16	1856,00

## SIZES



40x120 cm  
15.74"x47.24"



40x120 cm  
15.74"x47.24"  
decor



Wall: Black Iron Anthracite Diamond Decor 40x120 cm






Petra Stone

Wall: Petra Stone Light Grey Base 40x120 cm, Petra Light Grey Decor 40x120 cm, Floor: Claystone Anthracite 60x120 cm

# Petra Stone

RED BODY CERAMIC TILES  
Matt • Rectified • Smooth



petra stone light grey



petra stone grey



petra stone light grey decor

# Honor

RED BODY CERAMIC TILES  
Matt • Rectified • Light Structure




honor bisque

Name	Code	Size(CM)	Name	Code	Size(CM)
petra stone light grey	A45RPERA-LIG.MoXoR	40x120	petra stone light grey decor	A45RPERA-LIG.MDXoR	40x120
petra stone grey	A45RPERA-GRY.MoXoR	40x120			


Name	Code	Size(CM)
honor bisque	ARB45HONRBIEZMLNLR	40x120

Sizes (cm)	Thickness (mm)	Pieces X	M <sup>2</sup> X	Kg X	X Sq. Pallet	M <sup>2</sup> X Sq. Pallet	kg X Sq. Pallet
40x120	10.5	3	1.44	29.00	64	92.16	1856.00

## SIZES



40x120 cm  
15.74"x47.24"



40x120 cm  
15.74"x47.24"  
decor



Wall: Petra Stone Light Grey Decor 40x120 cm



Porpora Stone

Wall: Porpora Stone Grey And Porpora Stone Grey Decor 40x120 cm,  
Counter: Porpora Stone White 40x120 cm Floor: Claystone Grey 60x120 cm

# Porpora Stone

RED BODY CERAMIC TILES  
 Matt • Rectified • Smooth



porpora stone white




porpora stone grey




porpora stone grey decor

## SIZES




40x120 cm  
 15.74"x47.24"



40x120 cm  
 15.74"x47.24"  
 decor

Name	Code	Size(CM)	Name	Code	Size(CM)
porpora stone white	A45RPRPS-WHE.MoXoR	40x120	porpora stone grey decor	A45RPRPS-GRY.MDXoR	40x120
porpora stone grey	A45RPRPS-GRY.MoXoR	40x120			

Sizes (cm)	Thickness (mm)	Pieces X	M <sup>2</sup> X	Kg X	X  Sq. Pallet	M <sup>2</sup> X  Sq. Pallet	kg X  Sq. Pallet
40x120	10.5	3	1.44	29.00	64	92.16	1856.00



Wall: Porpora Stone Grey 40x120 cm and Porpora Stone Light Grey Decor 40x120 cm



Refrain

Wall: Refrain Beige Base 40x120 cm, Refrain Beige Decor 40x120 cm, Refrain Brown Decor 40x120 cm

40x120

# Refrain

RED BODY CERAMIC TILES  
Matt • Rectified • Smooth



refrain beige




refrain brown




refrain beige decor

## SIZES



**40x120 cm**  
15.74"x47.24"



**40x120 cm**  
15.74"x47.24"  
decor

Name	Code	Size(CM)	Name	Code	Size(CM)
refrain beige	A45RRFRI-BEE.MoXoR	40x120	refrain beige decor	A45RRFRI-BEE.MDXoR	40x120
refrain brown	A45RRFRI-BRN.MoXoR	40x120			

Sizes (cm)	Thickness (mm)	Pieces X	M <sup>2</sup> X	Kg X	X Sq. Pallet	M <sup>2</sup> X Sq. Pallet	kg X Sq. Pallet
40x120	10,5	3	1.44	29.00	64	92.16	1856.00

Refrain



Wall: Refrain Beige Decor 40x120 cm

Ripple



Wall: Ripple Snow 40x120 cm, Ripple Snow Wave Decor 40x120 cm  
Floor: Behind Grey 120x120 cm

# Ripple

RED BODY CERAMIC TILES  
 Matt • Rectified • Smooth / Heavy Structure



ripple snow



ripple snow wave decor

heavy structure



ripple slate grey




ripple slate grey wave decor

heavy structure




ripple ivory

SIZES




40x120 cm  
 15.74"x47.24"



40x120 cm  
 15.74"x47.24"  
 decor

Name	Code	Size(CM)	Name	Code	Size(CM)
ripple snow	ARB45ZRPLSNWZMSNLR	40x120	ripple snow wave decor	ARD45ZRPLSNWZMHW3R	40x120
ripple slate grey	ARB45ZRPLSLAZMSNLR	40x120	ripple slate grey wave decor	ARD45ZRPLSLAZMHW3R	40x120
ripple ivory	ARB45ZRPLIVOZMSNLR	40x120			

Sizes (cm)	Thickness (mm)	Pieces X	M <sup>2</sup> X	Kg X	X  Sq. Pallet	M <sup>2</sup> X  Sq. Pallet	kg X  Sq. Pallet
40x120	10.5	3	1.44	29.00	64	92.16	1856.00



Wall: Ripple Snow Wave Decor 40x120 cm





**40X80**



**Bianco Vena**

Wall: Bianco Vena 40x80 cm, Bianco Vena Flower Decor 140x80 cm,  
Bianco Vena Line Decor 40x80 cm. Floor: Bianco Vena 40x80 cm

# Bianco Marble

RED BODY CERAMIC TILES

Glossy • Rectified • Smooth / Light Structure



bianco marble white



bianco marble white line decor

light structure


# Bianco Vena

RED BODY CERAMIC TILES

Glossy • Rectified • Smooth / Light Structure



bianco vena




bianco vena line decor

light structure




bianco vena flower decor 1


## SIZES




**40x80 cm**  
15.74"x31.49"




**40x80 cm**  
15.74"x31.49"  
decor



**30x60 cm \***  
11.81"x23.62"



**30x60 cm \***  
11.81"x23.62"  
decor



Wall: Bianco Marble White 40x80 cm, Bianco Marble White Line Decor 40x80 cm

\* Available only in Bianco Vena

Name	Code	Size(CM)
bianco marble white	A48RBCM-B-WHE.GoXoR	40x80
bianco marble white line decor	A48RBCM-B-WHE.GLXoR	40x80

Name	Code	high glossy	Size(CM)	Code	glossy	Size(CM)
bianco vena	A48RZBVA-WHo.HoR		40x80	A14RZBVA-WHo.GoR		30x60
bianco vena line decor	A48RZBVA-WHo.HLR		40x80	A14RZBVA-WHo.GLR		30x60
bianco vena flower decor 1	A48RZBVA-WHo.HWR		40x80			

Sizes (cm)	Thickness (mm)	Pieces X	M <sup>2</sup> X	Kg X	X Sq. Pallet	M <sup>2</sup> X Sq. Pallet	kg X Sq. Pallet	X Eu. Pallet	M <sup>2</sup> X Eu. Pallet	kg X Eu. Pallet
<b>40x80</b>	10.50	4	1.28	25.00	-	-	-	44	56.32	1100.00
<b>30x60</b>	9.50	5	0.9	17.5	72	64.80	1260.00	48	43.2	840.00

Cloudy



Wall: Cloudy Dark Grey 40x120 cm

40x80

# Cloudy

RED BODY CERAMIC TILES  
Matt • Rectified • Smooth



cloudy light grey



cloudy dark grey

# Lenis

RED BODY CERAMIC TILES  
Glossy • Rectified • Smooth / Heavy Structure



lenis white




lenis white hex decor

heavy structure


Name	Code	Size(CM)	Name	Code	Size(CM)
cloudy light grey	ARB48ZCDYLIGZMSNLR	40x80	lenis white	A48RZLEI-WHO.HoR	40x80
cloudy dark grey	ARB48ZCDYDKGZMSNLR	40x80	lenis white hex decor	A48RZLEI-WHO.HSR	40x80

Sizes (cm)	Thickness (mm)	Pieces X	M <sup>2</sup> X	Kg X	X Sq. Pallet	M <sup>2</sup> X  Sq. Pallet	kg X  Sq. Pallet
40x80	10.50	4	1.28	25.00	44	56.32	1100.00

## SIZES



40x80 cm  
15.74"x31.49"



40x80 cm  
15.74"x31.49"  
decor



Wall: Lenis White and Lenis White Hex Decor 40x80 cm

40x80

# Marvin

RED BODY CERAMIC TILES

Matt • Rectified • Light Structure / Heavy Structure



marvin ivory



marvin brown square decor

heavy structure

# Brecitonia

RED BODY CERAMIC TILES

Matt • Rectified • Light Structure




brecitonia silver


Name	Code	Size(CM)	Name	Code	Size(CM)
marvin ivory	ARB48MRVNIVOZMLNLR	40x80	brecitonia silver	ARB48BRCASIRZMLNLR	40x80
marvin brown square decor	ARD48MRVNBRNZMLQ4R	40x80			

Sizes (cm)	Thickness (mm)	Pieces X	M <sup>2</sup> X	Kg X	X  Sq. Pallet	M <sup>2</sup> X  Sq. Pallet	kg X  Sq. Pallet
40x80	10.50	4	1.28	25.00	44	56.32	1100.00

## SIZES



40x80 cm  
15.74"x31.49"



40x80 cm  
15.74"x31.49"  
decor



Wall: Marvin Ivory And Marvin Brown Square Decor 40x80 cm

Metropol



Wall: Metropol Light Grey 40x80 cm, Metropol Light Grey Line Decor 40x80 cm.  
Floor: Metropol Light Grey 41.6x41.6 cm

# Metropol

RED BODY CERAMIC TILES  
Matt • Rectified • Smooth / Heavy Structure



metropol light grey



metropol medium grey



metropol ivory




metropol beige



metropol light grey line decor heavy structure



metropol medium grey line decor heavy structure




metropol ivory line decor heavy structure




metropol beige line decor heavy structure


## SIZES




40x80 cm  
15.74"x31.49"




40x80 cm  
15.74"x31.49"  
decor



30x100 cm #  
11.81"x39.37"



30x60 cm \*  
11.81"x23.62"



30x60 cm \*  
11.81"x23.62"  
decor

\* Only metropol light grey hive decor, metropol medium grey hive decor and metropol ivory hive decor available in 30x60 cm  
# Only metropol light grey available in 30x100 cm



metropol light grey hive decor heavy structure



metropol medium grey hive decor heavy structure



metropol ivory hive decor heavy structure



metropol beige hive decor heavy structure

Name	Code	Size(CM)	Name	Code	Size(CM)	Name	Code	Size(CM)
metropol light grey	A48RZMPL-LGY.MoR	40x80	metropol light grey hive decor	A48RZMPL-LGY.MDR	40x80	metropol light grey line decor	A48RZMPL-LGY.MLR	40x80
metropol medium grey	A48RZMPL-MGY.MoR	40x80	metropol medium grey hive decor	A48RZMPL-MGY.MDR	40x80	metropol medium grey line decor	A48RZMPL-MGY.MLR	40x80
metropol ivory	A48RZMPL-IVo.MoR	40x80	metropol ivory hive decor	A48RZMPL-IVo.MDR	40x80	metropol ivory line decor	A48RZMPL-IVo.MLR	40x80
metropol beige	A48RZMPL-BEo.MoR	40x80	metropol beige hive decor	A48RZMPL-BEo.MDR	40x80	metropol beige line decor	A48RZMPL-BEo.MLR	40x80

metropol light grey	A14RZMPL-LIG.MoR	30x60	-	-	-	metropol light grey	A31RZMPL-LGY.MoR	30x100
metropol medium grey	A14RZMPL-MGY.MoR	30x60	metropol medium grey hive decor	A14RZMPL-MGY.MDR	30x60			
metropol ivory	A14RZMPL-IVo.MoR	30x60	metropol ivory hive decor	A14RZMPL-IVo.MDR	30x60			

Sizes (cm)	Thickness (mm)	Pieces X Sq. Pallet	M <sup>2</sup> X Sq. Pallet	Kg X Sq. Pallet	M <sup>2</sup> X Eu. Pallet	kg X Eu. Pallet	M <sup>2</sup> X Eu. Pallet	kg X Eu. Pallet
40x80	10.50	4	1.28	25.00	-	-	44	56.32
30x60	9.50	5	0.9	17.5	72	64.80	1260.00	48
30x100	9.5	4	12	25.00	36	43.2	92.5	-



40x80

Refine | Smoke

# Refine

RED BODY CERAMIC TILES  
Glossy • Rectified • Smooth



refine light grey

# Smoke

RED BODY CERAMIC TILES  
Glossy • Rectified • Smooth





smoke white


Name	Code	Size(CM)
refine light grey	A48RZREF-LGY.HoR	40x80
Name	Code	Size(CM)
smoke white	A48RZSMK-WHo.HoR	40x80
smoke white	A14RZSMK-WHE.GoXoR	30x60

Sizes (cm)	Thickness (mm)	Pieces X	M <sup>2</sup> X	Kg X	X  Sq. Pallet	M <sup>2</sup> X  Sq. Pallet	kg X  Sq. Pallet
40x80	10.50	4	1.28	25.00	44	56.32	1100.00

## SIZES



40x80 cm  
15.74"x31.49"



30x60 cm \*  
11.81"x23.62"

\* Only smoke white is available in 30x60 cm



Wall and Floor : Smoke White 40x80 cm

40x80


Texture

# Texture

RED BODY CERAMIC TILES  
Matt • Rectified • Smooth / Heavy Structure



texture light grey



texture light grey wave decor

heavy structure




texture grey




texture grey wave decor

heavy structure

## SIZES



40x80 cm  
15.74"x31.49"



40x80 cm  
15.74"x31.49"  
decor

Name	Code	Size(CM)	Name	Code	Size(CM)
texture light grey	A48RTXTR-LIG.MoXoR	40x80	texture light grey wave decor	A48RTXTR-LIG.MWXoR	40x80
texture grey	A48RTXTR-GRY.MoXoR	40x80	texture grey wave decor	A48RTXTR-GRY.MWXoR	40x80

Sizes (cm)	Thickness (mm)	Pieces X	M <sup>2</sup> X	Kg X	X  Sq. Pallet	M <sup>2</sup> X  Sq. Pallet	kg X  Sq. Pallet
40x80	10.50	4	1.28	25.00	44	56.32	1100.00



Wall: Texture Light Grey And Texture Light Grey Wave Decor40x80 cm

## TECHNICAL FEATURES

### RED BODY AND WHITE BODY CERAMIC TILES (BIII):

Red body and white body Ceramic tiles are made with finest quality clays and with chamotte (a ceramic raw material with high percentage of silica). These raw materials are submitted to dry grinding and suitably mixed and wet and then pressed with hydraulic presses. Quick-cycle support firing is obtained via roller kilns reaching temperatures of approximately 1130 °C. After biscuit glazing, the vitrified product is sintered in a single-layer roller kiln at approximately 1030 °C. The resulting wall tiles have an average bending strength that is higher than 16 N/mm<sup>2</sup> in accordance with the UNI EN ISO10545-4 standard and a water absorption level that is higher than 10 %; they belong to the BIII (GL) group according to the International Standard ISO 13006 and UNI EN 14411 standard. This class of products shows virtually no shrinkage during firing; therefore such dimensional consistency results in extremely easy laying.

#### ADVICE ON LAYING

Ceramic Red and White body tiles can be laid using either tile adhesives or cement mortar. Under no circumstances should the tiles be wet before laying when using acrylic or vinyl resin based adhesives or two- component organic solvent based adhesives. When laying large sized tiles it is best to adopt the two layer spreading method and, when the laying surface is very large, to provide for suitable expansion joints which must not be spaced more than 4-5 linear meters apart from one another.















#### IMPORTANT POINTS TO REMEMBER WHILE LAYING THESE TILES

When laying on wet concrete or plaster, leave to dry for at least one week for each centimetre of thickness.

When laying on brick, never lay on tile adhesive measuring more than 4-5 mm in thickness. For laying on flexible supports (for example plasterboard panels, polymer panels, etc.) which may result in movement of the tiles, we advise laying on tile adhesive measuring no more than 2-3 mm in thickness and to use class C2 or D1 glues. For laying on waterproof brick, which prevents the release of damp, we advise laying on tile adhesive measuring no more than 3 mm in thickness and to use class C2 or D1 glues.

Avoid laying without expansion joints or joints where stress due to expansion is released directly onto the tile.

### TECHNICAL CHARACTERISTICS - RED BODY AND WHITE BODY CERAMIC TILES (BIII)

	Test Description	Standard Test Method	International Standard ISO 13006	RAK Ceramics Specifications
	Length & Width	BS EN ISO 10545-2	+/- 0.5%	+/- 0.3%
	Thickness	BS EN ISO 10545-2	+/-10%	+/- 5.0%
	Rectangle Squareness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.4%
	Straightness of sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.3%
	Surface Flatness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.3%
	Water Absorption	BS EN ISO 10545-3	10% < E <= 20%	10% <E <= 18%
	Modulus of Rupture	BS EN ISO 10545-4		
	Thickness > = 7.5mm		>=12 N/mm <sup>2</sup>	>=16 N/mm <sup>2</sup>
	Thickness < = 7.5mm		>=15 N/mm <sup>2</sup>	>=16 N/mm <sup>2</sup>
	Breaking Strength	BS EN ISO 10545-4		
	Thickness > = 7.5mm		>=600N	>=650N
	Thickness < = 7.5mm		>=200N	>=400N
	Resistance to surface abrasion	BS EN ISO 10545-7	Manufacturer to state Abrasion Class	Class 2 - 4
	Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect
	Crazing Resistance	BS EN ISO 10545-11	No crazing	No crazing
	Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
	Resistance to stains	BS EN ISO 10545-14	Manufacturer to state class	Stain removed Min. class 4
	Scratch Hardness : (Moh's)	EN 101	-	4 - 6

**Note:** Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended

## MAINTENANCE AND CLEANING OF TILES

Maintenance of ceramic and porcelain tiles on dry surfaces is relatively easy. RAK Ceramics tiles are highly scratch and stain resistant.

- By regularly sweeping the floor, you can help avoid scratches that small pebbles or sand can create.
- Make it a habit to always wipe the soles of your shoes on a mat before entering the house. Thoroughly wipe up any spills using plain warm water.
- While they are not likely to stain your ceramic tiles, spills may stain the grout between the tiles and if they are left to sit for too long, may also stain the actual tiles.
- Plain water is the ideal cleaner because it leaves no residue if you dry the surface of the tiles thoroughly after cleaning.
- If tiles are left wet after cleaning, there may be some unsightly mineral residue after the water dries, but this can easily be removed by spot cleaning.
- If stains resist cleaning with water alone, you can use a mild acidic solution, such as white vinegar. Use it highly diluted and rinse with plain water then dry.
- As food stains are acidic in nature, try using a mild alkaline solution.
- Use common detergents sparingly, rinse with plain water and dry thoroughly.

## RAK CERAMICS CARE EXCLUSIVE POST INSTALLATION CLEANING SERVICE

We have collaborated with Fila, a leading company in cleaning, protection and maintenance of ceramic surfaces to offer an exclusive cleaning service to address our customers post installation concerns.

Cleaning after laying is of vital importance as a lot of unseen debris and reactive chemicals can affect the visual appearance of the ceramic material. With this new service, our customers can take advantage of Fila's professional on-site consultation. For more info please visit [www.rakceramics.com](http://www.rakceramics.com)



## TILE-LAYING RECOMMENDATIONS

All RAK Ceramics products are subject to size and shade variations. Please check the size, batch number, caliber, tone, choice, color, quality of the pieces before the installation, as no claims will be accepted once the tiles are installed.

Place some tiles on the floor - 2 or 3 sqm - and check the overall technical and aesthetic characteristics with care and check if there is enough product to finish the work.

Manufacturer's responsibility is only limited to replacement of defective material if any, prior to fixing of tiles and we will not entertain claim of any nature after the tiles are installed.

Therefore, if any issue is found on the delivered product, the contractor for installation or the client should not install the tiles. The issue should be communicated to RAK Ceramics for investigation and further action for resolution as required.

The substrate must be a compact cement bed. Levelling system ensures flatness between tiles avoiding movements during the mortar setting. This reduces the time for the ceramic laying obtaining a perfect lippage-free finish. Avoid movements between the tiles due to the mortar setting.

The width of grout joints must be established by the installation supervisor, unless grout widths are regulated by national laying standards. The grout colour should be selected according to the colour of the tile. We recommend to select a matching colour. Before using fine-grain coloured grout on lapped, glossy or brushed products, always test it. If the pigment is very adhesive, it may be very difficult to remove.

We recommend to lay the tiles by using suitable adhesives for each kind of product and surface. As general rule, tiles must be installed in the same position. The minimum joint is 2 mm for rectified tiles, although we suggest a higher joint for big size products. After grouting, remove any excess product as quickly as possible by repeatedly washing the area with a sponge and water.

Steps to follow 1. First, set the tool to the scale according to the ceramic thickness. 2. Introduce the crossheads and continue laying the adjacent tiles. 3. Put the wedges in the crosshead manually. 4. Tighten the wedges with the pliers to level the pieces. 5. Allow for setting for the time recommended by the manufacturer of the adhesive cement. 6. Remove the crossheads. Hit the crosshead with a rubber mallet or with your foot in the direction of the joint. Do not hit the wedges.


The company will not accept any claim if this is due to the problems caused by not following these suggestions and instructions.



LATICRETE IS A RECOMMENDED PARTNER OF RAK CERAMICS

## ICONS

### COLOUR VARIATIONS



The least amount of shade variation attainable.

### INDICATIONS FOR USE



### SUGGESTED APPLICATIONS



Residential areas, hotel rooms, bathrooms



Indoor public areas subject to medium pedestrian traffic such as restaurants, bars, offices, shops, hotel public areas, convention rooms.

In printing, colour of the products may differ slightly from actual, pictures are only for reference.

## Contact

RAK CERAMICS  
P.O. Box 4714, Ras Al Khaimah,  
United Arab Emirates (U.A.E.)  
Tel.: +971 7 2467000  
Fax: +971 7 2445270  
Email : info@rakceramics.com

---

**RAKCERAMICS.COM**

---

# RAK

CERAMICS

AVAILABLE IN UAE FLAGSHIP SHOWROOMS:

- ABU DHABI (1):** M39, Mussafah, P.O.Box: 44890, Abu Dhabi.  
**ABU DHABI (2):** Salam Street, Opp. ADCB Head Quarters, P.O.Box: 44890, Abu Dhabi.  
**ABU DHABI (3):** Airport road, Plot No. P5, Sector No. W4, Post Office Tower, P.O.Box: 44890, Abu Dhabi.  
**AL AIN:** Al Sanaiya Road, P.O.Box: 18098, Al Ain.  
**DUBAI (1):** Salahuddin Street, Deira, P.O.Box: 56023, Dubai.  
**DUBAI (2):** Sheikh Zayed Road, Umm Al Sheif, P.O.Box: 56023, Dubai.  
**SHARJAH:** King Faisal Street, Industrial Area 4, P.O.Box: 28427, Sharjah.  
**AJMAN:** Sheikh Khalifa Bin Zayed St, P.O.Box: 15743, Ajman.  
**RAS AL KHAIMAH:** Al Jazeera Al Hamra, P.O.Box: 4714, Ras Al Khaimah.0  
**FUJAIRAH:** Muhammed Bin Matar Street, Opposite Grand Sheikh Zayed Mosque, P.O Box 9058, Fujairah.



**80023726427**  
cs.uae@rakceramics.com